

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072820\
 Data File : BM026908.D
 Acq On : 29 Jul 2020 02:19
 Operator : JU/CG
 Sample : L3443-07
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AB0

Quant Time: Jul 29 06:33:35 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM072720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 29 02:24:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	63897	20.00	ng/ul	0.00
18) Naphthalene-d8	10.44	136	243427	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.30	164	158144	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	347949	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	406080	20.00	ng/ul	0.00
86) Perylene-d12	23.45	264	441346	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.23	96	8237	5.88	ng/uL	0.00
5) Phenol-d5	6.84	99	35852	6.40	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.01	67	111696	29.48	ng/ul	0.00
9) 2-Chlorophenol-d4	7.21	132	100320	23.94	ng/ul	0.00
13) 4-Methylphenol-d8	8.37	113	59693	13.86	ng/ul	0.00
19) Nitrobenzene-d5	8.81	128	60035	31.71	ng/ul	0.00
22) 2-Nitrophenol-d4	9.53	143	56759	32.70	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.07	165	114957	27.74	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	9743	1.97	ng/ul	0.00
44) Dimethylphthalate-d6	13.72	166	426144	34.36	ng/ul	0.00
47) Acenaphthylene-d8	13.99	160	492311	31.20	ng/ul	0.00
52) 4-Nitrophenol-d4	14.49	143	12951	6.17	ng/ul	0.00
58) Fluorene-d10	15.30	176	376841	34.93	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.41	200	49237	31.74	ng/ul	0.00
71) Anthracene-d10	17.14	188	544156	31.29	ng/ul	0.00
79) Pyrene-d10	19.44	212	726522	33.54	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.31	264	740726	29.74	ng/ul	-0.01


Target Compounds					Ovalue	
45) Dimethylphthalate	13.76	163	43339	3.330	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072820\
Data File : BM026908.D
Acq On : 29 Jul 2020 02:19
Operator : JU/CG
Sample : L3443-07
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AB0

Quant Time: Jul 29 06:33:35 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM072720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 29 02:24:07 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 3.330 ng/ul

RT: 13.76 min Scan# 1874

Delta R.T. -0.01 min

Lab File: BM026908.D

Acq: 29 Jul 2020 02:19

Instrument :

BNA_M

ClientSampleId :

C0AB0

Tot Ion:163 Resp: 43339

Ion Ratio Lower Upper

163 100

194 3.5 3.0 4.6

164 10.0 8.6 12.8

