

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072820\
 Data File : BM026934.D
 Acq On : 29 Jul 2020 20:07
 Operator : JU/CG
 Sample : L3419-18
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jul 30 01:23:06 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM072720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 30 01:20:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	61858	20.00	ng/ul	0.00
18) Naphthalene-d8	10.44	136	236140	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.30	164	148244	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	322572	20.00	ng/ul	0.00
78) Chrysene-d12	21.23	240	352858	20.00	ng/ul	-0.01
86) Perylene-d12	23.44	264	387571	20.00	ng/ul	-0.01


System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	10590	7.81	ng/uL	0.00
5) Phenol-d5	6.84	99	44757	8.26	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.00	67	32531	8.87	ng/ul	0.00
9) 2-Chlorophenol-d4	7.20	132	32719	8.07	ng/ul	0.00
13) 4-Methylphenol-d8	8.37	113	33679	8.08	ng/ul	0.00
19) Nitrobenzene-d5	8.81	128	15860	8.64	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	13343	7.92	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	31586	7.86	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	41496	8.66	ng/ul	0.00
44) Dimethylphthalate-d6	13.71	166	108871	9.37	ng/ul	0.00
47) Acenaphthylene-d8	13.99	160	125704	8.50	ng/ul	0.00
52) 4-Nitrophenol-d4	14.48	143	10198	5.19	ng/ul	-0.01
58) Fluorene-d10	15.29	176	96088	9.50	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.40	200	6816	4.74	ng/ul	-0.01
71) Anthracene-d10	17.14	188	145819	9.04	ng/ul	-0.01
79) Pyrene-d10	19.44	212	173432	9.21	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.30	264	204389	9.35	ng/ul	-0.02

Target Compounds

					Ovalue
45) Dimethylphthalate	13.76	163	47943	3.930	ng/ul 97
77) Fluoranthene	19.10	202	56909	2.462	ng/ul# 96
80) Pyrene	19.47	202	60033	2.338	ng/ul# 91
83) Benzo(a)anthracene	21.22	228	32939	1.354	ng/ul 94
85) Chrysene	21.27	228	78650	3.316	ng/ul 97
88) Benzo(b)fluoranthene	22.78	252	212687	7.671	ng/ul 98
89) Benzo(k)fluoranthene	22.78	252	212687	7.994	ng/ul 98
91) Benzo(a)pyrene	23.34	252	87970	3.516	ng/ul 96
92) Indeno(1,2,3-cd)pyrene	25.65	276	252412	8.133	ng/ul 96
93) Dibenzo(a,h)anthracene	25.66	278	57176	2.178	ng/ul 99
94) Benzo(g,h,i)perylene	26.33	276	451039	17.575	ng/ul 99





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#45
Dimethylphthalate
Concen: 3.930 ng/ul
RT: 13.76 min Scan# 1874
Delta R.T. -0.01 min
Lab File: BM026934.D
Acq: 29 Jul 2020 20:07




Instrument :
BNA_M
ClientSampleId :


Tot Ion:163 Resp: 47943
Ion Ratio Lower Upper
163 100
194 4.4 3.0 4.6
164 9.7 8.6 12.8



#77
Fluoranthene
Concen: 2.462 ng/ul
RT: 19.10 min Scan# 2782
Delta R.T. -0.01 min
Lab File: BM026934.D
Acq: 29 Jul 2020 20:07

Tgt Ion:202 Resp: 56909
Ion Ratio Lower Upper
202 100
101 8.3 7.7 11.5
100 6.1 6.2 9.4#









#80
 Pvrene
 Concen: 2.338 ng/ul
 RT: 19.47 min Scan# 2844
 Delta R.T. -0.01 min
 Lab File: BM026934.D
 Acq: 29 Jul 2020 20:07




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
202	100		
101	8.8	9.4	14.2#
100	6.8	8.2	12.4#



#83
 Benzo(a)anthracene
 Concen: 1.354 ng/ul
 RT: 21.22 min Scan# 3142
 Delta R.T. -0.01 min
 Lab File: BM026934.D
 Acq: 29 Jul 2020 20:07

Tgt Ion	Ratio	Lower	Upper
228	100		
229	19.9	15.4	23.2
226	30.5	20.9	31.3





#85

Chrysene

Concen: 3.316 ng/ul

RT: 21.27 min Scan# 3151

Delta R.T. -0.01 min

Lab File: BM026934.D

Acq: 29 Jul 2020 20:07


Instrument :

BNA_M

ClientSampleId :

Tot Ion:228 Resp: 78650

Ion	Ratio	Lower	Upper
228	100		
226	27.7	23.2	34.8
229	20.8	15.5	23.3






Abundance

Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#88

Benzo(b)fluoranthene

Concen: 7.671 ng/ul

RT: 22.78 min Scan# 3408


Delta R.T. -0.01 min

Lab File: BM026934.D

Acq: 29 Jul 2020 20:07

Tgt Ion:252 Resp: 212687

Ion	Ratio	Lower	Upper
252	100		
253	23.3	17.6	26.4
125	8.7	6.6	10.0






Abundance

Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E









#89
Benzo(k)fluoranthene
Concen: 7.994 ng/ul
RT: 22.78 min Scan# 3408
Delta R.T. -0.06 min
Lab File: BM026934.D
Acq: 29 Jul 2020 20:07

Instrument :
BNA_M
ClientSampled :

Tot Ion:252 Resp: 212687
Ion Ratio Lower Upper
252 100
253 23.3 17.4 26.2
125 8.7 7.3 10.9




Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E






#91
Benzo(a)pyrene
Concen: 3.516 ng/ul
RT: 23.34 min Scan# 3503
Delta R.T. -0.02 min
Lab File: BM026934.D
Acq: 29 Jul 2020 20:07

Tgt Ion:252 Resp: 87970
Ion Ratio Lower Upper
252 100
253 24.5 17.7 26.5
125 10.0 8.2 12.2



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E









#92
 Indeno(1,2,3-cd)pyrene
 Concen: 8.133 ng/ul
 RT: 25.65 min Scan# 3896
 Delta R.T. -0.02 min
 Lab File: BM026934.D
 Acq: 29 Jul 2020 20:07




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
276	100		
138	18.6	17.0	25.4
277	24.7	20.6	30.8



#93
 Dibenzo(a,h)anthracene
 Concen: 2.178 ng/ul
 RT: 25.66 min Scan# 3897
 Delta R.T. -0.02 min
 Lab File: BM026934.D
 Acq: 29 Jul 2020 20:07

Tgt Ion	Ratio	Lower	Upper
278	100		
139	13.5	10.9	16.3
279	25.2	19.4	29.2





#94

Benzo(a,h,i)perylene

Concen: 17.575 ng/ul

RT: 26.33 min Scan# 4011

Delta R.T. -0.02 min


Lab File: BM026934.D

Acq: 29 Jul 2020 20:07

Instrument :

BNA_M

ClientSampleId :




Tot Ion:276 Resp: 451039

Ion Ratio Lower Upper

276 100

138 18.1 14.9 22.3

277 23.9 19.1 28.7



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E

