

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072820\  
 Data File : BM026908.D  
 Acq On : 29 Jul 2020 02:19  
 Operator : JU/CG  
 Sample : L3443-07  
 Misc :  
 ALS Vial : 26 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 C0AB0

Quant Time: Jul 29 06:33:35 2020  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_M\METHODS\SOM-EPA-BM072720MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Jul 29 02:24:07 2020  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.67  | 152  | 63897    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.44 | 136  | 243427   | 20.00 | ng/ul | 0.00     |
| 36) Acenaphthene-d10      | 14.30 | 164  | 158144   | 20.00 | ng/ul | 0.00     |
| 62) Phenanthrene-d10      | 17.04 | 188  | 347949   | 20.00 | ng/ul | 0.00     |
| 78) Chrysene-d12          | 21.24 | 240  | 406080   | 20.00 | ng/ul | 0.00     |
| 86) Perylene-d12          | 23.45 | 264  | 441346   | 20.00 | ng/ul | 0.00     |

|                                |       |     |        |       |       |       |
|--------------------------------|-------|-----|--------|-------|-------|-------|
| System Monitoring Compounds    |       |     |        |       |       |       |
| 3) 1,4-Dioxane-d8              | 3.23  | 96  | 8237   | 5.88  | ng/uL | 0.00  |
| 5) Phenol-d5                   | 6.84  | 99  | 35852  | 6.40  | ng/ul | 0.00  |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.01  | 67  | 111696 | 29.48 | ng/ul | 0.00  |
| 9) 2-Chlorophenol-d4           | 7.21  | 132 | 100320 | 23.94 | ng/ul | 0.00  |
| 13) 4-Methylphenol-d8          | 8.37  | 113 | 59693  | 13.86 | ng/ul | 0.00  |
| 19) Nitrobenzene-d5            | 8.81  | 128 | 60035  | 31.71 | ng/ul | 0.00  |
| 22) 2-Nitrophenol-d4           | 9.53  | 143 | 56759  | 32.70 | ng/ul | 0.00  |
| 26) 2,4-Dichlorophenol-d3      | 10.07 | 165 | 114957 | 27.74 | ng/ul | 0.00  |
| 29) 4-Chloroaniline-d4         | 10.57 | 131 | 9743   | 1.97  | ng/ul | 0.00  |
| 44) Dimethylphthalate-d6       | 13.72 | 166 | 426144 | 34.36 | ng/ul | 0.00  |
| 47) Acenaphthylene-d8          | 13.99 | 160 | 492311 | 31.20 | ng/ul | 0.00  |
| 52) 4-Nitrophenol-d4           | 14.49 | 143 | 12951  | 6.17  | ng/ul | 0.00  |
| 58) Fluorene-d10               | 15.30 | 176 | 376841 | 34.93 | ng/ul | 0.00  |
| 63) 4,6-Dinitro-2-methylphenol | 15.41 | 200 | 49237  | 31.74 | ng/ul | 0.00  |
| 71) Anthracene-d10             | 17.14 | 188 | 544156 | 31.29 | ng/ul | 0.00  |
| 79) Pyrene-d10                 | 19.44 | 212 | 726522 | 33.54 | ng/ul | 0.00  |
| 90) Benzo(a)pyrene-d12         | 23.31 | 264 | 740726 | 29.74 | ng/ul | -0.01 |

|                       |       |     |       |       |        |    |
|-----------------------|-------|-----|-------|-------|--------|----|
| Target Compounds      |       |     |       |       | Ovalue |    |
| 45) Dimethylphthalate | 13.76 | 163 | 43339 | 3.330 | ng/ul  | 98 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072820\  
Data File : BM026908.D  
Acq On : 29 Jul 2020 02:19  
Operator : JU/CG  
Sample : L3443-07  
Misc :  
ALS Vial : 26 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
C0AB0

Quant Time: Jul 29 06:33:35 2020  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_M\METHODS\SOM-EPA-BM072720MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Jul 29 02:24:07 2020  
Response via : Initial Calibration

