

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072820\
 Data File : BM026924.D
 Acq On : 29 Jul 2020 13:56
 Operator : JU/CG
 Sample : L3419-14
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AF1

Quant Time: Jul 29 14:30:51 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM072720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 29 02:24:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	76853	20.00	ng/ul	0.00
18) Naphthalene-d8	10.44	136	285688	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.30	164	177544	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	390534	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	437226	20.00	ng/ul	0.00
86) Perylene-d12	23.45	264	470845	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.22	96	16054	9.53	ng/uL	0.00
5) Phenol-d5	6.84	99	149617	22.22	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.00	67	106881	23.45	ng/ul	0.00
9) 2-Chlorophenol-d4	7.20	132	118614	23.54	ng/ul	0.00
13) 4-Methylphenol-d8	8.37	113	113712	21.95	ng/ul	0.00
19) Nitrobenzene-d5	8.81	128	51344	23.11	ng/ul	0.00
22) 2-Nitrophenol-d4	9.53	143	43793	21.50	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.07	165	113447	23.33	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	142001	24.49	ng/ul	0.00
44) Dimethylphthalate-d6	13.71	166	346913	24.92	ng/ul	0.00
47) Acenaphthylene-d8	13.99	160	357259	20.17	ng/ul	0.00
52) 4-Nitrophenol-d4	14.49	143	35729	15.17	ng/ul	0.00
58) Fluorene-d10	15.30	176	238273	19.67	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.41	200	15991	9.19	ng/ul	0.00
71) Anthracene-d10	17.14	188	397922	20.39	ng/ul	0.00
79) Pyrene-d10	19.44	212	334332	14.34	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.31	264	390211	14.69	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.76	163	129707	8.877	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072820\
Data File : BM026924.D
Acq On : 29 Jul 2020 13:56
Operator : JU/CG
Sample : L3419-14
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AF1

Quant Time: Jul 29 14:30:51 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM072720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 29 02:24:07 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 8.877 ng/ul

RT: 13.76 min Scan# 1874

Delta R.T. -0.01 min

Lab File: BM026924.D

Acq: 29 Jul 2020 13:56

Instrument :

BNA_M

ClientSampleId :

C0AF1


Tot Ion:163 Resp: 129707

Ion Ratio Lower Upper

163 100

194 3.9 3.0 4.6

164 10.3 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

