

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM073123\
 Data File : BM041202.D
 Acq On : 01 Aug 2023 00:14
 Operator : MA/JU
 Sample : 03741-12
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B-P6A

Quant Time: Aug 01 00:57:29 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 31 16:29:28 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.798	152	182522	20.000	ng	0.00
21) Naphthalene-d8	10.604	136	694799	20.000	ng	0.00
39) Acenaphthene-d10	14.463	164	391606	20.000	ng	0.00
64) Phenanthrene-d10	17.221	188	821732	20.000	ng	0.00
76) Chrysene-d12	21.421	240	784810	20.000	ng	0.00
86) Perylene-d12	23.791	264	888520	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.369	112	770833	63.120	ng	0.00
7) Phenol-d6	6.975	99	987782	62.400	ng	0.00
23) Nitrobenzene-d5	8.975	82	617866	41.355	ng	0.00
42) 2,4,6-Tribromophenol	15.962	330	376481	67.968	ng	0.00
45) 2-Fluorobiphenyl	13.080	172	1322214	42.652	ng	0.00
79) Terphenyl-d14	19.856	244	2071253	47.718	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.927	163	83565	2.837	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM073123\
Data File : BM041202.D
Acq On : 01 Aug 2023 00:14
Operator : MA/JU
Sample : 03741-12
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B-P6A

Quant Time: Aug 01 00:57:29 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 31 16:29:28 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.798 min Scan# 71
Delta R.T. 0.000 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14




Instrument :
BNA_M
ClientSampleId :
B-P6A


Tgt Ion:152 Resp: 182522
Ion Ratio Lower Upper
152 100
150 153.3 125.5 188.3
115 59.2 48.0 72.0



#5
2-Fluorophenol
Concen: 63.120 ng
RT: 5.369 min Scan# 371
Delta R.T. 0.006 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14

Tgt Ion:112 Resp: 770833
Ion Ratio Lower Upper
112 100
64 58.5 48.5 72.7
63 31.9 26.5 39.7









#7
Phenol-d6
Concen: 62.400 ng
RT: 6.975 min Scan# 645
Delta R.T. -0.000 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14




Instrument :
BNA_M
ClientSampleId :
B-P6A


Tgt Ion: 99 Resp: 987782
Ion Ratio Lower Upper
99 100
42 18.7 15.4 23.0
71 35.9 28.2 42.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.604 min Scan# 1261
Delta R.T. -0.000 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14

Tgt Ion: 136 Resp: 694799
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 7.7 6.9 10.3
68 6.3 5.4 8.2





#23

Nitrobenzene-d5

Concen: 41.355 ng

RT: 8.975 min Scan# 91

Delta R.T. -0.000 min

Lab File: BM041202.D

Acq: 01 Aug 2023 00:14

Instrument :

BNA_M

ClientSampleId :

B-P6A





Tgt Ion: 82 Resp: 617866

Ion Ratio Lower Upper

82 100

128 42.2 31.8 47.6

54 47.6 40.1 60.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.463 min Scan# 1917

Delta R.T. -0.000 min

Lab File: BM041202.D

Acq: 01 Aug 2023 00:14




Tgt Ion: 164 Resp: 391606


Ion Ratio Lower Upper

164 100

162 99.0 80.4 120.6

160 44.6 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 67.968 ng
RT: 15.962 min Scan# 2172
Delta R.T. -0.000 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14




Instrument :
BNA_M
ClientSampleId :
B-P6A


Tgt Ion:330 Resp: 376481
Ion Ratio Lower Upper
330 100
332 97.3 77.7 116.5
141 34.0 28.3 42.5



#45
2-Fluorobiphenyl
Concen: 42.652 ng
RT: 13.080 min Scan# 1682
Delta R.T. -0.006 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14

Tgt Ion:172 Resp: 1322214
Ion Ratio Lower Upper
172 100
171 34.6 28.1 42.1
170 23.7 18.9 28.3









#50
Dimethylphthalate
Concen: 2.837 ng
RT: 13.927 min Scan# 1826
Delta R.T. -0.006 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14




Instrument :
BNA_M
ClientSampleId :
B-P6A


Tgt Ion:163 Resp: 83565
Ion Ratio Lower Upper
163 100
194 3.9 3.3 4.9
164 9.3 8.3 12.5



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.221 min Scan# 2386
Delta R.T. -0.000 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14

Tgt Ion:188 Resp: 821732
Ion Ratio Lower Upper
188 100
94 9.1 8.2 12.2
80 10.2 8.6 13.0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.421 min Scan# 31
Delta R.T. -0.006 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14




Instrument :
BNA_M
ClientSampleId :
B-P6A


Tgt Ion:240 Resp: 784810
Ion Ratio Lower Upper
240 100
120 9.9 8.3 12.5
236 25.4 20.6 30.8



#79
Terphenyl-d14
Concen: 47.718 ng
RT: 19.856 min Scan# 2834
Delta R.T. -0.006 min
Lab File: BM041202.D
Acq: 01 Aug 2023 00:14

Tgt Ion:244 Resp: 2071253
Ion Ratio Lower Upper
244 100
212 7.0 5.4 8.2
122 9.9 7.8 11.6





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.791 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BM041202.D
 Acq: 01 Aug 2023 00:14

Instrument :
 BNA_M
 ClientSampleId :
 B-P6A

Tgt Ion:264 Resp: 888520
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.5 27.7
 265 22.2 17.4 26.0

