

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM080218\
 Data File : BM016167.D
 Acq On : 02 Aug 2018 22:40
 Operator : SJ/JU
 Sample : J4171-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JJ1J3

Manual Integrations
 APPROVED

Sohil
 8/3/2018 5:56:11 PM

Quant Time: Aug 03 02:03:05 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM071318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 03 01:12:01 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.19	152	60657	20.00	ng/ul	0.00
18) Naphthalene-d8	11.01	136	257438	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.82	164	126415	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.55	188	247483	20.00	ng/ul	0.00
77) Chrysene-d12	21.67	240	228684	20.00	ng/ul	0.00
85) Perylene-d12	24.03	264	237783	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.45	96	9946	7.22	ng/uL	0.00
5) Phenol-d5	7.35	99	162525	29.32	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.51	67	112249	32.19	ng/ul	0.00
9) 2-Chlorophenol-d4	7.72	132	152293	33.83	ng/ul	0.00
13) 4-Methylphenol-d8	8.91	113	130017	27.39	ng/ul	0.00
19) Nitrobenzene-d5	9.37	128	67924	36.74	ng/ul	0.00
22) 2-Nitrophenol-d4	10.10	143	77498	36.88	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.63	165	134421	33.03	ng/ul	0.00
29) 4-Chloroaniline-d4	11.16	131	144530	29.19	ng/ul	0.00
43) Dimethylphthalate-d6	14.22	166	405982	35.23	ng/ul	0.00
46) Acenaphthylene-d8	14.52	160	451267	34.34	ng/ul	0.00
51) 4-Nitrophenol-d4	15.04	143	43327m	21.70	ng/ul	0.00
57) Fluorene-d10	15.80	176	323892	33.14	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.95	200	37282	22.57	ng/ul	0.00
70) Anthracene-d10	17.64	188	442271	34.91	ng/ul	0.00
78) Pyrene-d10	19.91	212	465079	43.88	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.88	264	472608	36.14	ng/ul	0.00

Target Compounds

					Ovalue	
6) Phenol	7.38	94	8339	1.498	ng/ul#	53
44) Dimethylphthalate	14.27	163	51399	4.504	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM080218\
Data File : BM016167.D
Acq On : 02 Aug 2018 22:40
Operator : SJ/JU
Sample : J4171-05
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
JJ1J3

Quant Time: Aug 03 02:03:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM071318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 03 01:12:01 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
8/3/2018 5:56:11 PM





#6

Phenol

Concen: 1.498 ng/ul

RT: 7.38 min Scan# 696

Delta R.T. -0.00 min

Lab File: BM016167.D

Acq: 02 Aug 2018 22:40

Instrument :

BNA_M

ClientSampled :

JJ1J3

Tot Ion: 94 Resp: 8339

Ion Ratio Lower Upper

94 100





65 46.2 21.0 31.6#

66 67.5 29.3 43.9#

Manual Integrations
APPROVED

Sohil

8/3/2018 5:56:11 PM



#44

Dimethylphthalate

Concen: 4.504 ng/ul

RT: 14.27 min Scan# 1867

Delta R.T. -0.00 min

Lab File: BM016167.D

Acq: 02 Aug 2018 22:40

Tgt Ion:163 Resp: 51399

Ion Ratio Lower Upper

163 100

194 3.3 3.2 4.8

164 10.4 7.8 11.8

