

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080221\
 Data File : BM031429.D
 Acq On : 04 Aug 2021 02:29
 Operator : CG/JU
 Sample : M3122-11
 Misc :
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BGEQ3

Manual Integrations
 APPROVED

mohammad
 8/4/2021 3:48:29 PM

Quant Time: Aug 04 04:16:42 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM072821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 04 03:17:29 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.597	152	1201	0.400	ng/ul	0.00
4) Naphthalene-d8	10.356	136	4618	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.227	164	2909	0.400	ng/ul	0.00
13) Phenanthrene-d10	16.975	188	5406	0.400	ng/ul	# 0.00
17) Chrysene-d12	21.166	240	4049	0.400	ng/ul	0.00
23) Perylene-d12	23.324	264	4177	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.189	96	6783	5.085	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.953	152	2366	0.304	ng/ul	0.00
18) Fluoranthene-d10	19.008	212	4500	0.333	ng/ul	0.00
Target Compounds						
					Qvalue	
19) Fluoranthene	19.035	202	546	0.032	ng/ul#	66
20) Pyrene	19.397	202	521	0.030	ng/ul#	45
21) Benzo(a)anthracene	21.151	228	510	0.031	ng/ul#	71
22) Chrysene	21.202	228	437	0.026	ng/ul#	71
24) Benzo(b)fluoranthene	22.684	252	642m	0.034	ng/ul	
26) Benzo(a)pyrene	23.229	252	391	0.024	ng/ul#	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080221\
Data File : BM031429.D
Acq On : 04 Aug 2021 02:29
Operator : CG/JU
Sample : M3122-11
Misc :
ALS Vial : 59 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BGEQ3

Manual Integrations
APPROVED

mohammad
8/4/2021 3:48:29 PM

Quant Time: Aug 04 04:16:42 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM072821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 04 03:17:29 2021
Response via : Initial Calibration

