

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080522\
 Data File : BM036117.D
 Acq On : 05 Aug 2022 13:14
 Operator : CG/JU
 Sample : N3960-18
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RVE-165

Quant Time: Aug 06 01:11:39 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 05 03:36:25 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.851	152	340276	20.000	ng	0.00
21) Naphthalene-d8	10.657	136	1443662	20.000	ng	0.00
39) Acenaphthene-d10	14.492	164	910422	20.000	ng	0.00
64) Phenanthrene-d10	17.233	188	1790547	20.000	ng	0.00
76) Chrysene-d12	21.415	240	1434979	20.000	ng	0.00
86) Perylene-d12	23.768	264	1198416	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	2334475	111.227	ng	0.00
7) Phenol-d6	7.034	99	3040481	113.849	ng	0.00
23) Nitrobenzene-d5	9.022	82	1840488	71.364	ng	0.00
42) 2,4,6-Tribromophenol	15.980	330	1192498	111.652	ng	0.00
45) 2-Fluorobiphenyl	13.121	172	4295306	69.659	ng	0.00
79) Terphenyl-d14	19.862	244	6032705	82.922	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080522\
Data File : BM036117.D
Acq On : 05 Aug 2022 13:14
Operator : CG/JU
Sample : N3960-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RVE-165

Quant Time: Aug 06 01:11:39 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 05 03:36:25 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.851 min Scan# 813
Delta R.T. -0.006 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14




Instrument :
BNA_M
ClientSampleId :
RVE-165


Tgt Ion:152 Resp: 340276
Ion Ratio Lower Upper
152 100
150 155.4 124.9 187.3
115 59.7 47.9 71.9



#5
2-Fluorophenol
Concen: 111.227 ng
RT: 5.422 min Scan# 397
Delta R.T. -0.000 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14

Tgt Ion:112 Resp: 2334475
Ion Ratio Lower Upper
112 100
64 54.9 47.8 71.6
63 28.7 26.6 40.0









#7
Phenol-d6
Concen: 113.849 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14




Instrument :
BNA_M
ClientSampleId :
RVE-165


Tgt Ion: 99 Resp: 3040481
Ion Ratio Lower Upper
99 100
42 17.2 18.8 28.2#
71 32.4 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.657 min Scan# 1287
Delta R.T. -0.006 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14

Tgt Ion: 136 Resp: 1443662
Ion Ratio Lower Upper
136 100
137 11.0 8.9 13.3
54 7.7 7.0 10.4
68 6.0 4.3 6.5









#23
Nitrobenzene-d5
Concen: 71.364 ng
RT: 9.022 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14




Instrument :
BNA_M
ClientSampleId :
RVE-165


Tgt Ion: 82 Resp: 1840488
Ion Ratio Lower Upper
82 100
128 45.5 33.7 50.5
54 48.2 43.2 64.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.492 min Scan# 1939
Delta R.T. -0.006 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14

Tgt Ion: 164 Resp: 910422
Ion Ratio Lower Upper
164 100
162 100.2 83.0 124.6
160 45.0 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 111.652 ng
RT: 15.980 min Scan# 2195
Delta R.T. -0.006 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14




Instrument :
BNA_M
ClientSampleId :
RVE-165


Tgt Ion:330 Resp: 1192498
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.4
141 36.8 35.3 52.9



#45
2-Fluorobiphenyl
Concen: 69.659 ng
RT: 13.121 min Scan# 1706
Delta R.T. -0.006 min
Lab File: BM036117.D
Acq: 05 Aug 2022 13:14

Tgt Ion:172 Resp: 4295306
Ion Ratio Lower Upper
172 100
171 35.7 28.5 42.7
170 24.0 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.233 min Scan# 2405

Delta R.T. -0.006 min

Lab File: BM036117.D

Acq: 05 Aug 2022 13:14

Instrument :

BNA_M

ClientSampleId :

RVE-165





Tgt Ion:188 Resp: 1790547

Ion Ratio Lower Upper

188 100

94 9.5 7.0 10.4

80 10.1 7.6 11.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.415 min Scan# 3116

Delta R.T. -0.006 min

Lab File: BM036117.D

Acq: 05 Aug 2022 13:14




Tgt Ion:240 Resp: 1434979


Ion Ratio Lower Upper

240 100

120 10.8 9.4 14.0

236 25.9 20.6 30.8









#79
 Terphenyl-d14
 Concen: 82.922 ng
 RT: 19.862 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM036117.D
 Acq: 05 Aug 2022 13:14

Instrument :
 BNA_M
 ClientSampleId :
 RVE-165

Tgt Ion:244 Resp: 6032705
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.2 9.4
 122 10.4 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.768 min Scan# 3516
 Delta R.T. -0.018 min
 Lab File: BM036117.D
 Acq: 05 Aug 2022 13:14

Tgt Ion:264 Resp: 1198416
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.9 28.3
 265 22.7 17.5 26.3

