

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM080618\
 Data File : BM016206.D
 Acq On : 07 Aug 2018 00:13
 Operator : SJ/JU
 Sample : J4330-06
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 073018-DBRI-E-U-S

Quant Time: Aug 07 05:04:33 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 23 16:08:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	39741	20.00	ng	-0.07
21) Naphthalene-d8	10.99	136	148612	20.00	ng	-0.07
38) Acenaphthene-d10	14.80	164	77712	20.00	ng	-0.06
63) Phenanthrene-d10	17.53	188	161760	20.00	ng	-0.05
75) Chrysene-d12	21.66	240	172085	20.00	ng	-0.04
86) Perylene-d12	24.01	264	182732	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	110795	46.31	ng	-0.05
7) Phenol-d6	7.33	99	82377	26.37	ng	-0.05
23) Nitrobenzene-d5	9.36	82	350329	109.64	ng	-0.06
41) 2,4,6-Tribromophenol	16.29	330	87020	88.29	ng	-0.05
44) 2-Fluorobiphenyl	13.42	172	634923	99.41	ng	-0.06
78) Terphenyl-d14	20.12	244	906070	110.22	ng	-0.04


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM080618\
Data File : BM016206.D
Acq On : 07 Aug 2018 00:13
Operator : SJ/JU
Sample : J4330-06
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
073018-DBRI-E-U-S

Quant Time: Aug 07 05:04:33 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 23 16:08:38 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.17 min Scan# 830

Delta R.T. -0.07 min

Lab File: BM016206.D

Acq: 07 Aug 2018 00:13

Instrument :

BNA_M

ClientSampleId :

073018-DBRI-E-U-S


Tot Ion:152 Resp: 39741

Ion Ratio Lower Upper

152 100

150 157.6 119.5 179.3

115 72.7 43.0 64.4#






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: Below ng

RT: 5.69 min Scan# 409

Delta R.T. -0.05 min

Lab File: BM016206.D

Acq: 07 Aug 2018 00:13


Tgt Ion:112 Resp: 110795

Ion Ratio Lower Upper

112 100

64 62.8 38.6 57.8#

63 45.4 19.3 28.9#






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.33 min Scan# 688

Delta R.T. -0.05 min

Lab File: BM016206.D

Acq: 07 Aug 2018 00:13

Instrument :

BNA_M

ClientSampleId :

073018-DBRI-E-U-S


Tot Ion: 99 Resp: 82377

Ion Ratio Lower Upper

99 100

42 36.7 11.0 16.4#




71 51.4 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016206.D (-690) (-)

Ion 42.00 (41.70 to 42.70): BM016206.D (-690) (-)

Ion 71.00 (70.70 to 71.70): BM016206.D (-690) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.99 min Scan# 1309

Delta R.T. -0.07 min

Lab File: BM016206.D

Acq: 07 Aug 2018 00:13

Tgt Ion: 136 Resp: 148612


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 9.9 4.6 6.8#

68 4.7 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM016206.D (-1304) (-)

Ion 137.00 (136.70 to 137.70): BM016206.D (-1304) (-)

Ion 54.00 (53.70 to 54.70): BM016206.D (-1304) (-)

Ion 68.00 (67.70 to 68.70): BM016206.D (-1304) (-)









#23
Nitrobenzene-d5
Concen: N.D. ng
RT: 9.36 min Scan# 1032
Delta R.T. -0.06 min
Lab File: BM016206.D
Acq: 07 Aug 2018 00:13




Instrument :
BNA_M
ClientSampleId :
073018-DBRI-E-U-S


Tot Ion: 82 Resp: 350329
Ion Ratio Lower Upper
82 100
128 36.8 32.8 49.2
54 62.6 40.6 60.8#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.80 min Scan# 1957
Delta R.T. -0.06 min
Lab File: BM016206.D
Acq: 07 Aug 2018 00:13

Tgt Ion: 164 Resp: 77712
Ion Ratio Lower Upper
164 100
162 107.8 82.4 123.6
160 48.4 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.29 min Scan# 2210
 Delta R.T. -0.05 min
 Lab File: BM016206.D
 Acq: 07 Aug 2018 00:13

Instrument :
 BNA_M
 ClientSampleId :
 073018-DBRI-E-U-S

Tot Ion:330 Resp: 87020
 Ion Ratio Lower Upper
 330 100
 332 96.6 0.0 0.0#
 141 75.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.42 min Scan# 1723
 Delta R.T. -0.06 min
 Lab File: BM016206.D
 Acq: 07 Aug 2018 00:13

Tgt Ion:172 Resp: 634923
 Ion Ratio Lower Upper
 172 100
 171 35.2 28.5 42.7
 170 24.2 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.53 min Scan# 2422
Delta R.T. -0.05 min
Lab File: BM016206.D
Acq: 07 Aug 2018 00:13

Instrument :
BNA_M
ClientSampleId :
073018-DBRI-E-U-S

Tot Ion:188 Resp: 161760
Ion Ratio Lower Upper
188 100
94 7.3 8.7 13.1#
80 8.8 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM016206.D
Ion 80.00 (79.70 to 80.70): BM016206.D






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.66 min Scan# 3124
Delta R.T. -0.04 min
Lab File: BM016206.D
Acq: 07 Aug 2018 00:13

Tgt Ion:240 Resp: 172085
Ion Ratio Lower Upper
240 100
120 7.9 8.2 12.2#
236 26.3 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: Below na
 RT: 20.12 min Scan# 2861
 Delta R.T. -0.04 min
 Lab File: BM016206.D
 Acq: 07 Aug 2018 00:13

Instrument :
 BNA_M
 ClientSampleId :
 073018-DBRI-E-U-S

Tot Ion	Ratio	Lower	Upper
244	100		
212	9.6	4.9	7.3#
122	8.6	6.2	9.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.01 min Scan# 3523
 Delta R.T. -0.07 min
 Lab File: BM016206.D
 Acq: 07 Aug 2018 00:13

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.3	18.6	27.8
265	21.6	17.3	25.9

