

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080923\
 Data File : BM041346.D
 Acq On : 09 Aug 2023 19:09
 Operator : MA/JU
 Sample : 03919-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-38

Quant Time: Aug 10 03:27:06 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 09 12:20:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.781	152	112049	20.000	ng	0.00
21) Naphthalene-d8	10.586	136	438268	20.000	ng	0.00
39) Acenaphthene-d10	14.445	164	271716	20.000	ng	0.00
64) Phenanthrene-d10	17.209	188	585671	20.000	ng	0.00
76) Chrysene-d12	21.415	240	461318	20.000	ng	0.00
86) Perylene-d12	23.791	264	499418	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.357	112	910201	121.409	ng	0.00
7) Phenol-d6	6.969	99	992650	102.147	ng	0.00
23) Nitrobenzene-d5	8.957	82	812377	86.201	ng	0.00
42) 2,4,6-Tribromophenol	15.951	330	563999	146.749	ng	0.00
45) 2-Fluorobiphenyl	13.063	172	1887425	87.749	ng	0.00
79) Terphenyl-d14	19.845	244	2979934	116.793	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080923\
Data File : BM041346.D
Acq On : 09 Aug 2023 19:09
Operator : MA/JU
Sample : 03919-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-38

Quant Time: Aug 10 03:27:06 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 09 12:20:12 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.781 min Scan# 71
Delta R.T. 0.006 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09




Instrument :
BNA_M
ClientSampleId :
TP-38


Tgt Ion:152 Resp: 112049
Ion Ratio Lower Upper
152 100
150 155.7 125.5 188.3
115 60.1 48.0 72.0



#5
2-Fluorophenol
Concen: 121.409 ng
RT: 5.357 min Scan# 369
Delta R.T. -0.000 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09

Tgt Ion:112 Resp: 910201
Ion Ratio Lower Upper
112 100
64 60.5 48.5 72.7
63 33.3 26.5 39.7









#7
Phenol-d6
Concen: 102.147 ng
RT: 6.969 min Scan# 64
Delta R.T. -0.000 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09




Instrument :
BNA_M
ClientSampleId :
TP-38


Tgt Ion: 99 Resp: 992650
Ion Ratio Lower Upper
99 100
42 18.7 15.4 23.0
71 37.6 28.2 42.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.586 min Scan# 1258
Delta R.T. -0.000 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09

Tgt Ion:136 Resp: 438268
Ion Ratio Lower Upper
136 100
137 10.4 8.8 13.2
54 7.5 6.9 10.3
68 6.0 5.4 8.2









#23
Nitrobenzene-d5
Concen: 86.201 ng
RT: 8.957 min Scan# 91
Delta R.T. -0.000 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09




Instrument :
BNA_M
ClientSampleId :
TP-38


Tgt Ion: 82 Resp: 812377
Ion Ratio Lower Upper
82 100
128 40.0 31.8 47.6
54 48.3 40.1 60.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.445 min Scan# 1914
Delta R.T. -0.000 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09

Tgt Ion: 164 Resp: 271716
Ion Ratio Lower Upper
164 100
162 100.9 80.4 120.6
160 45.4 36.2 54.2





#42

2,4,6-Tribromophenol

Concen: 146.749 ng

RT: 15.951 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM041346.D

Acq: 09 Aug 2023 19:09

Instrument :

BNA_M

ClientSampleId :

TP-38





Tgt Ion:330 Resp: 563999

Ion Ratio Lower Upper

330 100

332 97.4 77.7 116.5

141 34.7 28.3 42.5



#45

2-Fluorobiphenyl

Concen: 87.749 ng

RT: 13.063 min Scan# 1679

Delta R.T. -0.000 min

Lab File: BM041346.D

Acq: 09 Aug 2023 19:09




Tgt Ion:172 Resp: 1887425


Ion Ratio Lower Upper

172 100

171 35.1 28.1 42.1

170 23.5 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.209 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09




Instrument :
BNA_M
ClientSampleId :
TP-38


Tgt Ion:188 Resp: 585671
Ion Ratio Lower Upper
188 100
94 8.7 8.2 12.2
80 9.9 8.6 13.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.415 min Scan# 3099
Delta R.T. -0.000 min
Lab File: BM041346.D
Acq: 09 Aug 2023 19:09

Tgt Ion:240 Resp: 461318
Ion Ratio Lower Upper
240 100
120 10.0 8.3 12.5
236 26.4 20.6 30.8









#79
 Terphenyl-d14
 Concen: 116.793 ng
 RT: 19.845 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM041346.D
 Acq: 09 Aug 2023 19:09

Instrument :
 BNA_M
 ClientSampleId :
 TP-38

Tgt Ion:244 Resp: 2979934
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.4 8.2
 122 9.3 7.8 11.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.791 min Scan# 3503
 Delta R.T. 0.012 min
 Lab File: BM041346.D
 Acq: 09 Aug 2023 19:09

Tgt Ion:264 Resp: 499418
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.5 27.7
 265 22.7 17.4 26.0

