

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081023\
 Data File : BM041358.D
 Acq On : 10 Aug 2023 11:55
 Operator : MA/JU
 Sample : 03937-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MANHOLE

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/11/2023
 Supervised By :mohammad ahmed 08/11/2023

Quant Time: Aug 11 03:31:32 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 09 12:20:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.775	152	114708	20.000	ng	0.00
21) Naphthalene-d8	10.580	136	454662	20.000	ng	0.00
39) Acenaphthene-d10	14.439	164	301584	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	699726	20.000	ng	0.00
76) Chrysene-d12	21.409	240	726388	20.000	ng	0.00
86) Perylene-d12	23.774	264	844326	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.351	112	233359	30.405	ng	0.00
7) Phenol-d6	6.963	99	162612	16.345	ng	0.00
23) Nitrobenzene-d5	8.951	82	703506	71.957	ng	0.00
42) 2,4,6-Tribromophenol	15.945	330	370108	86.763	ng	0.00
45) 2-Fluorobiphenyl	13.057	172	1723495	72.192	ng	0.00
79) Terphenyl-d14	19.845	244	2749130	68.429	ng	0.00
Target Compounds						
32) Benzoic acid	9.922	122	9743m	8.778	ng	Qvalue
84) Bis(2-ethylhexyl)phtha...	21.315	149	11830m	2.919	ng	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081023\
Data File : BM041358.D
Acq On : 10 Aug 2023 11:55
Operator : MA/JU
Sample : 03937-01
Misc :
ALS Vial : 6 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
MANHOLE

Quant Time: Aug 11 03:31:32 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 09 12:20:12 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/11/2023
Supervised By :mohammad ahmed 08/11/2023





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.775 min Scan# 71
Delta R.T. -0.000 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55




Instrument :
BNA_M
ClientSampleId :
MANHOLE




Tgt Ion:152 Resp: 114708
Ion Ratio Lower Upper
152 100
150 157.8 125.5 188.3
115 61.6 48.0 72.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/11/2023
Supervised By :mohammad ahmed 08/11/2023




#5
2-Fluorophenol
Concen: 30.405 ng
RT: 5.351 min Scan# 368
Delta R.T. -0.006 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55




Tgt Ion:112 Resp: 233359
Ion Ratio Lower Upper
112 100
64 57.9 48.5 72.7
63 34.3 26.5 39.7





#7
Phenol-d6
Concen: 16.345 ng
RT: 6.963 min Scan# 64
Delta R.T. -0.006 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55




Instrument :
BNA_M
ClientSampleId :
MANHOLE




Tgt Ion: 99 Resp: 162612
Ion Ratio Lower Upper
99 100
42 18.8 15.4 23.0
71 37.5 28.2 42.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/11/2023
Supervised By :mohammad ahmed 08/11/2023




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.580 min Scan# 1257
Delta R.T. -0.006 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55



Tgt Ion:136 Resp: 454662
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 7.8 6.9 10.3
68 6.0 5.4 8.2





#23

Nitrobenzene-d5

Concen: 71.957 ng

RT: 8.951 min Scan# 985

Delta R.T. -0.006 min

Lab File: BM041358.D

Acq: 10 Aug 2023 11:55

Instrument :

BNA_M

ClientSampleId :

MANHOLE

Tgt Ion: 82 Resp: 703506

Ion Ratio Lower Upper

82 100

128 40.5 31.8 47.6





54 48.1 40.1 60.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/11/2023

Supervised By :mohammad ahmed 08/11/2023



#32

Benzoic acid

Concen: 8.778 ng m

RT: 9.922 min Scan# 1145

Delta R.T. -0.035 min

Lab File: BM041358.D

Acq: 10 Aug 2023 11:55




Tgt Ion:122 Resp: 9743


Ion Ratio Lower Upper

122 100

105 115.9 104.0 144.0


77 115.0 79.9 119.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.439 min Scan# 1919
Delta R.T. -0.006 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55




Instrument :
BNA_M
ClientSampleId :
MANHOLE




Tgt Ion:164 Resp: 301584
Ion Ratio Lower Upper
164 100
162 101.8 80.4 120.6
160 45.1 36.2 54.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/11/2023
Supervised By :mohammad ahmed 08/11/2023




#42
2,4,6-Tribromophenol
Concen: 86.763 ng
RT: 15.945 min Scan# 2169
Delta R.T. -0.006 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55




Tgt Ion:330 Resp: 370108
Ion Ratio Lower Upper
330 100
332 96.5 77.7 116.5
141 34.4 28.3 42.5





#45
2-Fluorobiphenyl
Concen: 72.192 ng
RT: 13.057 min Scan# 1678
Delta R.T. -0.006 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55




Instrument :
BNA_M
ClientSampleId :
MANHOLE



Tgt Ion:172 Resp: 1723495
Ion Ratio Lower Upper
172 100
171 35.0 28.1 42.1
170 23.7 18.9 28.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/11/2023
Supervised By :mohammad ahmed 08/11/2023



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2383
Delta R.T. -0.006 min
Lab File: BM041358.D
Acq: 10 Aug 2023 11:55

Tgt Ion:188 Resp: 699726
Ion Ratio Lower Upper
188 100
94 8.4 8.2 12.2
80 9.2 8.6 13.0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.409 min Scan# 30

Delta R.T. -0.006 min

Lab File: BM041358.D

Acq: 10 Aug 2023 11:55

Instrument :

BNA_M

ClientSampleId :

MANHOLE

Tgt Ion:240 Resp: 726388

Ion Ratio Lower Upper

240 100

120 9.4 8.3 12.5





236 26.1 20.6 30.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/11/2023

Supervised By :mohammad ahmed 08/11/2023



#79

Terphenyl-d14

Concen: 68.429 ng

RT: 19.845 min Scan# 2832

Delta R.T. -0.006 min

Lab File: BM041358.D

Acq: 10 Aug 2023 11:55




Tgt Ion:244 Resp: 2749130


Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.2

122 8.2 7.8 11.6





#84

Bis(2-ethylhexyl)phthalate

Concen: 2.919 ng m

RT: 21.315 min Scan# 30

Delta R.T. -0.006 min

Lab File: BM041358.D

Acq: 10 Aug 2023 11:55

Instrument :

BNA_M

ClientSampleId :

MANHOLE

Tgt Ion:149 Resp: 11830





Ion	Ratio	Lower	Upper
149	100		
167	25.2	21.0	31.6
279	5.0	3.1	4.7

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/11/2023

Supervised By :mohammad ahmed 08/11/2023



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.774 min Scan# 3500

Delta R.T. -0.006 min

Lab File: BM041358.D

Acq: 10 Aug 2023 11:55

Tgt Ion:264 Resp: 844326

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.5	27.7
265	22.2	17.4	26.0

