

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081023\
 Data File : BM041365.D
 Acq On : 10 Aug 2023 16:32
 Operator : MA/JU
 Sample : 03955-19
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 WC-28

Quant Time: Aug 11 03:33:53 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 09 12:20:12 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.775	152	117005	20.000	ng	0.00
21) Naphthalene-d8	10.581	136	435675	20.000	ng	0.00
39) Acenaphthene-d10	14.445	164	263916	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	603869	20.000	ng	0.00
76) Chrysene-d12	21.409	240	636014	20.000	ng	0.00
86) Perylene-d12	23.774	264	777970	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.352	112	533120	68.099	ng	0.00
7) Phenol-d6	6.957	99	644179	63.480	ng	-0.01
23) Nitrobenzene-d5	8.951	82	427061	45.585	ng	0.00
42) 2,4,6-Tribromophenol	15.945	330	261888	70.156	ng	0.00
45) 2-Fluorobiphenyl	13.057	172	919368	44.006	ng	0.00
79) Terphenyl-d14	19.839	244	1734689	49.314	ng	-0.01
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.315	149	2502	2.631	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081023\
Data File : BM041365.D
Acq On : 10 Aug 2023 16:32
Operator : MA/JU
Sample : 03955-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
WC-28

Quant Time: Aug 11 03:33:53 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 09 12:20:12 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.775 min Scan# 71
Delta R.T. -0.000 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32




Instrument :
BNA_M
ClientSampleId :
WC-28


Tgt Ion:152 Resp: 117005
Ion Ratio Lower Upper
152 100
150 151.7 125.5 188.3
115 58.2 48.0 72.0



#5
2-Fluorophenol
Concen: 68.099 ng
RT: 5.352 min Scan# 368
Delta R.T. -0.006 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32

Tgt Ion:112 Resp: 533120
Ion Ratio Lower Upper
112 100
64 58.6 48.5 72.7
63 33.7 26.5 39.7









#7
Phenol-d6
Concen: 63.480 ng
RT: 6.957 min Scan# 64
Delta R.T. -0.012 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32




Instrument :
BNA_M
ClientSampleId :
WC-28


Tgt Ion: 99 Resp: 644179
Ion Ratio Lower Upper
99 100
42 19.6 15.4 23.0
71 39.1 28.2 42.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.581 min Scan# 1257
Delta R.T. -0.006 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32

Tgt Ion: 136 Resp: 435675
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 7.7 6.9 10.3
68 5.9 5.4 8.2









#23
Nitrobenzene-d5
Concen: 45.585 ng
RT: 8.951 min Scan# 985
Delta R.T. -0.006 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32




Instrument :
BNA_M
ClientSampleId :
WC-28


Tgt Ion: 82 Resp: 427061
Ion Ratio Lower Upper
82 100
128 39.5 31.8 47.6
54 47.6 40.1 60.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.445 min Scan# 1914
Delta R.T. 0.000 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32

Tgt Ion: 164 Resp: 263916
Ion Ratio Lower Upper
164 100
162 100.3 80.4 120.6
160 44.7 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 70.156 ng
RT: 15.945 min Scan# 2174
Delta R.T. -0.006 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32




Instrument :
BNA_M
ClientSampleId :
WC-28


Tgt Ion:330 Resp: 261888
Ion Ratio Lower Upper
330 100
332 97.9 77.7 116.5
141 33.6 28.3 42.5



#45
2-Fluorobiphenyl
Concen: 44.006 ng
RT: 13.057 min Scan# 1678
Delta R.T. -0.006 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32

Tgt Ion:172 Resp: 919368
Ion Ratio Lower Upper
172 100
171 34.1 28.1 42.1
170 23.4 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.204 min Scan# 2387

Delta R.T. -0.006 min

Lab File: BM041365.D

Acq: 10 Aug 2023 16:32

Instrument :

BNA_M

ClientSampleId :

WC-28





Tgt Ion:188 Resp: 603869

Ion Ratio Lower Upper

188 100

94 8.2 8.2 12.2

80 9.1 8.6 13.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.409 min Scan# 3098

Delta R.T. -0.006 min

Lab File: BM041365.D

Acq: 10 Aug 2023 16:32




Tgt Ion:240 Resp: 636014


Ion Ratio Lower Upper

240 100

120 8.7 8.3 12.5

236 26.3 20.6 30.8





#79

Terphenyl-d14

Concen: 49.314 ng

RT: 19.839 min Scan# 2831

Delta R.T. -0.012 min

Lab File: BM041365.D

Acq: 10 Aug 2023 16:32

Instrument :

BNA_M

ClientSampleId :

WC-28





Tgt Ion:244 Resp: 1734689

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.2

122 9.1 7.8 11.6



#84

Bis(2-ethylhexyl)phthalate

Concen: 2.631 ng

RT: 21.315 min Scan# 3082

Delta R.T. -0.006 min

Lab File: BM041365.D

Acq: 10 Aug 2023 16:32




Tgt Ion:149 Resp: 2502


Ion Ratio Lower Upper

149 100

167 27.7 21.0 31.6

279 7.2 3.1 4.7#





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.774 min Scan# 31
Delta R.T. -0.006 min
Lab File: BM041365.D
Acq: 10 Aug 2023 16:32

Instrument :
BNA_M
ClientSampleId :
WC-28

Tgt Ion:264 Resp: 777970

Ion	Ratio	Lower	Upper
264	100		
260	23.8	18.5	27.7
265	22.4	17.4	26.0

