

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM081318\
 Data File : BM016338.D
 Acq On : 14 Aug 2018 00:08
 Operator : SJ/JU
 Sample : J4442-40
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SP-1-4

Quant Time: Aug 14 05:06:03 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM072318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 10 18:44:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	25689	20.00	ng	-0.01
21) Naphthalene-d8	10.93	136	84738	20.00	ng	-0.02
38) Acenaphthene-d10	14.76	164	37705	20.00	ng	-0.01
63) Phenanthrene-d10	17.49	188	74486	20.00	ng	-0.02
75) Chrysene-d12	21.62	240	88292	20.00	ng	-0.02
86) Perylene-d12	23.95	264	101441	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	198505	128.36	ng	-0.01
7) Phenol-d6	7.29	99	195186	96.64	ng	-0.01
23) Nitrobenzene-d5	9.30	82	192531	105.68	ng	-0.02
41) 2,4,6-Tribromophenol	16.24	330	59517	124.45	ng	-0.02
44) 2-Fluorobiphenyl	13.37	172	325755	105.12	ng	-0.02
78) Terphenyl-d14	20.07	244	463651	109.93	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM081318\
Data File : BM016338.D
Acq On : 14 Aug 2018 00:08
Operator : SJ/JU
Sample : J4442-40
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SP-1-4

Quant Time: Aug 14 05:06:03 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM072318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 10 18:44:22 2018
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.12 min Scan# 822
 Delta R.T. -0.01 min
 Lab File: BM016338.D
 Acq: 14 Aug 2018 00:08

Instrument :
 BNA_M
 ClientSampleId :
 SP-1-4

Tgt Ion:152 Resp: 25689
 Ion Ratio Lower Upper
 152 100
 150 158.2 119.5 179.3
 115 68.7 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: N.D. ng
 RT: 5.65 min Scan# 402
 Delta R.T. -0.01 min
 Lab File: BM016338.D
 Acq: 14 Aug 2018 00:08

Tgt Ion:112 Resp: 198505
 Ion Ratio Lower Upper
 112 100
 64 62.7 38.6 57.8#
 63 47.3 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.29 min Scan# 681

Delta R.T. -0.01 min

Lab File: BM016338.D

Acq: 14 Aug 2018 00:08

Instrument :

BNA_M

ClientSampleId :

SP-1-4


Tgt Ion: 99 Resp: 195186

Ion Ratio Lower Upper

99 100

42 39.1 11.0 16.4#




71 59.8 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016338.D (-666) (-)

Ion 42.00 (41.70 to 42.70): BM016338.D (-666) (-)

Ion 71.00 (70.70 to 71.70): BM016338.D (-666) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.93 min Scan# 1300

Delta R.T. -0.02 min

Lab File: BM016338.D

Acq: 14 Aug 2018 00:08

Tgt Ion: 136 Resp: 84738


Ion Ratio Lower Upper

136 100

137 10.2 8.7 13.1

54 10.4 4.6 6.8#

68 3.0 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM016338.D (-1286) (-)

Ion 137.00 (136.70 to 137.70): BM016338.D (-1286) (-)

Ion 54.00 (53.70 to 54.70): BM016338.D (-1286) (-)

Ion 68.00 (67.70 to 68.70): BM016338.D (-1286) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.30 min Scan# 1023
 Delta R.T. -0.02 min
 Lab File: BM016338.D
 Acq: 14 Aug 2018 00:08




Instrument :
 BNA_M
 ClientSampled :
 SP-1-4


Tgt Ion	Ratio	Lower	Upper
82	100		
128	33.7	32.8	49.2
54	66.5	40.6	60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.76 min Scan# 1950
 Delta R.T. -0.01 min
 Lab File: BM016338.D
 Acq: 14 Aug 2018 00:08

Tgt Ion	Ratio	Lower	Upper
164	100		
162	112.3	82.4	123.6
160	53.0	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.24 min Scan# 2203
 Delta R.T. -0.02 min
 Lab File: BM016338.D
 Acq: 14 Aug 2018 00:08

Instrument :
 BNA_M
 ClientSampleId :
 SP-1-4

Tgt Ion: 330 Resp: 59517
 Ion Ratio Lower Upper
 330 100
 332 96.6 0.0 0.0#
 141 90.1 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.37 min Scan# 1715
 Delta R.T. -0.02 min
 Lab File: BM016338.D
 Acq: 14 Aug 2018 00:08

Tgt Ion: 172 Resp: 325755
 Ion Ratio Lower Upper
 172 100
 171 37.0 28.5 42.7
 170 25.8 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2415
Delta R.T. -0.02 min
Lab File: BM016338.D
Acq: 14 Aug 2018 00:08

Instrument :
BNA_M
ClientSampleId :
SP-1-4

Tgt Ion:188 Resp: 74486
Ion Ratio Lower Upper
188 100
94 6.0 8.7 13.1#
80 6.5 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM016338.D (-2401) (-)
Ion 80.00 (79.70 to 80.70): BM016338.D (-2401) (-)






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.62 min Scan# 3117
Delta R.T. -0.02 min
Lab File: BM016338.D
Acq: 14 Aug 2018 00:08

Tgt Ion:240 Resp: 88292
Ion Ratio Lower Upper
240 100
120 5.9 8.2 12.2#
236 25.6 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.07 min Scan# 2853

Delta R.T. -0.02 min

Lab File: BM016338.D

Acq: 14 Aug 2018 00:08

Instrument :

BNA_M

ClientSampleId :

SP-1-4


Tgt Ion:244 Resp: 463651

Ion Ratio Lower Upper




244 100

212 11.0 4.9 7.3#

122 8.8 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.95 min Scan# 3513

Delta R.T. -0.02 min

Lab File: BM016338.D

Acq: 14 Aug 2018 00:08


Tgt Ion:264 Resp: 101441

Ion Ratio Lower Upper

264 100

260 22.6 18.6 27.8

265 20.8 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

