

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081418\
 Data File : BM016365.D
 Acq On : 14 Aug 2018 21:28
 Operator : SJ/JU
 Sample : J4460-09
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 RA-081018-FL-009

Quant Time: Aug 15 11:31:52 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 15 11:23:48 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	26307	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	100428	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	56897	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	130578	20.00	ng	0.00
75) Chrysene-d12	21.62	240	123126	20.00	ng	0.00
86) Perylene-d12	23.94	264	117312	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	118227	74.65	ng	0.00
7) Phenol-d6	7.29	99	140592	67.98	ng	0.00
23) Nitrobenzene-d5	9.30	82	103653	48.01	ng	0.00
41) 2,4,6-Tribromophenol	16.24	330	50875	70.50	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	208017	44.48	ng	0.00
78) Terphenyl-d14	20.07	244	345325	58.71	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.21	163	17668	3.548	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081418\
Data File : BM016365.D
Acq On : 14 Aug 2018 21:28
Operator : SJ/JU
Sample : J4460-09
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
RA-081018-FL-009

Quant Time: Aug 15 11:31:52 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 15 11:23:48 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.12 min Scan# 821
 Delta R.T. -0.00 min
 Lab File: BM016365.D
 Acq: 14 Aug 2018 21:28

Instrument :
 BNA_M
 ClientSampleId :
 RA-081018-FL-009

Tot Ion:152 Resp: 26307
 Ion Ratio Lower Upper
 152 100
 150 148.1 119.5 179.3
 115 66.1 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: N.D. ng
 RT: 5.65 min Scan# 401
 Delta R.T. -0.00 min
 Lab File: BM016365.D
 Acq: 14 Aug 2018 21:28

Tgt Ion:112 Resp: 118227
 Ion Ratio Lower Upper
 112 100
 64 62.5 38.6 57.8#
 63 47.6 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.29 min Scan# 680

Delta R.T. -0.00 min

Lab File: BM016365.D

Acq: 14 Aug 2018 21:28

Instrument :

BNA_M

ClientSampleId :

RA-081018-FL-009


Tot Ion: 99 Resp: 140592

Ion Ratio Lower Upper

99 100

42 40.6 11.0 16.4#

71 60.0 23.4 35.2#






Abundance

Ion 99.00 (98.70 to 99.70): BM016365.D (-663) (-)

Ion 42.00 (41.70 to 42.70): BM016365.D (-663) (-)

Ion 71.00 (70.70 to 71.70): BM016365.D (-663) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.93 min Scan# 1299

Delta R.T. -0.00 min

Lab File: BM016365.D

Acq: 14 Aug 2018 21:28

Tgt Ion: 136 Resp: 100428


Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 11.3 4.6 6.8#

68 4.0 3.7 5.5





Abundance

Ion 136.00 (135.70 to 136.70): BM016365.D (-1282) (-)

Ion 137.00 (136.70 to 137.70): BM016365.D (-1282) (-)

Ion 54.00 (53.70 to 54.70): BM016365.D (-1282) (-)

Ion 68.00 (67.70 to 68.70): BM016365.D (-1282) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.30 min Scan# 1023
 Delta R.T. -0.00 min
 Lab File: BM016365.D
 Acq: 14 Aug 2018 21:28




Instrument :
 BNA_M
 ClientSampleId :
 RA-081018-FL-009

Tot Ion	Ratio	Lower	Upper
82	100		
128	35.1	32.8	49.2
54	64.7	40.6	60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.75 min Scan# 1949
 Delta R.T. -0.00 min
 Lab File: BM016365.D
 Acq: 14 Aug 2018 21:28

Tgt Ion	Ratio	Lower	Upper
164	100		
162	111.5	82.4	123.6
160	49.2	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.24 min Scan# 2202
 Delta R.T. -0.01 min
 Lab File: BM016365.D
 Acq: 14 Aug 2018 21:28

Instrument :
 BNA_M
 ClientSampleId :
 RA-081018-FL-009

Tot Ion	Ratio	Lower	Upper
330	100		
332	101.0	0.0	0.0#
141	85.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.37 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BM016365.D
 Acq: 14 Aug 2018 21:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.9	28.5	42.7
170	24.8	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.548 ng

RT: 14.21 min Scan# 1857

Delta R.T. -0.00 min

Lab File: BM016365.D

Acq: 14 Aug 2018 21:28

Instrument :

BNA_M

ClientSampleId :

RA-081018-FL-009


Tot Ion:163 Resp: 17668

Ion Ratio Lower Upper




163 100

194 4.1 2.7 4.1#

164 9.0 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.49 min Scan# 2414

Delta R.T. -0.01 min

Lab File: BM016365.D

Acq: 14 Aug 2018 21:28


Tgt Ion:188 Resp: 130578

Ion Ratio Lower Upper



188 100

94 6.4 8.7 13.1#

80 7.6 9.3 13.9#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM0
Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.62 min Scan# 3117

Delta R.T. -0.00 min

Lab File: BM016365.D

Acq: 14 Aug 2018 21:28

Instrument :

BNA_M

ClientSampleId :

RA-081018-FL-009


Tot Ion:240 Resp: 123126

Ion Ratio Lower Upper

240 100

120 7.2 8.2 12.2#




236 28.1 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: Below ng

RT: 20.07 min Scan# 2853

Delta R.T. -0.00 min

Lab File: BM016365.D

Acq: 14 Aug 2018 21:28


Tgt Ion:244 Resp: 345325

Ion Ratio Lower Upper

244 100

212 10.6 4.9 7.3#



122 8.3 6.2 9.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 23.94 min Scan# 3512
 Delta R.T. -0.00 min
 Lab File: BM016365.D
 Acq: 14 Aug 2018 21:28

Instrument :
 BNA_M
 ClientSampleId :
 RA-081018-FL-009

Tot Ion	Ratio	Lower	Upper
264	100		
260	26.2	18.6	27.8
265	22.9	17.3	25.9

