

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081423\
 Data File : BM041398.D
 Acq On : 14 Aug 2023 12:23
 Operator : MA/JU
 Sample : PB154769BSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB154769BSD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/15/2023
 Supervised By :Sohil Jodhani 08/15/2023

Quant Time: Aug 15 02:37:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 17:51:06 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	147583	20.000	ng	0.00
21) Naphthalene-d8	10.575	136	657016	20.000	ng	0.00
39) Acenaphthene-d10	14.439	164	436359	20.000	ng	0.00
64) Phenanthrene-d10	17.198	188	971068	20.000	ng	# 0.00
76) Chrysene-d12	21.409	240	1010079	20.000	ng	0.00
86) Perylene-d12	23.774	264	1194504	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.351	112	1366136	138.350	ng	0.00
7) Phenol-d6	6.963	99	1637077	127.899	ng	0.00
23) Nitrobenzene-d5	8.951	82	1058172	74.899	ng	0.00
42) 2,4,6-Tribromophenol	15.945	330	831197	134.671	ng	0.00
45) 2-Fluorobiphenyl	13.057	172	2569677	74.391	ng	0.00
79) Terphenyl-d14	19.845	244	4599617	82.334	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.246	88	121777	28.828	ng	95
3) Pyridine	3.646	79	336460	30.293	ng	97
4) n-Nitrosodimethylamine	3.569	42	212261	41.321	ng	99
6) Aniline	7.110	93	433340	28.929	ng	99
8) 2-Chlorophenol	7.340	128	469113	48.664	ng	99
9) Benzaldehyde	6.922	77	191177m	28.306	ng	
10) Phenol	6.987	94	604846	48.926	ng	95
11) bis(2-Chloroethyl)ether	7.210	93	431893	43.159	ng	96
12) 1,3-Dichlorobenzene	7.657	146	461753	44.005	ng	99
13) 1,4-Dichlorobenzene	7.804	146	481213	45.626	ng	99
14) 1,2-Dichlorobenzene	8.122	146	466725	46.152	ng	99
15) Benzyl Alcohol	8.034	79	434874m	53.800	ng	
16) 2,2'-oxybis(1-Chloropr...	8.310	45	506147	37.962	ng	94
17) 2-Methylphenol	8.234	107	402663	47.675	ng	97
18) Hexachloroethane	8.839	117	179256	45.652	ng	# 86
19) n-Nitroso-di-n-propyla...	8.592	70	377863	48.603	ng	95
20) 3+4-Methylphenols	8.569	107	547414	48.475	ng	96
22) Acetophenone	8.610	105	698355	40.134	ng	# 99
24) Nitrobenzene	8.992	77	558336	39.079	ng	98
25) Isophorone	9.516	82	1028840	42.900	ng	99
26) 2-Nitrophenol	9.704	139	262962	47.082	ng	95
27) 2,4-Dimethylphenol	9.769	122	421570	42.894	ng	97
28) bis(2-Chloroethoxy)met...	10.004	93	613482	40.837	ng	99
29) 2,4-Dichlorophenol	10.233	162	489791	49.418	ng	99
30) 1,2,4-Trichlorobenzene	10.439	180	512332	46.787	ng	98
31) Naphthalene	10.628	128	1432189	40.170	ng	99
32) Benzoic acid	9.963	122	329954	45.192	ng	92
33) 4-Chloroaniline	10.763	127	209682	14.716	ng	98
34) Hexachlorobutadiene	10.892	225	325780	49.466	ng	98
35) Caprolactam	11.592	113	144798	50.503	ng	# 87
36) 4-Chloro-3-methylphenol	11.898	107	509068	48.799	ng	98
37) 2-Methylnaphthalene	12.245	142	1017721	42.340	ng	98
38) 1-Methylnaphthalene	12.469	142	980867	43.600	ng	99
40) 1,2,4,5-Tetrachloroben...	12.616	216	596765	42.117	ng	# 98
41) Hexachlorocyclopentadiene	12.580	237	663497	88.512	ng	99
43) 2,4,6-Trichlorophenol	12.869	196	423254	46.606	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081423\
 Data File : BM041398.D
 Acq On : 14 Aug 2023 12:23
 Operator : MA/JU
 Sample : PB154769BSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB154769BSD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/15/2023
 Supervised By :Sohil Jodhani 08/15/2023

Quant Time: Aug 15 02:37:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 17:51:06 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.951	196	462575	44.008	ng	96
46) 1,1'-Biphenyl	13.269	154	1388232	39.243	ng	98
47) 2-Chloronaphthalene	13.310	162	1095979	41.493	ng	99
48) 2-Nitroaniline	13.539	65	344333	40.840	ng	100
49) Acenaphthylene	14.163	152	1781512	41.787	ng	100
50) Dimethylphthalate	13.916	163	1409673	42.947	ng	98
51) 2,6-Dinitrotoluene	14.045	165	311006	45.729	ng	97
52) Acenaphthene	14.504	154	1018640	39.661	ng	99
53) 3-Nitroaniline	14.374	138	217050	28.676	ng	98
54) 2,4-Dinitrophenol	14.592	184	422687	91.156	ng	93
55) Dibenzofuran	14.845	168	1722730	41.111	ng	100
56) 4-Nitrophenol	14.698	139	476754	84.111	ng	94
57) 2,4-Dinitrotoluene	14.839	165	441112	45.561	ng	94
58) Fluorene	15.498	166	1391446	42.091	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.074	232	421897	49.567	ng	94
60) Diethylphthalate	15.280	149	1423916	44.859	ng	99
61) 4-Chlorophenyl-phenyle...	15.492	204	749578	45.249	ng	96
62) 4-Nitroaniline	15.551	138	277944	39.154	ng	93
63) Azobenzene	15.786	77	1422681	40.917	ng	98
65) 4,6-Dinitro-2-methylph...	15.604	198	271725	46.191	ng	90
66) n-Nitrosodiphenylamine	15.716	169	1197684	39.657	ng	99
67) 4-Bromophenyl-phenylether	16.386	248	455918	42.821	ng	98
68) Hexachlorobenzene	16.498	284	542818	45.850	ng	97
69) Atrazine	16.680	200	461603	58.201	ng	99
70) Pentachlorophenol	16.857	266	652980	79.651	ng	99
71) Phenanthrene	17.245	178	2191088	40.611	ng	100
72) Anthracene	17.333	178	2232091	41.830	ng	100
73) Carbazole	17.621	167	2017753	41.778	ng	100
74) Di-n-butylphthalate	18.174	149	2543249	46.600	ng	100
75) Fluoranthene	19.268	202	2711270	44.729	ng	98
77) Benzidine	19.474	184	1119404	81.309	ng	99
78) Pyrene	19.633	202	2838477	40.184	ng	100
80) Butylbenzylphthalate	20.539	149	1197358	46.418	ng	99
81) Benzo(a)anthracene	21.397	228	3008723	43.939	ng	99
82) 3,3'-Dichlorobenzidine	21.333	252	873740	39.104	ng	99
83) Chrysene	21.450	228	2789376	42.115	ng	99
84) Bis(2-ethylhexyl)phtha...	21.315	149	1828172	44.807	ng	# 96
85) Di-n-octyl phthalate	22.233	149	3267329	50.118	ng	95
87) Indeno(1,2,3-cd)pyrene	26.221	276	3450912	39.295	ng	# 94
88) Benzo(b)fluoranthene	23.056	252	3191620	44.977	ng	# 98
89) Benzo(k)fluoranthene	23.103	252	3071135	42.310	ng	98
90) Benzo(a)pyrene	23.674	252	2794138	40.980	ng	# 97
91) Dibenzo(a,h)anthracene	26.232	278	2911318	39.745	ng	# 96
92) Benzo(g,h,i)perylene	26.968	276	2661238	37.129	ng	# 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081423\
 Data File : BM041398.D
 Acq On : 14 Aug 2023 12:23
 Operator : MA/JU
 Sample : PB154769BSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1


Instrument :
 BNA_M
 ClientSampleId :
 PB154769BSD

Quant Time: Aug 15 02:37:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 17:51:06 2023
 Response via : Initial Calibration

Manual Integrations APPROVED


Reviewed By :Yogesh Patel 08/15/2023
 Supervised By :Sohil Jodhani 08/15/2023





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.769 min Scan# 71
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:152 Resp: 14758
Ion Ratio Lower Upper
152 100
150 153.6 125.5 188.3
115 59.6 48.0 72.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#2
1,4-Dioxane
Concen: 28.828 ng
RT: 3.246 min Scan# 10
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion: 88 Resp: 121777
Ion Ratio Lower Upper
88 100
58 68.8 58.2 87.4
43 33.2 24.4 36.6





#3
 Pyridine
 Concen: 30.293 ng
 RT: 3.646 min Scan# 79
 Delta R.T. -0.006 min
 Lab File: BM041398.D
 Acq: 14 Aug 2023 12:23




Instrument :
 BNA_M
 ClientSampleId :
 PB154769BSD



Tgt Ion: 79 Resp: 336460
 Ion Ratio Lower Upper
 79 100
 52 62.2 52.1 78.1
 51 34.0 27.5 41.3




Manual Integrations
 APPROVED


Reviewed By :Yogesh Patel 08/15/2023
 Supervised By :Sohil Jodhani 08/15/2023



#4
 n-Nitrosodimethylamine
 Concen: 41.321 ng
 RT: 3.569 min Scan# 65
 Delta R.T. -0.000 min
 Lab File: BM041398.D
 Acq: 14 Aug 2023 12:23


Tgt Ion: 42 Resp: 212261
 Ion Ratio Lower Upper
 42 100
 74 126.6 100.8 151.2
 44 5.9 5.0 7.4





#5
2-Fluorophenol
Concen: 138.350 ng
RT: 5.351 min Scan# 30
Delta R.T. 0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:112 Resp: 1366130
Ion Ratio Lower Upper
112 100
64 58.6 48.5 72.7
63 33.9 26.5 39.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#6
Aniline
Concen: 28.929 ng
RT: 7.110 min Scan# 667
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23

Tgt Ion: 93 Resp: 433340
Ion Ratio Lower Upper
93 100
66 40.6 32.0 48.0
65 21.3 16.6 24.8





#7

Phenol-d6

Concen: 127.899 ng

RT: 6.963 min Scan# 64

Delta R.T. 0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion: 99 Resp: 163707

Ion Ratio Lower Upper

99 100

42 18.5 15.4 23.0





71 39.4 28.2 42.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#8

2-Chlorophenol

Concen: 48.664 ng

RT: 7.340 min Scan# 706

Delta R.T. -0.000 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:128 Resp: 469113


Ion Ratio Lower Upper

128 100

130 32.0 12.3 52.3


64 47.9 29.3 69.3





#9
Benzaldehyde
Concen: 28.306 ng m
RT: 6.922 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion: 77 Resp: 19117
Ion Ratio Lower Upper
77 100
105 94.3 72.8 112.8
106 90.1 70.8 110.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#10
Phenol
Concen: 48.926 ng
RT: 6.987 min Scan# 646
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion: 94 Resp: 604846
Ion Ratio Lower Upper
94 100
65 30.8 9.5 49.5
66 42.5 18.0 58.0





#11
bis(2-Chloroethyl)ether
Concen: 43.159 ng
RT: 7.210 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion: 93 Resp: 43189
Ion Ratio Lower Upper
93 100
63 74.4 58.8 98.8
95 32.8 11.8 51.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#12
1,3-Dichlorobenzene
Concen: 44.005 ng
RT: 7.657 min Scan# 760
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:146 Resp: 461753
Ion Ratio Lower Upper
146 100
148 65.0 51.9 77.9
75 34.6 28.3 42.5





#13
1,4-Dichlorobenzene
Concen: 45.626 ng
RT: 7.804 min Scan# 711
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:146 Resp: 481211
Ion Ratio Lower Upper
146 100
148 64.8 51.4 77.0
111 39.8 32.4 48.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#14
1,2-Dichlorobenzene
Concen: 46.152 ng
RT: 8.122 min Scan# 839
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:146 Resp: 466725
Ion Ratio Lower Upper
146 100
148 64.0 50.9 76.3
111 41.7 33.8 50.6





#15
Benzyl Alcohol
Concen: 53.800 ng m
RT: 8.034 min Scan# 81
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion: 79 Resp: 434874
Ion Ratio Lower Upper
79 100
108 71.3 59.8 89.8
77 66.7 53.8 80.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#16
2,2'-oxybis(1-Chloropropane)
Concen: 37.962 ng
RT: 8.310 min Scan# 871
Delta R.T. 0.012 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23

Tgt Ion: 45 Resp: 506147
Ion Ratio Lower Upper
45 100
77 17.6 0.0 34.5
79 14.1 0.0 32.1





#17
2-Methylphenol
Concen: 47.675 ng
RT: 8.234 min Scan# 81
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :





PB154769BSD

Tgt Ion:107 Resp: 40266
Ion Ratio Lower Upper
107 100
108 111.1 89.9 134.9
77 53.0 39.8 59.8
79 50.4 37.7 56.5

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#18
Hexachloroethane
Concen: 45.652 ng
RT: 8.839 min Scan# 961
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:117 Resp: 179256
Ion Ratio Lower Upper
117 100
119 96.2 74.2 111.4
201 117.0 74.5 111.7#





#19
n-Nitroso-di-n-propylamine
Concen: 48.603 ng
RT: 8.592 min Scan# 911
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion: 70 Resp: 37786
Ion Ratio Lower Upper
70 100
42 51.9 45.8 68.8
101 9.2 7.4 11.0
130 18.8 15.2 22.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#20
3+4-Methylphenols
Concen: 48.475 ng
RT: 8.569 min Scan# 915
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:107 Resp: 547414
Ion Ratio Lower Upper
107 100
108 89.8 67.2 107.2
77 38.3 15.4 55.4
79 33.2 9.2 49.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.575 min Scan# 1263
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:136 Resp: 657010
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 7.6 6.9 10.3
68 6.1 5.4 8.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#22
Acetophenone
Concen: 40.134 ng
RT: 8.610 min Scan# 922
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:105 Resp: 698355
Ion Ratio Lower Upper
105 100
71 2.6 1.2 1.8#
51 27.3 22.0 33.0
120 21.9 18.0 27.0





#23
Nitrobenzene-d5
Concen: 74.899 ng
RT: 8.951 min Scan# 90
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion: 82 Resp: 1058172
Ion Ratio Lower Upper
82 100
128 40.2 31.8 47.6
54 48.4 40.1 60.1




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#24
Nitrobenzene
Concen: 39.079 ng
RT: 8.992 min Scan# 987
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion: 77 Resp: 558336
Ion Ratio Lower Upper
77 100
123 41.3 34.2 51.2
65 13.3 10.7 16.1





#25
Isophorone
Concen: 42.900 ng
RT: 9.516 min Scan# 1082
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion: 82 Resp: 1028840
Ion Ratio Lower Upper
82 100
95 7.3 5.3 7.9
138 16.4 12.8 19.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#26
2-Nitrophenol
Concen: 47.082 ng
RT: 9.704 min Scan# 1108
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:139 Resp: 262962
Ion Ratio Lower Upper
139 100
109 35.6 25.4 38.2
65 56.2 47.2 70.8





#27
2,4-Dimethylphenol
Concen: 42.894 ng
RT: 9.769 min Scan# 1119
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:122 Resp: 421570
Ion Ratio Lower Upper
122 100
107 121.6 94.3 141.5
121 58.3 45.8 68.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#28
bis(2-Chloroethoxy)methane
Concen: 40.837 ng
RT: 10.004 min Scan# 1159
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion: 93 Resp: 613482
Ion Ratio Lower Upper
93 100
95 32.7 25.9 38.9
123 11.1 9.1 13.7





#29
2,4-Dichlorophenol
Concen: 49.418 ng
RT: 10.233 min Scan# 1198
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:162 Resp: 48979
Ion Ratio Lower Upper
162 100
164 64.8 44.3 84.3
98 35.5 15.1 55.1




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#30
1,2,4-Trichlorobenzene
Concen: 46.787 ng
RT: 10.439 min Scan# 1233
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:180 Resp: 512332
Ion Ratio Lower Upper
180 100
182 93.8 75.9 113.9
145 27.4 23.6 35.4





#31
Naphthalene
Concen: 40.170 ng
RT: 10.628 min Scan# 1125
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:128 Resp: 1432189
Ion Ratio Lower Upper
128 100
129 10.8 9.0 13.4
127 13.2 10.5 15.7

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#32
Benzoic acid
Concen: 45.192 ng
RT: 9.963 min Scan# 1152
Delta R.T. 0.012 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:122 Resp: 329954
Ion Ratio Lower Upper
122 100
105 132.3 104.0 144.0
77 108.1 79.9 119.9





#33
4-Chloroaniline
Concen: 14.716 ng
RT: 10.763 min Scan# 1293
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:127 Resp: 20968
Ion Ratio Lower Upper
127 100
129 33.6 25.9 38.9
65 34.9 26.9 40.3
92 20.3 15.8 23.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#34
Hexachlorobutadiene
Concen: 49.466 ng
RT: 10.892 min Scan# 1310
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:225 Resp: 325780
Ion Ratio Lower Upper
225 100
223 63.6 49.0 73.4
227 63.7 50.8 76.2





#35
Caprolactam
Concen: 50.503 ng
RT: 11.592 min Scan# 1429
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:113 Resp: 144798
Ion Ratio Lower Upper
113 100
55 161.8 162.5 202.5
56 120.7 114.1 154.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#36
4-Chloro-3-methylphenol
Concen: 48.799 ng
RT: 11.898 min Scan# 1481
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:107 Resp: 509068
Ion Ratio Lower Upper
107 100
144 26.4 20.1 30.1
142 79.3 62.2 93.4





#37
2-Methylnaphthalene
Concen: 42.340 ng
RT: 12.245 min Scan# 11
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:142 Resp: 101772
Ion Ratio Lower Upper
142 100
141 88.9 70.7 106.1
115 39.1 29.3 43.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#38
1-Methylnaphthalene
Concen: 43.600 ng
RT: 12.469 min Scan# 1578
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:142 Resp: 980867
Ion Ratio Lower Upper
142 100
141 92.6 73.4 110.2
116 4.2 3.2 4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.439 min Scan# 1919
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:164 Resp: 436359
Ion Ratio Lower Upper
164 100
162 100.7 80.4 120.6
160 44.4 36.2 54.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#40
1,2,4,5-Tetrachlorobenzene
Concen: 42.117 ng
RT: 12.616 min Scan# 1603
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23



Tgt Ion:216 Resp: 596765
Ion Ratio Lower Upper
216 100
214 78.8 63.2 94.8
179 20.1 16.2 24.2
108 16.1 17.0 25.4#





#41

Hexachlorocyclopentadiene

Concen: 88.512 ng

RT: 12.580 min Scan# 11

Delta R.T. -0.000 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion:237 Resp: 66349

Ion Ratio Lower Upper

237 100

235 62.4 43.6 83.6





272 13.2 0.0 33.3

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#42

2,4,6-Tribromophenol

Concen: 134.671 ng

RT: 15.945 min Scan# 2169

Delta R.T. -0.000 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:330 Resp: 831197


Ion Ratio Lower Upper

330 100

332 96.7 77.7 116.5

141 33.8 28.3 42.5





#43

2,4,6-Trichlorophenol

Concen: 46.606 ng

RT: 12.869 min Scan# 1

Delta R.T. -0.006 min

Lab File: BM041398.D


Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD



Tgt Ion:196 Resp: 423254

Ion Ratio Lower Upper

196 100

198 96.2 76.2 114.4




200 30.7 24.6 36.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#44

2,4,5-Trichlorophenol

Concen: 44.008 ng

RT: 12.951 min Scan# 1660

Delta R.T. -0.000 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Tgt Ion:196 Resp: 462575




Ion Ratio Lower Upper


196 100

198 97.9 78.2 117.4

97 47.6 42.7 64.1

132 23.5 21.6 32.4





#45
2-Fluorobiphenyl
Concen: 74.391 ng
RT: 13.057 min Scan# 1713
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :





PB154769BSD

Tgt Ion:172 Resp: 256967
Ion Ratio Lower Upper
172 100
171 34.5 28.1 42.1
170 23.3 18.9 28.3

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#46
1,1'-Biphenyl
Concen: 39.243 ng
RT: 13.269 min Scan# 1714
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:154 Resp: 1388232
Ion Ratio Lower Upper
154 100
153 39.8 20.5 60.5
76 12.9 0.0 34.1





#47
2-Chloronaphthalene
Concen: 41.493 ng
RT: 13.310 min Scan# 1721
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:162 Resp: 1095979
Ion Ratio Lower Upper
162 100
127 37.7 30.6 45.8
164 32.7 25.6 38.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#48
2-Nitroaniline
Concen: 40.840 ng
RT: 13.539 min Scan# 1760
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion: 65 Resp: 344333
Ion Ratio Lower Upper
65 100
92 66.1 53.0 79.4
138 99.3 79.1 118.7





#49
Acenaphthylene
Concen: 41.787 ng
RT: 14.163 min Scan# 1866
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:152 Resp: 1781512
Ion Ratio Lower Upper
152 100
151 19.8 16.1 24.1
153 13.0 10.5 15.7

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#50
Dimethylphthalate
Concen: 42.947 ng
RT: 13.916 min Scan# 1824
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:163 Resp: 1409673
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 9.6 8.3 12.5





#51
2,6-Dinitrotoluene
Concen: 45.729 ng
RT: 14.045 min Scan# 1850
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:165 Resp: 311000
Ion Ratio Lower Upper
165 100
63 60.8 50.9 76.3
89 61.5 50.6 76.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#52
Acenaphthene
Concen: 39.661 ng
RT: 14.504 min Scan# 1924
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:154 Resp: 1018640
Ion Ratio Lower Upper
154 100
153 113.7 90.2 135.4
152 53.9 43.4 65.0





#53
3-Nitroaniline
Concen: 28.676 ng
RT: 14.374 min Scan# 1906
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:138 Resp: 217050
Ion Ratio Lower Upper
138 100
108 9.7 7.6 11.4
92 121.6 98.9 148.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#54
2,4-Dinitrophenol
Concen: 91.156 ng
RT: 14.592 min Scan# 1939
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:184 Resp: 422687
Ion Ratio Lower Upper
184 100
63 71.9 66.5 99.7
154 66.2 52.8 79.2





#55
Dibenzenofuran
Concen: 41.111 ng
RT: 14.845 min Scan# 1982
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:168 Resp: 1722730
Ion Ratio Lower Upper
168 100
139 37.0 29.8 44.6
169 13.0 10.5 15.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#56
4-Nitrophenol
Concen: 84.111 ng
RT: 14.698 min Scan# 1957
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:139 Resp: 476754
Ion Ratio Lower Upper
139 100
109 90.7 61.2 101.2
65 106.1 89.5 129.5





#57
2,4-Dinitrotoluene
Concen: 45.561 ng
RT: 14.839 min Scan# 1984
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:165 Resp: 441112
Ion Ratio Lower Upper
165 100
63 65.3 48.3 72.5
89 84.1 71.8 107.8
182 2.9 2.0 3.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#58
Fluorene
Concen: 42.091 ng
RT: 15.498 min Scan# 2093
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:166 Resp: 1391446
Ion Ratio Lower Upper
166 100
165 97.3 78.2 117.4
167 13.3 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 49.567 ng
RT: 15.074 min Scan# 2021
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:232 Resp: 421897
Ion Ratio Lower Upper
232 100
131 41.0 36.9 55.3
130 2.3 2.0 3.0
166 28.3 24.2 36.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#60
Diethylphthalate
Concen: 44.859 ng
RT: 15.280 min Scan# 2056
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:149 Resp: 1423916
Ion Ratio Lower Upper
149 100
177 22.6 17.5 26.3
150 12.3 10.1 15.1





#61
4-Chlorophenyl-phenylether
Concen: 45.249 ng
RT: 15.492 min Scan# 2097
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:204 Resp: 749578
Ion Ratio Lower Upper
204 100
206 32.6 26.5 39.7
141 51.5 44.8 67.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#62
4-Nitroaniline
Concen: 39.154 ng
RT: 15.551 min Scan# 2102
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23

Tgt Ion:138 Resp: 277944
Ion Ratio Lower Upper
138 100
92 52.8 35.1 75.1
108 96.5 67.8 107.8





#63

Azobenzene

Concen: 40.917 ng

RT: 15.786 min Scan# 2142

Delta R.T. -0.000 min

Lab File: BM041398.D


Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD



Tgt Ion: 77 Resp: 142268

Ion Ratio Lower Upper

77 100

182 24.6 1.3 41.3

105 18.5 0.0 38.5




51 28.9 9.1 49.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.198 min Scan# 2382

Delta R.T. -0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:188 Resp: 971068


Ion Ratio Lower Upper

188 100

94 8.1 8.2 12.2#


80 8.7 8.6 13.0





#65
4,6-Dinitro-2-methylphenol
Concen: 46.191 ng
RT: 15.604 min Scan# 2111
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:198 Resp: 271725
Ion Ratio Lower Upper
198 100
51 42.3 31.7 71.7
105 42.9 27.8 67.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#66
n-Nitrosodiphenylamine
Concen: 39.657 ng
RT: 15.716 min Scan# 2130
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:169 Resp: 1197684
Ion Ratio Lower Upper
169 100
168 67.4 54.6 81.8
167 36.3 29.9 44.9





#67
4-Bromophenyl-phenylether
Concen: 42.821 ng
RT: 16.386 min Scan# 211
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:248 Resp: 455918
Ion Ratio Lower Upper
248 100
250 98.4 78.0 117.0
141 69.5 53.8 80.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#68
Hexachlorobenzene
Concen: 45.850 ng
RT: 16.498 min Scan# 2263
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:284 Resp: 542818
Ion Ratio Lower Upper
284 100
142 32.1 28.0 42.0
249 30.0 23.7 35.5





#69
Atrazine
Concen: 58.201 ng
RT: 16.680 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:200 Resp: 461600
Ion Ratio Lower Upper
200 100
173 24.7 5.6 45.6
215 48.8 28.5 68.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#70
Pentachlorophenol
Concen: 79.651 ng
RT: 16.857 min Scan# 2324
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23


Tgt Ion:266 Resp: 652980
Ion Ratio Lower Upper
266 100
268 65.0 51.0 76.6
264 62.6 49.4 74.2





#71
Phenanthrene
Concen: 40.611 ng
RT: 17.245 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:178 Resp: 2191088
Ion Ratio Lower Upper
178 100
176 19.6 15.6 23.4
179 15.3 12.1 18.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#72
Anthracene
Concen: 41.830 ng
RT: 17.333 min Scan# 2405
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23



Tgt Ion:178 Resp: 2232091
Ion Ratio Lower Upper
178 100
176 19.1 15.2 22.8
179 15.5 12.4 18.6





#73

Carbazole

Concen: 41.778 ng

RT: 17.621 min Scan# 2454

Delta R.T. -0.000 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion:167 Resp: 201775

Ion Ratio Lower Upper

167 100

166 21.7 17.3 25.9





139 12.6 10.3 15.5

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#74

Di-n-butylphthalate

Concen: 46.600 ng

RT: 18.174 min Scan# 2548

Delta R.T. -0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:149 Resp: 2543249


Ion Ratio Lower Upper

149 100

150 9.1 7.3 10.9

104 5.6 4.5 6.7





#75

Fluoranthene

Concen: 44.729 ng

RT: 19.268 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion:202 Resp: 2711270

Ion Ratio Lower Upper

202 100

101 9.3 0.0 30.8





203 17.7 0.0 37.6

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.409 min Scan# 3098

Delta R.T. -0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:240 Resp: 1010079


Ion Ratio Lower Upper

240 100

120 8.4 8.3 12.5

236 26.3 20.6 30.8





#77

Benzidine

Concen: 81.309 ng

RT: 19.474 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion:184 Resp: 111940

Ion Ratio Lower Upper

184 100

185 13.8 11.4 17.0





183 11.5 9.2 13.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#78

Pyrene

Concen: 40.184 ng

RT: 19.633 min Scan# 2796

Delta R.T. -0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:202 Resp: 2838477


Ion Ratio Lower Upper

202 100

200 21.2 16.9 25.3

203 17.6 14.1 21.1






#79
 Terphenyl-d14
 Concen: 82.334 ng
 RT: 19.845 min Scan# 2832
 Delta R.T. -0.000 min
 Lab File: BM041398.D
 Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD






Tgt Ion:244 Resp: 459961
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.4 8.2
 122 8.0 7.8 11.6


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 08/15/2023
 Supervised By :Sohil Jodhani 08/15/2023




#80
 Butylbenzylphthalate
 Concen: 46.418 ng
 RT: 20.539 min Scan# 2950
 Delta R.T. -0.006 min
 Lab File: BM041398.D
 Acq: 14 Aug 2023 12:23




Tgt Ion:149 Resp: 1197358
 Ion Ratio Lower Upper
 149 100
 91 76.0 60.8 91.2
 206 21.6 16.4 24.6





#81
Benzo(a)anthracene
Concen: 43.939 ng
RT: 21.397 min Scan# 3099
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:228 Resp: 300872
Ion Ratio Lower Upper
228 100
226 27.3 22.4 33.6
229 19.7 15.8 23.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#82
3,3'-Dichlorobenzidine
Concen: 39.104 ng
RT: 21.333 min Scan# 3085
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Tgt Ion:252 Resp: 873740
Ion Ratio Lower Upper
252 100
254 64.4 51.8 77.6
126 9.4 8.6 13.0





#83
Chrysene
Concen: 42.115 ng
RT: 21.450 min Scan# 3108
Delta R.T. -0.000 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD



Tgt Ion:228 Resp: 2789370
Ion Ratio Lower Upper
228 100
226 29.9 24.5 36.7
229 19.4 15.8 23.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023



#84
Bis(2-ethylhexyl)phthalate
Concen: 44.807 ng
RT: 21.315 min Scan# 3082
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23

Tgt Ion:149 Resp: 1828172
Ion Ratio Lower Upper
149 100
167 28.3 21.0 31.6
279 4.9 3.1 4.7#





#85

Di-n-octyl phthalate

Concen: 50.118 ng

RT: 22.233 min Scan# 31

Delta R.T. -0.000 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion:149 Resp: 3267329

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8





43 8.3 8.3 12.5

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.774 min Scan# 3500

Delta R.T. -0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:264 Resp: 1194504


Ion Ratio Lower Upper

264 100

260 23.6 18.5 27.7

265 21.7 17.4 26.0





#87

Indeno(1,2,3-cd)pyrene

Concen: 39.295 ng

RT: 26.221 min Scan# 3916

Delta R.T. -0.012 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion:276 Resp: 345091

Ion Ratio Lower Upper

276 100

138 19.3 20.0 30.0





277 25.1 20.1 30.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#88

Benzo(b)fluoranthene

Concen: 44.977 ng

RT: 23.056 min Scan# 3378

Delta R.T. -0.006 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23




Tgt Ion:252 Resp: 3191620


Ion Ratio Lower Upper

252 100

253 22.2 17.7 26.5


125 7.6 8.2 12.4





#89
Benzo(k)fluoranthene
Concen: 42.310 ng
RT: 23.103 min Scan# 31
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23




Instrument :
BNA_M
ClientSampleId :
PB154769BSD




Tgt Ion:252 Resp: 307113
Ion Ratio Lower Upper
252 100
253 22.4 17.4 26.0
125 7.8 7.6 11.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/15/2023
Supervised By :Sohil Jodhani 08/15/2023




#90
Benzo(a)pyrene
Concen: 40.980 ng
RT: 23.674 min Scan# 3483
Delta R.T. -0.006 min
Lab File: BM041398.D
Acq: 14 Aug 2023 12:23



Tgt Ion:252 Resp: 2794138
Ion Ratio Lower Upper
252 100
253 21.2 17.3 25.9
125 8.2 9.0 13.4#





#91

Dibenzo(a,h)anthracene

Concen: 39.745 ng

RT: 26.232 min Scan# 39

Delta R.T. -0.012 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Instrument :

BNA_M

ClientSampleId :

PB154769BSD

Tgt Ion:278 Resp: 2911318

Ion Ratio Lower Upper

278 100

139 11.7 12.7 19.1





279 23.6 19.1 28.7

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/15/2023

Supervised By :Sohil Jodhani 08/15/2023



#92

Benzo(g,h,i)perylene

Concen: 37.129 ng

RT: 26.968 min Scan# 4043

Delta R.T. -0.012 min

Lab File: BM041398.D

Acq: 14 Aug 2023 12:23

Tgt Ion:276 Resp: 2661238

Ion Ratio Lower Upper

276 100

277 23.8 19.1 28.7

138 16.4 17.1 25.7

