

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081423\
 Data File : BM041402.D
 Acq On : 14 Aug 2023 16:12
 Operator : MA/JU
 Sample : 03973-06
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-03-COMP

Quant Time: Aug 14 19:27:10 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 17:51:06 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	112431	20.000	ng	0.00
21) Naphthalene-d8	10.575	136	414996	20.000	ng	0.00
39) Acenaphthene-d10	14.433	164	255634	20.000	ng	0.00
64) Phenanthrene-d10	17.198	188	584362	20.000	ng	0.00
76) Chrysene-d12	21.409	240	606570	20.000	ng	0.00
86) Perylene-d12	23.768	264	726745	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.346	112	599202	79.654	ng	0.00
7) Phenol-d6	6.951	99	698406	71.624	ng	0.00
23) Nitrobenzene-d5	8.945	82	437047	48.976	ng	0.00
42) 2,4,6-Tribromophenol	15.939	330	306772	84.842	ng	0.00
45) 2-Fluorobiphenyl	13.051	172	923342	45.628	ng	0.00
79) Terphenyl-d14	19.839	244	1492174	44.478	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081423\
Data File : BM041402.D
Acq On : 14 Aug 2023 16:12
Operator : MA/JU
Sample : 03973-06
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-03-COMP

Quant Time: Aug 14 19:27:10 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 11 17:51:06 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.769 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BM041402.D
 Acq: 14 Aug 2023 16:12

Instrument :
 BNA_M
 ClientSampleId :
 SB-03-COMP

Tgt Ion:152 Resp: 112431




Ion	Ratio	Lower	Upper
152	100		
150	152.1	125.5	188.3
115	58.0	48.0	72.0




#5
 2-Fluorophenol
 Concen: 79.654 ng
 RT: 5.346 min Scan# 367
 Delta R.T. -0.000 min
 Lab File: BM041402.D
 Acq: 14 Aug 2023 16:12

Tgt Ion:112 Resp: 599202

Ion	Ratio	Lower	Upper
112	100		
64	59.9	48.5	72.7
63	33.8	26.5	39.7









#7
Phenol-d6
Concen: 71.624 ng
RT: 6.951 min Scan# 64
Delta R.T. -0.006 min
Lab File: BM041402.D
Acq: 14 Aug 2023 16:12




Instrument :
BNA_M
ClientSampleId :
SB-03-COMP


Tgt Ion: 99 Resp: 698406
Ion Ratio Lower Upper
99 100
42 20.2 15.4 23.0
71 38.9 28.2 42.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.575 min Scan# 1256
Delta R.T. -0.006 min
Lab File: BM041402.D
Acq: 14 Aug 2023 16:12

Tgt Ion:136 Resp: 414996
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 7.8 6.9 10.3
68 5.9 5.4 8.2









#23
Nitrobenzene-d5
Concen: 48.976 ng
RT: 8.945 min Scan# 91
Delta R.T. -0.006 min
Lab File: BM041402.D
Acq: 14 Aug 2023 16:12




Instrument :
BNA_M
ClientSampleId :
SB-03-COMP


Tgt Ion: 82 Resp: 437047
Ion Ratio Lower Upper
82 100
128 38.8 31.8 47.6
54 48.3 40.1 60.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.433 min Scan# 1912
Delta R.T. -0.006 min
Lab File: BM041402.D
Acq: 14 Aug 2023 16:12

Tgt Ion: 164 Resp: 255634
Ion Ratio Lower Upper
164 100
162 100.2 80.4 120.6
160 45.0 36.2 54.2





#42

2,4,6-Tribromophenol

Concen: 84.842 ng

RT: 15.939 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM041402.D

Acq: 14 Aug 2023 16:12

Instrument :

BNA_M

ClientSampleId :

SB-03-COMP





Tgt Ion:330 Resp: 306772

Ion Ratio Lower Upper

330 100

332 97.2 77.7 116.5

141 34.8 28.3 42.5



#45

2-Fluorobiphenyl

Concen: 45.628 ng

RT: 13.051 min Scan# 1677

Delta R.T. -0.006 min

Lab File: BM041402.D

Acq: 14 Aug 2023 16:12




Tgt Ion:172 Resp: 923342


Ion Ratio Lower Upper

172 100

171 34.9 28.1 42.1

170 23.4 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.198 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM041402.D

Acq: 14 Aug 2023 16:12

Instrument :

BNA_M

ClientSampleId :

SB-03-COMP





Tgt Ion:188 Resp: 584362

Ion Ratio Lower Upper

188 100

94 8.2 8.2 12.2

80 9.0 8.6 13.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.409 min Scan# 3098

Delta R.T. -0.006 min

Lab File: BM041402.D

Acq: 14 Aug 2023 16:12




Tgt Ion:240 Resp: 606570


Ion Ratio Lower Upper

240 100

120 8.3 8.3 12.5

236 25.8 20.6 30.8





#79

Terphenyl-d14

Concen: 44.478 ng

RT: 19.839 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM041402.D

Acq: 14 Aug 2023 16:12

Instrument :

BNA_M

ClientSampleId :

SB-03-COMP





Tgt Ion:244 Resp: 1492174

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.2

122 8.4 7.8 11.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.768 min Scan# 3499

Delta R.T. -0.012 min

Lab File: BM041402.D

Acq: 14 Aug 2023 16:12

Tgt Ion:264 Resp: 726745

Ion Ratio Lower Upper

264 100

260 23.4 18.5 27.7

265 21.8 17.4 26.0

