

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081518\
 Data File : BM016384.D
 Acq On : 15 Aug 2018 17:23
 Operator : SJ/JU
 Sample : J4471-17
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-5

Quant Time: Aug 16 05:48:40 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 15 11:23:48 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	19921	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	70459	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	37595	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	80607	20.00	ng	0.00
75) Chrysene-d12	21.62	240	96035	20.00	ng	0.00
86) Perylene-d12	23.94	264	101734	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	204020	170.12	ng	0.00
7) Phenol-d6	7.29	99	238902	152.54	ng	0.00
23) Nitrobenzene-d5	9.30	82	187654	123.87	ng	0.00
41) 2,4,6-Tribromophenol	16.24	330	83286	174.67	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	361818	117.10	ng	0.00
78) Terphenyl-d14	20.07	244	649144	141.50	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.20	163	19343	5.879	ng	Qvalue # 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081518\
Data File : BM016384.D
Acq On : 15 Aug 2018 17:23
Operator : SJ/JU
Sample : J4471-17
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-5

Quant Time: Aug 16 05:48:40 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 15 11:23:48 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.11 min Scan# 820

Delta R.T. -0.01 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23

Instrument :

BNA_M

ClientSampled :

TP-5


Tot Ion:152 Resp: 19921

Ion Ratio Lower Upper

152 100

150 158.8 119.5 179.3




115 73.0 43.0 64.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: Below ng

RT: 5.65 min Scan# 401

Delta R.T. 0.00 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23


Tgt Ion:112 Resp: 204020

Ion Ratio Lower Upper

112 100

64 59.4 38.6 57.8#



63 48.9 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.29 min Scan# 680

Delta R.T. 0.00 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23

Instrument :

BNA_M

ClientSampleId :

TP-5


Tot Ion: 99 Resp: 238902

Ion Ratio Lower Upper

99 100

42 41.8 11.0 16.4#




71 58.6 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016384.D (-663) (-)

Ion 42.00 (41.70 to 42.70): BM016384.D (-663) (-)

Ion 71.00 (70.70 to 71.70): BM016384.D (-663) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.93 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23

Tgt Ion: 136 Resp: 70459


Ion Ratio Lower Upper

136 100

137 9.0 8.7 13.1

54 10.0 4.6 6.8#

68 4.0 3.7 5.5





Abundance Ion 136.00 (135.70 to 136.70): BM016384.D (-1282) (-)

Ion 137.00 (136.70 to 137.70): BM016384.D (-1282) (-)

Ion 54.00 (53.70 to 54.70): BM016384.D (-1282) (-)

Ion 68.00 (67.70 to 68.70): BM016384.D (-1282) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.30 min Scan# 1022
 Delta R.T. -0.01 min
 Lab File: BM016384.D
 Acq: 15 Aug 2018 17:23




Instrument :
 BNA_M
 ClientSampled :
 TP-5

Tot Ion	82	Resp	187654
Ion Ratio	100	Lower	Upper
128	32.9	32.8	49.2
54	66.9	40.6	60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.75 min Scan# 1949
 Delta R.T. 0.00 min
 Lab File: BM016384.D
 Acq: 15 Aug 2018 17:23

Tgt Ion	164	Resp	37595
Ion Ratio	100	Lower	Upper
162	99.3	82.4	123.6
160	47.8	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.24 min Scan# 2202
 Delta R.T. -0.01 min
 Lab File: BM016384.D
 Acq: 15 Aug 2018 17:23

Instrument :
 BNA_M
 ClientSampleId :
 TP-5

Tot Ion:330 Resp: 83286
 Ion Ratio Lower Upper
 330 100
 332 97.7 0.0 0.0#
 141 86.0 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.37 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BM016384.D
 Acq: 15 Aug 2018 17:23

Tgt Ion:172 Resp: 361818
 Ion Ratio Lower Upper
 172 100
 171 36.5 28.5 42.7
 170 24.5 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.879 ng

RT: 14.20 min Scan# 1856

Delta R.T. -0.01 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23

Instrument :

BNA_M

ClientSampleId :

TP-5


Tot Ion:163 Resp: 19343

Ion Ratio Lower Upper

163 100

194 4.2 2.7 4.1#




164 10.5 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.49 min Scan# 2414

Delta R.T. -0.01 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23


Tgt Ion:188 Resp: 80607

Ion Ratio Lower Upper

188 100

94 4.9 8.7 13.1#



80 7.3 9.3 13.9#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.62 min Scan# 3116

Delta R.T. -0.01 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23

Instrument :

BNA_M

ClientSampleId :

TP-5


Tot Ion:240 Resp: 96035

Ion Ratio Lower Upper

240 100

120 6.9 8.2 12.2#




236 27.9 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: Below ng

RT: 20.07 min Scan# 2853

Delta R.T. 0.00 min

Lab File: BM016384.D

Acq: 15 Aug 2018 17:23


Tgt Ion:244 Resp: 649144

Ion Ratio Lower Upper

244 100

212 10.8 4.9 7.3#



122 7.6 6.2 9.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 23.94 min Scan# 3512
 Delta R.T. 0.00 min
 Lab File: BM016384.D
 Acq: 15 Aug 2018 17:23

Instrument :
 BNA_M
 ClientSampleId :
 TP-5

Tot Ion:	264	Resp:	101734
Ion	Ratio	Lower	Upper
264	100		
260	24.8	18.6	27.8
265	21.8	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

