

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081518\
 Data File : BM016385.D
 Acq On : 15 Aug 2018 17:59
 Operator : SJ/JU
 Sample : J4471-21
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-6

Quant Time: Aug 16 05:50:13 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 15 11:23:48 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	20195	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	70531	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	35805	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	77237	20.00	ng	0.00
75) Chrysene-d12	21.62	240	90068	20.00	ng	0.00
86) Perylene-d12	23.94	264	99978	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	195056	160.44	ng	0.00
7) Phenol-d6	7.29	99	225173	141.82	ng	0.00
23) Nitrobenzene-d5	9.30	82	179512	118.38	ng	0.00
41) 2,4,6-Tribromophenol	16.24	330	73343	161.50	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	334226	113.58	ng	0.00
78) Terphenyl-d14	20.07	244	552125	128.32	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.20	163	18120	5.783	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081518\
Data File : BM016385.D
Acq On : 15 Aug 2018 17:59
Operator : SJ/JU
Sample : J4471-21
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-6

Quant Time: Aug 16 05:50:13 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 15 11:23:48 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.11 min Scan# 820
 Delta R.T. -0.01 min
 Lab File: BM016385.D
 Acq: 15 Aug 2018 17:59

Instrument :
 BNA_M
 ClientSampleId :
 TP-6

Tot Ion	Ratio	Lower	Upper
152	100		
150	173.2	119.5	179.3
115	73.0	43.0	64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: Below ng
 RT: 5.65 min Scan# 401
 Delta R.T. 0.00 min
 Lab File: BM016385.D
 Acq: 15 Aug 2018 17:59

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.3	38.6	57.8#
63	49.5	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.29 min Scan# 680

Delta R.T. 0.00 min

Lab File: BM016385.D

Acq: 15 Aug 2018 17:59

Instrument :

BNA_M

ClientSampleId :

TP-6


Tot Ion: 99 Resp: 225173

Ion Ratio Lower Upper

99 100

42 43.0 11.0 16.4#

71 60.3 23.4 35.2#






Abundance

Ion 99.00 (98.70 to 99.70): BM016023.D (-690) (-)

Ion 42.00 (41.70 to 42.70): BM016023.D (-690) (-)

Ion 71.00 (70.70 to 71.70): BM016023.D (-690) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.93 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BM016385.D

Acq: 15 Aug 2018 17:59

Tgt Ion: 136 Resp: 70531


Ion Ratio Lower Upper

136 100

137 11.4 8.7 13.1

54 9.7 4.6 6.8#

68 3.0 3.7 5.5#





Abundance

Ion 136.00 (135.70 to 136.70): BM016023.D (-1313) (-)

Ion 137.00 (136.70 to 137.70): BM016023.D (-1313) (-)

Ion 54.00 (53.70 to 54.70): BM016023.D (-1313) (-)

Ion 68.00 (67.70 to 68.70): BM016023.D (-1313) (-)









#23
Nitrobenzene-d5
Concen: N.D. ng
RT: 9.30 min Scan# 1022
Delta R.T. -0.01 min
Lab File: BM016385.D
Acq: 15 Aug 2018 17:59




Instrument :
BNA_M
ClientSampleId :
TP-6

Tot Ion: 82 Resp: 179512
Ion Ratio Lower Upper
82 100
128 33.9 32.8 49.2
54 65.6 40.6 60.8#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.75 min Scan# 1948
Delta R.T. -0.01 min
Lab File: BM016385.D
Acq: 15 Aug 2018 17:59

Tgt Ion: 164 Resp: 35805
Ion Ratio Lower Upper
164 100
162 112.5 82.4 123.6
160 49.5 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.24 min Scan# 2202
 Delta R.T. -0.01 min
 Lab File: BM016385.D
 Acq: 15 Aug 2018 17:59

Instrument :
 BNA_M
 ClientSampleId :
 TP-6

Tot Ion:330 Resp: 73343
 Ion Ratio Lower Upper
 330 100
 332 95.8 0.0 0.0#
 141 87.7 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.37 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BM016385.D
 Acq: 15 Aug 2018 17:59

Tgt Ion:172 Resp: 334226
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.5 42.7
 170 24.5 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.783 ng

RT: 14.20 min Scan# 1856

Delta R.T. -0.01 min

Lab File: BM016385.D

Acq: 15 Aug 2018 17:59

Instrument :

BNA_M

ClientSampleId :

TP-6


Tot Ion:163 Resp: 18120

Ion Ratio Lower Upper

163 100

194 4.7 2.7 4.1#




164 9.5 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.49 min Scan# 2414

Delta R.T. -0.01 min

Lab File: BM016385.D

Acq: 15 Aug 2018 17:59


Tgt Ion:188 Resp: 77237

Ion Ratio Lower Upper

188 100

94 6.8 8.7 13.1#



80 7.4 9.3 13.9#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.62 min Scan# 3116

Delta R.T. -0.01 min

Lab File: BM016385.D

Acq: 15 Aug 2018 17:59

Instrument :

BNA_M

ClientSampleId :

TP-6


Tot Ion:240 Resp: 90068

Ion Ratio Lower Upper

240 100

120 5.7 8.2 12.2#




236 26.7 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: Below ng

RT: 20.07 min Scan# 2853

Delta R.T. 0.00 min

Lab File: BM016385.D

Acq: 15 Aug 2018 17:59


Tgt Ion:244 Resp: 552125

Ion Ratio Lower Upper

244 100

212 10.4 4.9 7.3#



122 7.6 6.2 9.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.94 min Scan# 3512
Delta R.T. 0.00 min
Lab File: BM016385.D
Acq: 15 Aug 2018 17:59

Instrument :
BNA_M
ClientSampleId :
TP-6

Tot Ion	Ratio	Lower	Upper
264	100		
260	26.9	18.6	27.8
265	22.5	17.3	25.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

