

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081518\
 Data File : BM016396.D
 Acq On : 16 Aug 2018 01:59
 Operator : SJ/JU
 Sample : J4471-04
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-1

Quant Time: Aug 16 06:52:24 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 15 11:23:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	18910	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	67650	20.00	ng	0.00
38) Acenaphthene-d10	14.74	164	36659	20.00	ng	0.00
63) Phenanthrene-d10	17.48	188	90645	20.00	ng	-0.01
75) Chrysene-d12	21.62	240	117737	20.00	ng	0.00
86) Perylene-d12	23.94	264	111058	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	146622	128.80	ng	0.00
7) Phenol-d6	7.28	99	149022	100.24	ng	0.00
23) Nitrobenzene-d5	9.30	82	158752	109.15	ng	0.00
41) 2,4,6-Tribromophenol	16.23	330	76796	165.17	ng	-0.01
44) 2-Fluorobiphenyl	13.36	172	316354	105.00	ng	-0.01
78) Terphenyl-d14	20.06	244	765155	136.04	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM081518\
Data File : BM016396.D
Acq On : 16 Aug 2018 01:59
Operator : SJ/JU
Sample : J4471-04
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-1

Quant Time: Aug 16 06:52:24 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM072318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 15 11:23:48 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.01 min
Lab File: BM016396.D
Acq: 16 Aug 2018 01:59

Instrument :
BNA_M
ClientSampleId :
TP-1

Tot Ion:152 Resp: 18910
Ion Ratio Lower Upper
152 100
150 154.9 119.5 179.3
115 75.8 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: N.D. ng
RT: 5.64 min Scan# 400
Delta R.T. -0.01 min
Lab File: BM016396.D
Acq: 16 Aug 2018 01:59

Tgt Ion:112 Resp: 146622
Ion Ratio Lower Upper
112 100
64 60.9 38.6 57.8#
63 50.4 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.28 min Scan# 679

Delta R.T. -0.01 min

Lab File: BM016396.D

Acq: 16 Aug 2018 01:59

Instrument :

BNA_M

ClientSampleId :

TP-1


Tot Ion: 99 Resp: 149022

Ion Ratio Lower Upper

99 100

42 45.5 11.0 16.4#

71 64.6 23.4 35.2#






Abundance

Ion 99.00 (98.70 to 99.70): BM016396.D (-663) (-)

Ion 42.00 (41.70 to 42.70): BM016396.D (-663) (-)

Ion 71.00 (70.70 to 71.70): BM016396.D (-663) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1298

Delta R.T. -0.01 min

Lab File: BM016396.D

Acq: 16 Aug 2018 01:59

Tgt Ion: 136 Resp: 67650


Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 11.5 4.6 6.8#

68 3.6 3.7 5.5#





Abundance


Ion 136.00 (135.70 to 136.70): BM016396.D (-1282) (-)

Ion 137.00 (136.70 to 137.70): BM016396.D (-1282) (-)

Ion 54.00 (53.70 to 54.70): BM016396.D (-1282) (-)

Ion 68.00 (67.70 to 68.70): BM016396.D (-1282) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.30 min Scan# 1022
 Delta R.T. -0.01 min
 Lab File: BM016396.D
 Acq: 16 Aug 2018 01:59




Instrument :
 BNA_M
 ClientSampleId :
 TP-1


Tot Ion: 82 Resp: 158752
 Ion Ratio Lower Upper
 82 100
 128 34.8 32.8 49.2
 54 68.2 40.6 60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.74 min Scan# 1948
 Delta R.T. -0.01 min
 Lab File: BM016396.D
 Acq: 16 Aug 2018 01:59

Tgt Ion: 164 Resp: 36659
 Ion Ratio Lower Upper
 164 100
 162 109.8 82.4 123.6
 160 51.3 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.23 min Scan# 2201
 Delta R.T. -0.01 min
 Lab File: BM016396.D
 Acq: 16 Aug 2018 01:59

Instrument :
 BNA_M
 ClientSampled :
 TP-1

Tot Ion:330 Resp: 76796
 Ion Ratio Lower Upper
 330 100
 332 97.4 0.0 0.0#
 141 91.1 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.36 min Scan# 1713
 Delta R.T. -0.01 min
 Lab File: BM016396.D
 Acq: 16 Aug 2018 01:59

Tgt Ion:172 Resp: 316354
 Ion Ratio Lower Upper
 172 100
 171 37.1 28.5 42.7
 170 25.1 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.48 min Scan# 2413

Delta R.T. -0.01 min

Lab File: BM016396.D

Acq: 16 Aug 2018 01:59

Instrument :

BNA_M

ClientSampleId :

TP-1


Tot Ion:188 Resp: 90645

Ion Ratio Lower Upper

188 100

94 5.8 8.7 13.1#




80 6.4 9.3 13.9#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.62 min Scan# 3116

Delta R.T. -0.01 min

Lab File: BM016396.D

Acq: 16 Aug 2018 01:59


Tgt Ion:240 Resp: 117737

Ion Ratio Lower Upper

240 100

120 6.6 8.2 12.2#



236 27.1 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.06 min Scan# 2852

Delta R.T. -0.01 min

Lab File: BM016396.D

Acq: 16 Aug 2018 01:59

Instrument :

BNA_M

ClientSampleId :

TP-1


Tot Ion:244 Resp: 765155

Ion Ratio Lower Upper

244 100

212 10.5 4.9 7.3#




122 7.7 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.94 min Scan# 3512

Delta R.T. -0.00 min

Lab File: BM016396.D

Acq: 16 Aug 2018 01:59


Tgt Ion:264 Resp: 111058

Ion Ratio Lower Upper

264 100

260 25.4 18.6 27.8

265 21.7 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

