

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082019\
 Data File : BM022217.D
 Acq On : 20 Aug 2019 18:03
 Operator : HP/JU
 Sample : K4331-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 0624-SITE-WATER-VENICEAN

Quant Time: Aug 21 00:18:29 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 20 02:18:05 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	36393	20.00	ng	0.00
21) Naphthalene-d8	10.35	136	139109	20.00	ng	0.00
39) Acenaphthene-d10	14.23	164	89210	20.00	ng	0.00
64) Phenanthrene-d10	16.99	188	176281	20.00	ng	0.00
76) Chrysene-d12	21.20	240	170426	20.00	ng	0.00
87) Perylene-d12	23.39	264	195714	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.18	112	143079	70.06	ng	0.00
7) Phenol-d6	6.76	99	134082	49.30	ng	0.00
23) Nitrobenzene-d5	8.74	82	295091	103.17	ng	0.00
42) 2,4,6-Tribromophenol	15.73	330	226695	157.00	ng	0.00
45) 2-Fluorobiphenyl	12.83	172	745379	104.36	ng	0.00
79) Terphenyl-d14	19.63	244	1257990	107.55	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.70	163	39710	5.294	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082019\
Data File : BM022217.D
Acq On : 20 Aug 2019 18:03
Operator : HP/JU
Sample : K4331-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
0624-SITE-WATER-VENICEAN

Quant Time: Aug 21 00:18:29 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 20 02:18:05 2019
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.57 min Scan# 779
 Delta R.T. -0.01 min
 Lab File: BM022217.D
 Acq: 20 Aug 2019 18:03

Instrument :
 BNA_M
 ClientSampleId :
 0624-SITE-WATER-VENICEAN

Tot Ion:152 Resp: 36393
 Ion Ratio Lower Upper
 152 100
 150 152.7 123.1 184.7
 115 65.7 44.2 66.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 70.058 ng
 RT: 5.18 min Scan# 373
 Delta R.T. -0.01 min
 Lab File: BM022217.D
 Acq: 20 Aug 2019 18:03

Tgt Ion:112 Resp: 143079
 Ion Ratio Lower Upper
 112 100
 64 60.4 45.2 67.8
 63 39.5 23.5 35.3#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 49.301 ng

RT: 6.76 min Scan# 641

Delta R.T. -0.01 min

Lab File: BM022217.D

Acq: 20 Aug 2019 18:03

Instrument :

BNA_M

ClientSampleId :

0624-SITE-WATER-VENICEAN


Tot Ion: 99 Resp: 134082

Ion Ratio Lower Upper

99 100

42 26.8 13.5 20.3#




71 49.9 29.3 43.9#



Abundance Ion 99.00 (98.70 to 99.70): BM022196.D (-635) (-)

Ion 42.00 (41.70 to 42.70): BM022196.D (-635) (-)

Ion 71.00 (70.70 to 71.70): BM022196.D (-635) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.35 min Scan# 1251

Delta R.T. -0.00 min

Lab File: BM022217.D

Acq: 20 Aug 2019 18:03

Tgt Ion: 136 Resp: 139109


Ion Ratio Lower Upper

136 100

137 10.9 8.6 13.0

54 8.6 5.3 7.9#

68 4.9 4.4 6.6






Abundance Ion 136.00 (135.70 to 136.70): BM022196.D (-1244) (-)

Ion 137.00 (136.70 to 137.70): BM022196.D (-1244) (-)

Ion 54.00 (53.70 to 54.70): BM022196.D (-1244) (-)

Ion 68.00 (67.70 to 68.70): BM022196.D (-1244) (-)









#23
 Nitrobenzene-d5
 Concen: 103.173 ng
 RT: 8.74 min Scan# 978
 Delta R.T. -0.01 min
 Lab File: BM022217.D
 Acq: 20 Aug 2019 18:03




Instrument :
 BNA_M
 ClientSampleId :
 0624-SITE-WATER-VENICEAN


Tot Ion	82	Resp	295091
Ion Ratio	Lower	Upper	
82	100		
128	37.3	35.9	53.9
54	53.8	36.6	55.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.23 min Scan# 1911
 Delta R.T. -0.00 min
 Lab File: BM022217.D
 Acq: 20 Aug 2019 18:03

Tgt Ion	164	Resp	89210
Ion Ratio	Lower	Upper	
164	100		
162	100.5	82.1	123.1
160	45.9	37.1	55.7






#42
 2,4,6-Tribromophenol
 Concen: 156.998 ng
 RT: 15.73 min Scan# 2167
 Delta R.T. -0.01 min
 Lab File: BM022217.D
 Acq: 20 Aug 2019 18:03

Instrument :
 BNA_M
 ClientSampleId :
 0624-SITE-WATER-VENICEAN

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.1	115.7
141	42.0	21.8	32.8#






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 104.358 ng
 RT: 12.83 min Scan# 1674
 Delta R.T. -0.01 min
 Lab File: BM022217.D
 Acq: 20 Aug 2019 18:03

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.6	43.0
170	24.3	18.7	28.1






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 5.294 ng

RT: 13.70 min Scan# 1822

Delta R.T. -0.00 min

Lab File: BM022217.D

Acq: 20 Aug 2019 18:03

Instrument :

BNA_M

ClientSampleId :

0624-SITE-WATER-VENICEAN


Tot Ion:163 Resp: 39710

Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2




164 11.5 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.99 min Scan# 2380

Delta R.T. -0.01 min

Lab File: BM022217.D

Acq: 20 Aug 2019 18:03


Tgt Ion:188 Resp: 176281

Ion Ratio Lower Upper

188 100

94 7.1 5.8 8.8



80 7.1 6.9 10.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.20 min Scan# 3096
Delta R.T. -0.00 min
Lab File: BM022217.D
Acq: 20 Aug 2019 18:03




Instrument :
BNA_M
ClientSampleId :
0624-SITE-WATER-VENICEAN


Tot Ion:240 Resp: 170426
Ion Ratio Lower Upper
240 100
120 6.7 6.9 10.3#
236 27.2 20.4 30.6



#79
Terphenyl-d14
Concen: 107.554 ng
RT: 19.63 min Scan# 2830
Delta R.T. -0.00 min
Lab File: BM022217.D
Acq: 20 Aug 2019 18:03

Tgt Ion:244 Resp: 1257990
Ion Ratio Lower Upper
244 100
212 8.0 5.3 7.9#
122 5.6 6.6 9.8#






#87
Pervlene-d12
Concen: 20.000 ng
RT: 23.39 min Scan# 3469
Delta R.T. -0.01 min
Lab File: BM022217.D
Acq: 20 Aug 2019 18:03

Instrument :
BNA_M
ClientSampleId :
0624-SITE-WATER-VENICEAN

Tot Ion:	264	Resp:	195714
Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.0	28.4
265	22.3	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

