

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082118\
 Data File : BM016520.D
 Acq On : 22 Aug 2018 14:38
 Operator : SJ/JU
 Sample : PB112017BL
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Aug 22 15:10:13 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 21 16:31:22 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	133735	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	409016	20.00	ng	0.00
38) Acenaphthene-d10	14.66	164	316769	20.00	ng	0.00
63) Phenanthrene-d10	17.40	188	1033445	20.00	ng	0.00
75) Chrysene-d12	21.54	240	1281671	20.00	ng	0.00
86) Perylene-d12	23.83	264	1339353	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	984685	144.28	ng	0.00
7) Phenol-d6	7.19	99	1162151	128.69	ng	0.00
23) Nitrobenzene-d5	9.20	82	920861	102.80	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	1561419	176.33	ng	0.00
44) 2-Fluorobiphenyl	13.27	172	3452728	104.77	ng	0.00
78) Terphenyl-d14	19.99	244	8558794	141.34	ng	0.00
Target Compounds						
15) Benzyl Alcohol	8.34	79	22443	2.676	ng	Qvalue # 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082118\
Data File : BM016520.D
Acq On : 22 Aug 2018 14:38
Operator : SJ/JU
Sample : PB112017BL
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Aug 22 15:10:13 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 21 16:31:22 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.02 min Scan# 805
 Delta R.T. -0.00 min
 Lab File: BM016520.D
 Acq: 22 Aug 2018 14:38

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.6	119.5	179.3
115	61.2	43.0	64.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: Below ng
 RT: 5.56 min Scan# 386
 Delta R.T. 0.00 min
 Lab File: BM016520.D
 Acq: 22 Aug 2018 14:38

Tgt Ion	Ratio	Lower	Upper
112	100		
64	54.5	38.6	57.8
63	43.3	19.3	28.9






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.19 min Scan# 664

Delta R.T. -0.01 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38


Instrument :

BNA_M

ClientSampled :

Tot Ion: 99 Resp: 1162151




Ion	Ratio	Lower	Upper
99	100		
42	23.0	11.0	16.4#
71	66.3	23.4	35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016520.D (-648) (-)

Ion 42.00 (41.70 to 42.70): BM016520.D (-648) (-)

Ion 71.00 (70.70 to 71.70): BM016520.D (-648) (-)



#15

Benzyl Alcohol

Concen: 2.676 ng

RT: 8.34 min Scan# 859


Delta R.T. 0.06 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38

Tgt Ion: 79 Resp: 22443



Ion	Ratio	Lower	Upper
79	100		
108	114.3	65.0	97.4#
77	217.3	53.0	79.6#




Abundance Ion 79.00 (78.70 to 79.70): BM016520.D (-832) (-)

Ion 108.00 (107.70 to 108.70): BM016520.D (-832) (-)

Ion 77.00 (76.70 to 77.70): BM016520.D (-832) (-)





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1282

Delta R.T. -0.00 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38

Instrument :

BNA_M

ClientSampleId :

Tot Ion:136 Resp: 409016


Ion Ratio Lower Upper

136 100

137 12.7 8.7 13.1

54 9.0 4.6 6.8#

68 3.0 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



#23

Nitrobenzene-d5

Concen: N.D. ng

RT: 9.20 min Scan# 1006

Delta R.T. -0.01 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38


Tgt Ion: 82 Resp: 920861

Ion Ratio Lower Upper

82 100

128 31.4 32.8 49.2#



54 39.1 40.6 60.8#



Abundance Ion 82.00 (81.70 to 82.70): BM

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.66 min Scan# 1934

Delta R.T. -0.01 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38


Instrument :

BNA_M

ClientSampleId :

Tot Ion:164 Resp: 316769




Ion	Ratio	Lower	Upper
164	100		
162	103.5	82.4	123.6
160	47.2	35.8	53.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: N.D. ng

RT: 16.16 min Scan# 2188


Delta R.T. 0.00 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38

Tgt Ion:330 Resp: 1561419



Ion	Ratio	Lower	Upper
330	100		
332	96.4	0.0	0.0#
141	31.9	0.0	0.0#



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.27 min Scan# 1698
 Delta R.T. -0.01 min
 Lab File: BM016520.D
 Acq: 22 Aug 2018 14:38




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion:172 Resp: 3452728
 Ion Ratio Lower Upper
 172 100
 171 35.0 28.5 42.7
 170 23.8 18.8 28.2



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.40 min Scan# 2400
 Delta R.T. -0.00 min
 Lab File: BM016520.D
 Acq: 22 Aug 2018 14:38

Tgt Ion:188 Resp: 1033445
 Ion Ratio Lower Upper
 188 100
 94 2.8 8.7 13.1#
 80 3.1 9.3 13.9#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.54 min Scan# 3104

Delta R.T. -0.00 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38


Instrument :

BNA_M

ClientSampled :

Tot Ion:240 Resp: 1281671




Ion	Ratio	Lower	Upper
240	100		
120	2.3	8.2	12.2#
236	26.4	20.0	30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: N.D. ng

RT: 19.99 min Scan# 2840


Delta R.T. -0.01 min

Lab File: BM016520.D

Acq: 22 Aug 2018 14:38

Tgt Ion:244 Resp: 8558794



Ion	Ratio	Lower	Upper
244	100		
212	9.1	4.9	7.3#
122	3.2	6.2	9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.83 min Scan# 3493
Delta R.T. -0.01 min
Lab File: BM016520.D
Acq: 22 Aug 2018 14:38

Instrument :
BNA_M
ClientSampleId :

Tot Ion:264 Resp: 1339353

Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.6	27.8
265	23.0	17.3	25.9

