

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082118\
 Data File : BM016491.D
 Acq On : 21 Aug 2018 19:41
 Operator : SJ/JU
 Sample : PB112017BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB112017BL

Quant Time: Aug 21 23:31:50 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 21 16:31:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	184115	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	629139	20.00	ng	0.00
38) Acenaphthene-d10	14.66	164	417705	20.00	ng	0.00
63) Phenanthrene-d10	17.40	188	1236060	20.00	ng	0.00
75) Chrysene-d12	21.54	240	1441231	20.00	ng	0.00
86) Perylene-d12	23.83	264	1616414	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	1319753	140.46	ng	0.00
7) Phenol-d6	7.20	99	1619339	130.24	ng	0.00
23) Nitrobenzene-d5	9.20	82	1255158	91.09	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	1693458	145.03	ng	0.00
44) 2-Fluorobiphenyl	13.28	172	3930367	90.45	ng	0.00
78) Terphenyl-d14	20.00	244	8903637	130.76	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082118\
Data File : BM016491.D
Acq On : 21 Aug 2018 19:41
Operator : SJ/JU
Sample : PB112017BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB112017BL

Quant Time: Aug 21 23:31:50 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 21 16:31:22 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.02 min Scan# 805
Delta R.T. -0.00 min
Lab File: BM016491.D
Acq: 21 Aug 2018 19:41

Instrument :
BNA_M
ClientSampleId :
PB112017BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.9	119.5	179.3
115	57.3	43.0	64.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: Below ng
RT: 5.56 min Scan# 387
Delta R.T. 0.01 min
Lab File: BM016491.D
Acq: 21 Aug 2018 19:41

Tgt Ion	Ratio	Lower	Upper
112	100		
64	52.2	38.6	57.8
63	39.4	19.3	28.9






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BMC

Ion 63.00 (62.70 to 63.70): BMC





#7

Phenol-d6

Concen: Below na

RT: 7.20 min Scan# 665

Delta R.T. -0.00 min

Lab File: BM016491.D

Acq: 21 Aug 2018 19:41

Instrument :

BNA_M

ClientSampleId :

PB112017BL


Tot Ion: 99 Resp: 1619339

Ion Ratio Lower Upper

99 100

42 19.9 11.0 16.4#




71 61.4 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016484.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM016484.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM016484.D (-657) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1282

Delta R.T. -0.00 min

Lab File: BM016491.D

Acq: 21 Aug 2018 19:41

Tgt Ion: 136 Resp: 629139


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 5.6 4.6 6.8

68 3.5 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM016484.D (-1274) (-)

Ion 137.00 (136.70 to 137.70): BM016484.D (-1274) (-)

Ion 54.00 (53.70 to 54.70): BM016484.D (-1274) (-)

Ion 68.00 (67.70 to 68.70): BM016484.D (-1274) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.20 min Scan# 1006
 Delta R.T. -0.01 min
 Lab File: BM016491.D
 Acq: 21 Aug 2018 19:41




Instrument :
 BNA_M
 ClientSampleId :
 PB112017BL


Tot Ion: 82 Resp: 1255158
 Ion Ratio Lower Upper
 82 100
 128 31.0 32.8 49.2#
 54 36.7 40.6 60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.66 min Scan# 1934
 Delta R.T. -0.01 min
 Lab File: BM016491.D
 Acq: 21 Aug 2018 19:41

Tgt Ion:164 Resp: 417705
 Ion Ratio Lower Upper
 164 100
 162 108.6 82.4 123.6
 160 46.0 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.16 min Scan# 2188
 Delta R.T. 0.00 min
 Lab File: BM016491.D
 Acq: 21 Aug 2018 19:41

Instrument :
 BNA_M
 ClientSampleId :
 PB112017BL

Tot Ion:330 Resp: 1693458
 Ion Ratio Lower Upper
 330 100
 332 95.8 0.0 0.0#
 141 35.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.28 min Scan# 1699
 Delta R.T. -0.00 min
 Lab File: BM016491.D
 Acq: 21 Aug 2018 19:41

Tgt Ion:172 Resp: 3930367
 Ion Ratio Lower Upper
 172 100
 171 34.6 28.5 42.7
 170 23.8 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.40 min Scan# 2400
Delta R.T. -0.00 min
Lab File: BM016491.D
Acq: 21 Aug 2018 19:41




Instrument :
BNA_M
ClientSampled :
PB112017BL


Tot Ion:188 Resp: 1236060
Ion Ratio Lower Upper
188 100
94 3.7 8.7 13.1#
80 4.6 9.3 13.9#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.54 min Scan# 3104
Delta R.T. -0.00 min
Lab File: BM016491.D
Acq: 21 Aug 2018 19:41

Tgt Ion:240 Resp: 1441231
Ion Ratio Lower Upper
240 100
120 3.6 8.2 12.2#
236 27.9 20.0 30.0





#78

Terphenyl-d14

Concen: Below na

RT: 20.00 min Scan# 2841

Delta R.T. -0.00 min

Lab File: BM016491.D

Acq: 21 Aug 2018 19:41

Instrument :

BNA_M

ClientSampleId :

PB112017BL


Tot Ion:244 Resp: 8903637

Ion Ratio Lower Upper

244 100

212 9.0 4.9 7.3#




122 3.8 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.83 min Scan# 3493

Delta R.T. -0.01 min

Lab File: BM016491.D

Acq: 21 Aug 2018 19:41


Tgt Ion:264 Resp: 1616414

Ion Ratio Lower Upper

264 100

260 24.7 18.6 27.8

265 21.4 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

