

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082120\
 Data File : BM027186.D
 Acq On : 22 Aug 2020 01:06
 Operator : JU/CG
 Sample : L3746-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 359

Quant Time: Aug 22 06:57:36 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082120.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 21 15:18:25 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	119027	20.00	ng	0.00
21) Naphthalene-d8	10.38	136	440362	20.00	ng	0.00
39) Acenaphthene-d10	14.25	164	279193	20.00	ng	0.00
64) Phenanthrene-d10	16.99	188	616420	20.00	ng	0.00
76) Chrysene-d12	21.19	240	671239	20.00	ng	-0.01
86) Perylene-d12	23.37	264	718389	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	471661	77.25	ng	0.00
7) Phenol-d6	6.80	99	647089	77.19	ng	0.00
23) Nitrobenzene-d5	8.75	82	481440	45.11	ng	0.00
42) 2,4,6-Tribromophenol	15.74	330	282159	62.41	ng	0.00
45) 2-Fluorobiphenyl	12.87	172	756791	35.61	ng	0.00
79) Terphenyl-d14	19.63	244	1161264	32.32	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.71	163	186030	8.207	ng	99
70) Pentachlorophenol	16.65	266	13968	2.922	ng	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082120\
Data File : BM027186.D
Acq On : 22 Aug 2020 01:06
Operator : JU/CG
Sample : L3746-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
359

Quant Time: Aug 22 06:57:36 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082120.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 21 15:18:25 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.61 min Scan# 786
Delta R.T. -0.01 min
Lab File: BM027186.D
Acq: 22 Aug 2020 01:06

Instrument :
BNA_M
ClientSampleId :
359

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.4	118.2	177.4
115	58.8	46.1	69.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 77.250 ng
RT: 5.23 min Scan# 382
Delta R.T. 0.00 min
Lab File: BM027186.D
Acq: 22 Aug 2020 01:06

Tgt Ion	Ratio	Lower	Upper
112	100		
64	63.2	50.0	75.0
63	35.0	31.6	47.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 77.190 ng

RT: 6.80 min Scan# 648

Delta R.T. 0.00 min

Lab File: BM027186.D

Acq: 22 Aug 2020 01:06

Instrument :

BNA_M

ClientSampled :

359


Tot Ion: 99 Resp: 647089

Ion Ratio Lower Upper

99 100

42 15.7 14.5 21.7




71 46.4 43.0 64.4



Abundance Ion 99.00 (98.70 to 99.70): BM027186.D (-597) (-)

Ion 42.00 (41.70 to 42.70): BM027186.D (-597) (-)

Ion 71.00 (70.70 to 71.70): BM027186.D (-597) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.38 min Scan# 1257

Delta R.T. -0.01 min

Lab File: BM027186.D

Acq: 22 Aug 2020 01:06

Tgt Ion: 136 Resp: 440362


Ion Ratio Lower Upper

136 100

137 11.1 8.2 12.4

54 5.6 4.8 7.2

68 5.8 3.5 5.3#






Abundance Ion 136.00 (135.70 to 136.70): BM027186.D (-1207) (-)

Ion 137.00 (136.70 to 137.70): BM027186.D (-1207) (-)

Ion 54.00 (53.70 to 54.70): BM027186.D (-1207) (-)

Ion 68.00 (67.70 to 68.70): BM027186.D (-1207) (-)









#23
 Nitrobenzene-d5
 Concen: 45.106 ng
 RT: 8.75 min Scan# 980
 Delta R.T. -0.01 min
 Lab File: BM027186.D
 Acq: 22 Aug 2020 01:06




Instrument :
 BNA_M
 ClientSampleId :
 359


Tot Ion	82	Resp	481440
Ion Ratio	Lower	Upper	
82	100		
128	34.2	25.7	38.5
54	37.6	33.0	49.4



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.25 min Scan# 1915
 Delta R.T. 0.00 min
 Lab File: BM027186.D
 Acq: 22 Aug 2020 01:06

Tgt Ion	164	Resp	279193
Ion Ratio	Lower	Upper	
164	100		
162	100.8	80.2	120.4
160	44.9	36.3	54.5









#42
 2,4,6-Tribromophenol
 Concen: 62.410 ng
 RT: 15.74 min Scan# 2168
 Delta R.T. -0.01 min
 Lab File: BM027186.D
 Acq: 22 Aug 2020 01:06




Instrument :
 BNA_M
 ClientSampleId :
 359


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.2	115.8
141	34.4	31.0	46.6



#45
 2-Fluorobiphenyl
 Concen: 35.608 ng
 RT: 12.87 min Scan# 1680
 Delta R.T. 0.00 min
 Lab File: BM027186.D
 Acq: 22 Aug 2020 01:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.8	28.1	42.1
170	22.9	18.6	28.0









#50
Dimethylphthalate
Concen: 8.207 ng
RT: 13.71 min Scan# 1823
Delta R.T. -0.01 min
Lab File: BM027186.D
Acq: 22 Aug 2020 01:06




Instrument :
BNA_M
ClientSampleId :
359


Tot Ion:163 Resp: 186030
Ion Ratio Lower Upper
163 100
194 4.6 3.4 5.2
164 10.0 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.99 min Scan# 2381
Delta R.T. -0.01 min
Lab File: BM027186.D
Acq: 22 Aug 2020 01:06

Tgt Ion:188 Resp: 616420
Ion Ratio Lower Upper
188 100
94 7.3 5.5 8.3
80 9.0 6.2 9.4









#70
 Pentachlorophenol
 Concen: 2.922 ng
 RT: 16.65 min Scan# 2323
 Delta R.T. 0.00 min
 Lab File: BM027186.D
 Acq: 22 Aug 2020 01:06

Instrument :
 BNA_M
 ClientSampleId :
 359

Tot Ion	Ratio	Lower	Upper
266	100		
268	71.6	50.2	75.2
264	68.4	49.1	73.7




Abundance Ion 265.70 (265.40 to 266.40): E
 Ion 268.00 (267.70 to 268.70): E
 Ion 264.00 (263.70 to 264.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.19 min Scan# 3094
 Delta R.T. -0.01 min
 Lab File: BM027186.D
 Acq: 22 Aug 2020 01:06

Tgt Ion	Ratio	Lower	Upper
240	100		
120	7.1	5.6	8.4
236	25.1	19.8	29.6



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 32.318 ng

RT: 19.63 min Scan# 2830

Delta R.T. -0.01 min

Lab File: BM027186.D

Acq: 22 Aug 2020 01:06

Instrument :

BNA_M

ClientSampleId :

359


Tot Ion:244 Resp: 1161264

Ion Ratio Lower Upper

244 100

212 7.5 5.8 8.8




122 7.8 5.8 8.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.37 min Scan# 3466

Delta R.T. -0.01 min

Lab File: BM027186.D

Acq: 22 Aug 2020 01:06


Tgt Ion:264 Resp: 718389

Ion Ratio Lower Upper

264 100

260 22.4 18.8 28.2

265 21.6 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

