

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082123\
 Data File : BM041450.D
 Acq On : 21 Aug 2023 16:20
 Operator : MA/JU
 Sample : 04082-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 217

Quant Time: Aug 22 03:37:28 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 22 03:32:15 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.757	152	143563	20.000	ng	0.00
21) Naphthalene-d8	10.557	136	563425	20.000	ng	0.00
39) Acenaphthene-d10	14.421	164	363857	20.000	ng	0.00
64) Phenanthrene-d10	17.180	188	826364	20.000	ng	0.00
76) Chrysene-d12	21.386	240	872843	20.000	ng	0.00
86) Perylene-d12	23.727	264	976728	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.346	112	1014921	117.606	ng	0.00
7) Phenol-d6	6.957	99	1178703	100.587	ng	0.00
23) Nitrobenzene-d5	8.939	82	892280	75.598	ng	0.00
42) 2,4,6-Tribromophenol	15.921	330	639950	110.829	ng	0.00
45) 2-Fluorobiphenyl	13.039	172	2037696	75.045	ng	0.00
79) Terphenyl-d14	19.821	244	3766182	75.086	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM082123\
Data File : BM041450.D
Acq On : 21 Aug 2023 16:20
Operator : MA/JU
Sample : 04082-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
217

Quant Time: Aug 22 03:37:28 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 22 03:32:15 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.757 min Scan# 717
 Delta R.T. 0.000 min
 Lab File: BM041450.D
 Acq: 21 Aug 2023 16:20

Instrument :
 BNA_M
 ClientSampleId :
 217

Tgt Ion:152 Resp: 143563




Ion	Ratio	Lower	Upper
152	100		
150	157.3	123.8	185.6
115	59.4	46.6	70.0




#5
 2-Fluorophenol
 Concen: 117.606 ng
 RT: 5.346 min Scan# 367
 Delta R.T. -0.000 min
 Lab File: BM041450.D
 Acq: 21 Aug 2023 16:20

Tgt Ion:112 Resp: 1014921

Ion	Ratio	Lower	Upper
112	100		
64	58.7	47.3	70.9
63	33.7	26.5	39.7









#7
Phenol-d6
Concen: 100.587 ng
RT: 6.957 min Scan# 641
Delta R.T. 0.000 min
Lab File: BM041450.D
Acq: 21 Aug 2023 16:20

Instrument :
BNA_M
ClientSampleId :
217

Tgt Ion: 99 Resp: 1178703




Ion	Ratio	Lower	Upper
99	100		
42	18.9	15.2	22.8
71	39.8	30.7	46.1




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.557 min Scan# 1253
Delta R.T. 0.000 min
Lab File: BM041450.D
Acq: 21 Aug 2023 16:20

Tgt Ion: 136 Resp: 563425

Ion	Ratio	Lower	Upper
136	100		
137	11.5	8.6	13.0
54	7.6	5.7	8.5
68	6.1	4.6	7.0









#23
Nitrobenzene-d5
Concen: 75.598 ng
RT: 8.939 min Scan# 91
Delta R.T. 0.006 min
Lab File: BM041450.D
Acq: 21 Aug 2023 16:20




Instrument :
BNA_M
ClientSampleId :
217


Tgt Ion: 82 Resp: 892280
Ion Ratio Lower Upper
82 100
128 40.5 32.2 48.4
54 47.0 37.5 56.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.421 min Scan# 1910
Delta R.T. 0.006 min
Lab File: BM041450.D
Acq: 21 Aug 2023 16:20

Tgt Ion: 164 Resp: 363857
Ion Ratio Lower Upper
164 100
162 101.8 80.4 120.6
160 44.8 35.9 53.9





#42

2,4,6-Tribromophenol

Concen: 110.829 ng

RT: 15.921 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM041450.D

Acq: 21 Aug 2023 16:20

Instrument :

BNA_M

ClientSampleId :

217





Tgt Ion:330 Resp: 639950

Ion Ratio Lower Upper

330 100

332 96.4 78.0 117.0

141 34.4 28.3 42.5



#45

2-Fluorobiphenyl

Concen: 75.045 ng

RT: 13.039 min Scan# 1675

Delta R.T. 0.006 min

Lab File: BM041450.D

Acq: 21 Aug 2023 16:20




Tgt Ion:172 Resp: 2037696


Ion Ratio Lower Upper

172 100

171 34.6 28.3 42.5

170 23.4 19.0 28.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.180 min Scan# 2380

Delta R.T. 0.006 min

Lab File: BM041450.D

Acq: 21 Aug 2023 16:20

Instrument :

BNA_M

ClientSampleId :

217





Tgt Ion:188 Resp: 826364

Ion Ratio Lower Upper

188 100

94 7.6 6.6 9.8

80 8.5 7.5 11.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.386 min Scan# 3094

Delta R.T. -0.000 min

Lab File: BM041450.D

Acq: 21 Aug 2023 16:20




Tgt Ion:240 Resp: 872843


Ion Ratio Lower Upper

240 100

120 8.4 7.4 11.2

236 26.0 20.8 31.2





#79

Terphenyl-d14

Concen: 75.086 ng

RT: 19.821 min Scan# 21

Delta R.T. 0.006 min

Lab File: BM041450.D

Acq: 21 Aug 2023 16:20

Instrument :

BNA_M

ClientSampleId :

217





Tgt Ion:244 Resp: 3766182

Ion Ratio Lower Upper

244 100

212 7.3 5.9 8.9

122 7.6 6.9 10.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.727 min Scan# 3492

Delta R.T. 0.000 min

Lab File: BM041450.D

Acq: 21 Aug 2023 16:20

Tgt Ion:264 Resp: 976728

Ion Ratio Lower Upper

264 100

260 23.9 18.6 27.8

265 22.3 17.5 26.3

