

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082318\
 Data File : BM016565.D
 Acq On : 23 Aug 2018 23:10
 Operator : SJ/JU
 Sample : J4610-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 082118-DBRI-F-D-M

Quant Time: Aug 24 05:25:30 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 21 16:31:22 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	103234	20.00	ng	-0.01
21) Naphthalene-d8	10.82	136	331978	20.00	ng	-0.01
38) Acenaphthene-d10	14.65	164	255995	20.00	ng	-0.02
63) Phenanthrene-d10	17.39	188	870223	20.00	ng	-0.01
75) Chrysene-d12	21.54	240	1189864	20.00	ng	0.00
86) Perylene-d12	23.82	264	1395421	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	173237	32.88	ng	0.00
7) Phenol-d6	7.19	99	129220	18.54	ng	-0.01
23) Nitrobenzene-d5	9.20	82	841169	115.69	ng	-0.01
41) 2,4,6-Tribromophenol	16.14	330	768454	107.38	ng	-0.01
44) 2-Fluorobiphenyl	13.27	172	3041267	114.20	ng	-0.01
78) Terphenyl-d14	19.99	244	7457020	132.65	ng	-0.01
Target Compounds						
49) Dimethylphthalate	14.12	163	71741	2.917	ng	Qvalue # 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082318\
Data File : BM016565.D
Acq On : 23 Aug 2018 23:10
Operator : SJ/JU
Sample : J4610-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
082118-DBRI-F-D-M

Quant Time: Aug 24 05:25:30 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 21 16:31:22 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.01 min Scan# 803
 Delta R.T. -0.01 min
 Lab File: BM016565.D
 Acq: 23 Aug 2018 23:10

Instrument :
 BNA_M
 ClientSampleId :
 082118-DBRI-F-D-M




Tot Ion	Ratio	Lower	Upper
152	100		
150	150.9	119.5	179.3
115	67.6	43.0	64.4




#5

2-Fluorophenol
 Concen: 32.884 ng
 RT: 5.56 min Scan# 386
 Delta R.T. 0.00 min
 Lab File: BM016565.D
 Acq: 23 Aug 2018 23:10

Tgt Ion	Ratio	Lower	Upper
112	100		
64	52.5	38.6	57.8
63	39.2	19.3	28.9





#7

Phenol-d6

Concen: 18.536 ng

RT: 7.19 min Scan# 663

Delta R.T. -0.01 min

Lab File: BM016565.D

Acq: 23 Aug 2018 23:10

Instrument :

BNA_M

ClientSampleId :

082118-DBRI-F-D-M


Tot Ion: 99 Resp: 129220

Ion Ratio Lower Upper

99 100

42 26.3 11.0 16.4#




71 65.2 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016484.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM016484.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM016484.D (-657) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.82 min Scan# 1280

Delta R.T. -0.01 min

Lab File: BM016565.D

Acq: 23 Aug 2018 23:10

Tgt Ion: 136 Resp: 331978


Ion Ratio Lower Upper

136 100

137 10.2 8.7 13.1

54 8.3 4.6 6.8#

68 3.8 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM016484.D (-1274) (-)

Ion 137.00 (136.70 to 137.70): BM016484.D (-1274) (-)

Ion 54.00 (53.70 to 54.70): BM016484.D (-1274) (-)

Ion 68.00 (67.70 to 68.70): BM016484.D (-1274) (-)









#23
Nitrobenzene-d5
Concen: 115.691 ng
RT: 9.20 min Scan# 1005
Delta R.T. -0.01 min
Lab File: BM016565.D
Acq: 23 Aug 2018 23:10




Instrument :
BNA_M
ClientSampleId :
082118-DBRI-F-D-M


Tot Ion	82	Resp	841169
Ion Ratio	Lower	Upper	
82	100		
128	32.8	32.8	49.2
54	35.7	40.6	60.8#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.65 min Scan# 1932
Delta R.T. -0.02 min
Lab File: BM016565.D
Acq: 23 Aug 2018 23:10

Tgt Ion	164	Resp	255995
Ion Ratio	Lower	Upper	
164	100		
162	103.9	82.4	123.6
160	44.8	35.8	53.6






#41
 2,4,6-Tribromophenol
 Concen: 107.384 ng
 RT: 16.14 min Scan# 2186
 Delta R.T. -0.01 min
 Lab File: BM016565.D
 Acq: 23 Aug 2018 23:10

Instrument :
 BNA_M
 ClientSampleId :
 082118-DBRI-F-D-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.9	0.0	0.0#
141	36.1	0.0	0.0#






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 114.195 ng
 RT: 13.27 min Scan# 1697
 Delta R.T. -0.01 min
 Lab File: BM016565.D
 Acq: 23 Aug 2018 23:10

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.5	42.7
170	23.8	18.8	28.2






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.917 ng

RT: 14.12 min Scan# 1842

Delta R.T. -0.01 min

Lab File: BM016565.D

Acq: 23 Aug 2018 23:10

Instrument :

BNA_M

ClientSampleId :

082118-DBRI-F-D-M


Tot Ion:163 Resp: 71741

Ion Ratio Lower Upper

163 100

194 7.6 2.7 4.1#




164 13.6 8.2 12.2#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.39 min Scan# 2398

Delta R.T. -0.01 min

Lab File: BM016565.D

Acq: 23 Aug 2018 23:10


Tgt Ion:188 Resp: 870223

Ion Ratio Lower Upper

188 100

94 3.0 8.7 13.1#



80 3.3 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.54 min Scan# 3103

Delta R.T. -0.01 min

Lab File: BM016565.D

Acq: 23 Aug 2018 23:10

Instrument :

BNA_M

ClientSampleId :

082118-DBRI-F-D-M


Tot Ion:240 Resp: 1189864

Ion Ratio Lower Upper

240 100

120 2.5 8.2 12.2#




236 27.8 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 132.648 ng

RT: 19.99 min Scan# 2839

Delta R.T. -0.01 min

Lab File: BM016565.D

Acq: 23 Aug 2018 23:10


Tgt Ion:244 Resp: 7457020

Ion Ratio Lower Upper

244 100

212 9.1 4.9 7.3#



122 3.3 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 23.82 min Scan# 3491
 Delta R.T. -0.02 min
 Lab File: BM016565.D
 Acq: 23 Aug 2018 23:10

Instrument :
 BNA_M
 ClientSampleId :
 082118-DBRI-F-D-M

Tot Ion:264 Resp: 1395421

Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.6	27.8
265	21.3	17.3	25.9

