

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022344.D
 Acq On : 26 Aug 2019 23:12
 Operator : HP/JU
 Sample : K4464-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEJW2

Manual Integrations
 APPROVED

mohammad
 8/28/2019 10:11:01 AM

Quant Time: Aug 27 11:58:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 11:54:35 2019
 Response via : Initial Calibration



(29) 4-Chloroaniline-d4 (S)

10.522min (+0.029) 1.56ng/ul

response 5524

Ion	Exp%	Act%
131.00	100	100
133.00	31.60	29.83
69.00	20.00	21.84
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022344.D
 Acq On : 26 Aug 2019 23:12
 Operator : HP/JU
 Sample : K4464-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEJW2

Manual Integrations
 APPROVED

mohammad
 8/28/2019 10:11:01 AM

Quant Time: Aug 27 11:58:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 11:54:35 2019
 Response via : Initial Calibration



(29) 4-Chloroaniline-d4 (S)

10.522min (+0.029) 1.93ng/ul m

JU
 08/28/19

response 6820

Ion	Exp%	Act%
131.00	100	100
133.00	31.60	29.83
69.00	20.00	21.84
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022344.D
 Acq On : 26 Aug 2019 23:12
 Operator : HP/JU
 Sample : K4464-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEJW2

Manual Integrations
 APPROVED

mohammad
 8/28/2019 10:11:01 AM

Quant Time: Aug 27 11:58:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 11:54:35 2019
 Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.527min (+0.059) 2.99ng/ul

response 4599

Ion	Exp%	Act%
143.00	100	100
113.00	116.00	90.11#
41.00	50.80	46.85
42.00	27.00	41.62#

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022344.D
 Acq On : 26 Aug 2019 23:12
 Operator : HP/JU
 Sample : K4464-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEJW2

Manual Integrations
 APPROVED

mohammad
 8/28/2019 10:11:01 AM

Quant Time: Aug 27 11:58:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 11:54:35 2019
 Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.527min (+0.059) 4.26ng/ul m *JU 08/28/19*

response 6545

Ion	Exp%	Act%
143.00	100	100
113.00	116.00	90.11#
41.00	50.80	46.85
42.00	27.00	41.62#

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022344.D
 Acq On : 26 Aug 2019 23:12
 Operator : HP/JU
 Sample : K4464-05
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Quant Time: Aug 30 23:54:55 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 11:54:35 2019
 Response via : Initial Calibration

Instrument :
 BNA_M
 ClientSampleId :
 BEJW2

Manual Integrations
 APPROVED

mohammad
 8/28/2019 10:11:01 AM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	37193	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	164819	20.00	ng/ul	-0.01
35) Acenaphthene-d10	14.20	164	117864	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.97	188	260523	20.00	ng/ul	0.00
77) Chrysene-d12	21.18	240	211360	20.00	ng/ul	0.00
85) Perylene-d12	23.37	264	212507	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	3589	4.32	ng/uL	0.00
5) Phenol-d5	6.75	99	22954	7.15	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	57085	30.57	ng/ul	0.00
9) 2-Chlorophenol-d4	7.08	132	69678	26.88	ng/ul	0.00
13) 4-Methylphenol-d8	8.27	113	46261	16.63	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	42966	34.96	ng/ul	0.00
22) 2-Nitrophenol-d4	9.43	143	52177	36.48	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.96	165	93339	32.06	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	6820m	1.93	ng/ul	0.03
43) Dimethylphthalate-d6	13.63	166	352252	33.94	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	384586	34.40	ng/ul	0.00
51) 4-Nitrophenol-d4	14.53	143	6545m	4.26	ng/ul	0.06
57) Fluorene-d10	15.21	176	300688	34.93	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	46179	22.97	ng/ul	0.00
70) Anthracene-d10	17.07	188	480796	34.85	ng/ul	0.00
78) Pyrene-d10	19.37	212	567758	51.69	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.23	264	420661	36.03	ng/ul	0.00

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.67	163	56209	5.322	ng/ul#	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

JU
 8/28/19

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\

Data File : BM022344.D

Acq On : 26 Aug 2019 23:12

Operator : HP/JU

Sample : K4464-05

Misc :

ALS Vial : 22 Sample Multiplier: 1

Quant Time: Aug 30 23:54:55 2019

Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M

Quant Title : SVOA CALIBRATION

QLast Update : Tue Aug 27 11:54:35 2019

Response via : Initial Calibration

Instrument :

BNA_M

ClientSampleId :

BEJW2

Manual Integrations

APPROVED

mohammad

8/28/2019 10:11:01 AM

