

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022354.D
 Acq On : 27 Aug 2019 06:27
 Operator : HP/JU
 Sample : K4464-08
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEJW3

Manual Integrations
 APPROVED

mohammad
 8/28/2019 10:11:32 AM

Quant Time: Aug 27 13:09:54 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 12:44:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	38485	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.32	136	174964	20.00	ng/ul	-0.01
35) Acenaphthene-d10	14.20	164	122256	20.00	ng/ul	-0.01
61) Phenanthrene-d10	16.96	188	279708	20.00	ng/ul	-0.01
77) Chrysene-d12	21.17	240	247444	20.00	ng/ul	0.00
85) Perylene-d12	23.37	264	241489	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.13	96	3605	4.19	ng/uL	0.00
5) Phenol-d5	6.75	99	21195	6.38	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	52525	27.19	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.08	132	64210	23.94	ng/ul	0.00
13) 4-Methylphenol-d8	8.27	113	43661	15.17	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	39537	30.31	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	47830	31.50	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	9.96	165	85913	27.80	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	6663	1.77	ng/ul	0.03
43) Dimethylphthalate-d6	13.63	166	333540	30.98	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	359831	31.03	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	6893m	4.32	ng/ul	0.05
57) Fluorene-d10	15.20	176	283406	31.74	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	47768	22.13	ng/ul	0.00
70) Anthracene-d10	17.06	188	471850	31.86	ng/ul	-0.01
78) Pyrene-d10	19.37	212	595618	46.31	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.23	264	434597	32.76	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.67	163	40913	3.735	ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
Data File : BM022354.D
Acq On : 27 Aug 2019 06:27
Operator : HP/JU
Sample : K4464-08
Misc :
ALS Vial : 32 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
BEJW3

Quant Time: Aug 27 13:09:54 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 27 12:44:18 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
8/28/2019 10:11:32 AM





#44

Dimethylphthalate

Concen: 3.735 ng/ul

RT: 13.67 min Scan# 1817

Delta R.T. -0.01 min

Lab File: BM022354.D

Acq: 27 Aug 2019 06:27

Instrument :

BNA_M

ClientSampleId :

BEJW3

Tot Ion:	163	Resp:	40913
Ion Ratio	Lower	Upper	
163	100		
194	4.2	3.0	4.6
164	9.8	7.8	11.8

Manual Integrations
APPROVED

mohammad
8/28/2019 10:11:32 AM

