

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022371.D
 Acq On : 27 Aug 2019 17:48
 Operator : HP/JU
 Sample : K4373-14DL2 500X
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AD2DL2

Manual Integrations
 APPROVED

mohammad
 8/28/2019 11:32:40 PM

Quant Time: Aug 28 02:54:46 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 17:04:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	21884	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.31	136	98521	20.00	ng/ul	-0.02
35) Acenaphthene-d10	14.20	164	70724	20.00	ng/ul	-0.01
61) Phenanthrene-d10	16.97	188	158969	20.00	ng/ul	0.00
77) Chrysene-d12	21.18	240	126321	20.00	ng/ul	0.00
85) Perylene-d12	23.37	264	136486	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
46) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul	
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
57) Fluorene-d10	0.00	176	0	0.00	ng/ul	
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	0.00	188	0d	0.00	ng/ul	
78) Pyrene-d10	19.39	212	271	0.04	ng/ul	0.01
89) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul	

Target Compounds

				Ovalue
24) 2,4-Dimethylphenol	9.55	107	4680m	2.125 ng/ul
28) Naphthalene	10.36	128	134602	24.757 ng/ul 99
34) 2-Methylnaphthalene	12.00	142	7167	1.711 ng/ul 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
Data File : BM022371.D
Acq On : 27 Aug 2019 17:48
Operator : HP/JU
Sample : K4373-14DL2 500X
Misc :
ALS Vial : 49 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
C0AD2DL2

Manual Integrations
APPROVED

mohammad
8/28/2019 11:32:40 PM

Quant Time: Aug 28 02:54:46 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 27 17:04:34 2019
Response via : Initial Calibration






#24
2,4-Dimethylphenol
Concen: 2.125 ng/ul m
RT: 9.55 min Scan# 1116
Delta R.T. 0.03 min
Lab File: BM022371.D
Acq: 27 Aug 2019 17:48

Instrument :
BNA_M
ClientSampleID :
C0AD2DL2

Tot Ion	Ratio	Lower	Upper
107	100		
121	31.6	33.6	50.4#
122	79.8	58.0	87.0

Manual Integrations
APPROVED

mohammad
8/28/2019 11:32:40 PM






Abundance

Ion 107.00 (106.70 to 107.70): E

Ion 121.00 (120.70 to 121.70): E

Ion 122.00 (121.70 to 122.70): E



#28
Naphthalene
Concen: 24.757 ng/ul
RT: 10.36 min Scan# 1254
Delta R.T. -0.01 min
Lab File: BM022371.D
Acq: 27 Aug 2019 17:48




Tgt Ion	Ratio	Lower	Upper
128	100		
129	11.4	8.6	13.0
127	13.1	10.4	15.6




Abundance

Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E





#34

2-Methylnaphthalene

Concen: 1.711 ng/ul

RT: 12.00 min Scan# 1533

Delta R.T. 0.01 min

Lab File: BM022371.D

Acq: 27 Aug 2019 17:48

Tot Ion: 142 Resp: 7167

Ion Ratio Lower Upper

142 100

141 90.0 75.1 112.7

Instrument :

BNA_M

ClientSampleId :

C0AD2DL2

Manual Integrations

APPROVED

mohammad

8/28/2019 11:32:40 PM

