

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
 Data File : BM022374.D
 Acq On : 27 Aug 2019 19:36
 Operator : HP/JU
 Sample : K4369-01DL 2X
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0CD3DL

Manual Integrations
 APPROVED

mohammad
 8/28/2019 11:32:50 PM

Quant Time: Aug 28 05:15:32 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 27 17:04:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	25379	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.31	136	116915	20.00	ng/ul	-0.02
35) Acenaphthene-d10	14.20	164	82901	20.00	ng/ul	-0.01
61) Phenanthrene-d10	16.96	188	188202m	20.00	ng/ul	-0.01
77) Chrysene-d12	21.17	240	162092	20.00	ng/ul	0.00
85) Perylene-d12	23.37	264	163601	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	6.76	99	7906	3.61	ng/ul	0.01
7) Bis-(2-Chloroethyl)ether-d	6.90	67	20720	16.26	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.08	132	25029	14.15	ng/ul	0.00
13) 4-Methylphenol-d8	8.27	113	16014	8.44	ng/ul	0.00
19) Nitrobenzene-d5	8.71	128	15703	18.01	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.42	143	18368	18.10	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	9.96	165	33755	16.34	ng/ul	0.00
29) 4-Chloroaniline-d4	10.50	131	2602	1.04	ng/ul	0.01
43) Dimethylphthalate-d6	13.63	166	134197	18.38	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	140697	17.89	ng/ul	-0.01
51) 4-Nitrophenol-d4	14.55	143	1010m	0.93	ng/ul	0.08
57) Fluorene-d10	15.20	176	111928	18.49	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.38	200	15126	10.42	ng/ul	0.00
70) Anthracene-d10	17.06	188	184627	18.53	ng/ul	-0.01
78) Pyrene-d10	19.37	212	226150	26.85	ng/ul	-0.01
89) Benzo(a)pyrene-d12	23.23	264	176424	19.63	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
20) Nitrobenzene	8.75	77	129499	50.445	ng/ul	98
44) Dimethylphthalate	13.67	163	21818	2.937	ng/ul#	97
72) 1,2,3,4-Tetrachlorobenzene	12.99	216	11305	3.377	ng/uL	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082619\
Data File : BM022374.D
Acq On : 27 Aug 2019 19:36
Operator : HP/JU
Sample : K4369-01DL 2X
Misc :
ALS Vial : 52 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
C0CD3DL

Quant Time: Aug 28 05:15:32 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM082219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 27 17:04:34 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
8/28/2019 11:32:50 PM









#20
Nitrobenzene
Concen: 50.445 ng/ul
RT: 8.75 min Scan# 980
Delta R.T. -0.01 min
Lab File: BM022374.D
Acq: 27 Aug 2019 19:36

Instrument :
BNA_M
ClientSampleId :
C0CD3DL

Tot Ion	Ratio	Lower	Upper
77	100		
123	37.1	31.0	46.4
65	15.7	12.2	18.2




Manual Integrations
APPROVED


mohammad
8/28/2019 11:32:50 PM



#44
Dimethylphthalate
Concen: 2.937 ng/ul
RT: 13.67 min Scan# 1817
Delta R.T. -0.01 min
Lab File: BM022374.D
Acq: 27 Aug 2019 19:36

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.8	3.0	4.6#
164	10.8	7.8	11.8





#72

1,2,3,4-Tetrachlorobenzene

Concen: 3.377 ng/uL

RT: 12.99 min Scan# 1700

Delta R.T. -0.01 min

Lab File: BM022374.D

Acq: 27 Aug 2019 19:36

Instrument :

BNA_M

ClientSampleId :

C0CD3DL

Tot Ion:	216	Resp:	11305
Ion Ratio		Lower	Upper
216	100		
214	71.5	61.5	92.3
218	46.4	37.1	55.7

Manual Integrations
APPROVED

mohammad
8/28/2019 11:32:50 PM

