

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM083019\
 Data File : BM022455.D
 Acq On : 30 Aug 2019 23:47
 Operator : HP/JU
 Sample : K4583-01 2X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 GS-STOCKPILE

Quant Time: Aug 31 01:27:33 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 29 16:51:32 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	19859	20.00	ng	-0.01
21) Naphthalene-d8	10.29	136	71325	20.00	ng	0.00
39) Acenaphthene-d10	14.18	164	44595	20.00	ng	0.00
64) Phenanthrene-d10	16.95	188	104016	20.00	ng	0.00
76) Chrysene-d12	21.17	240	164125	20.00	ng	0.00
87) Perylene-d12	23.36	264	213076	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.14	112	40033	35.38	ng	0.00
7) Phenol-d6	6.72	99	50057	33.09	ng	0.00
23) Nitrobenzene-d5	8.70	82	34565	21.23	ng	0.00
42) 2,4,6-Tribromophenol	15.70	330	24445	26.79	ng	0.00
45) 2-Fluorobiphenyl	12.79	172	73569	18.69	ng	0.00
79) Terphenyl-d14	19.60	244	176244	14.17	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.67	163	7891	2.034	ng	Qvalue # 91
75) Fluoranthene	19.02	202	26778	3.316	ng	98
78) Pyrene	19.39	202	25686	2.296	ng	97
88) Benzo(b)fluoranthene	22.71	252	35190	2.377	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM083019\
Data File : BM022455.D
Acq On : 30 Aug 2019 23:47
Operator : HP/JU
Sample : K4583-01 2X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
GS-STOCKPILE

Quant Time: Aug 31 01:27:33 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 29 16:51:32 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.52 min Scan# 770
 Delta R.T. -0.01 min
 Lab File: BM022455.D
 Acq: 30 Aug 2019 23:47

Instrument :
 BNA_M
 ClientSampleId :
 GS-STOCKPILE

Tot Ion:152 Resp: 19859
 Ion Ratio Lower Upper
 152 100
 150 157.4 125.4 188.0
 115 62.4 50.3 75.5




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 35.385 ng
 RT: 5.14 min Scan# 366
 Delta R.T. -0.01 min
 Lab File: BM022455.D
 Acq: 30 Aug 2019 23:47

Tgt Ion:112 Resp: 40033
 Ion Ratio Lower Upper
 112 100
 64 62.6 45.4 68.2
 63 43.8 34.5 51.7



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 33.086 ng

RT: 6.72 min Scan# 635

Delta R.T. -0.00 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47

Instrument :

BNA_M

ClientSampleId :

GS-STOCKPILE


Tot Ion: 99 Resp: 50057

Ion Ratio Lower Upper

99 100

42 30.9 26.3 39.5




71 55.2 46.6 69.8



Abundance Ion 99.00 (98.70 to 99.70): BM022405.D (-628) (-)

Ion 42.00 (41.70 to 42.70): BM022405.D (-628) (-)

Ion 71.00 (70.70 to 71.70): BM022405.D (-628) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.29 min Scan# 1242

Delta R.T. -0.01 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47

Tgt Ion: 136 Resp: 71325


Ion Ratio Lower Upper

136 100

137 9.7 8.6 13.0

54 8.3 7.0 10.6

68 4.1 2.9 4.3






Abundance Ion 136.00 (135.70 to 136.70): BM022405.D (-1235) (-)

Ion 137.00 (136.70 to 137.70): BM022405.D (-1235) (-)

Ion 54.00 (53.70 to 54.70): BM022405.D (-1235) (-)

Ion 68.00 (67.70 to 68.70): BM022405.D (-1235) (-)









#23
 Nitrobenzene-d5
 Concen: 21.226 ng
 RT: 8.70 min Scan# 971
 Delta R.T. -0.00 min
 Lab File: BM022455.D
 Acq: 30 Aug 2019 23:47




Instrument :
 BNA_M
 ClientSampleId :
 GS-STOCKPILE


Tot Ion	82	Resp	34565
Ion	Ratio	Lower	Upper
82	100		
128	34.1	27.9	41.9
54	50.2	45.2	67.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.18 min Scan# 1903
 Delta R.T. -0.01 min
 Lab File: BM022455.D
 Acq: 30 Aug 2019 23:47

Tgt Ion	164	Resp	44595
Ion	Ratio	Lower	Upper
164	100		
162	107.6	80.6	121.0
160	50.8	37.3	55.9









#42
 2,4,6-Tribromophenol
 Concen: 26.788 ng
 RT: 15.70 min Scan# 2161
 Delta R.T. -0.00 min
 Lab File: BM022455.D
 Acq: 30 Aug 2019 23:47

Instrument :
 BNA_M
 ClientSampleId :
 GS-STOCKPILE

Tot Ion	Ratio	Lower	Upper
330	100		
332	93.6	77.8	116.8
141	47.7	35.6	53.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 18.689 ng
 RT: 12.79 min Scan# 1666
 Delta R.T. -0.01 min
 Lab File: BM022455.D
 Acq: 30 Aug 2019 23:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	28.5	42.7
170	25.5	18.9	28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 2.034 ng
RT: 13.67 min Scan# 1816
Delta R.T. 0.01 min
Lab File: BM022455.D
Acq: 30 Aug 2019 23:47




Instrument :
BNA_M
ClientSampleId :
GS-STOCKPILE


Tot Ion:163 Resp: 7891
Ion Ratio Lower Upper
163 100
194 0.0 3.4 5.2#
164 12.8 8.2 12.2#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.95 min Scan# 2374
Delta R.T. -0.00 min
Lab File: BM022455.D
Acq: 30 Aug 2019 23:47

Tgt Ion:188 Resp: 104016
Ion Ratio Lower Upper
188 100
94 5.1 4.4 6.6
80 7.0 5.0 7.6





#75

Fluoranthene

Concen: 3.316 ng

RT: 19.02 min Scan# 2726

Delta R.T. -0.01 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47

Instrument :

BNA_M

ClientSampleId :

GS-STOCKPILE


Tot Ion:202 Resp: 26778

Ion Ratio Lower Upper

202 100

101 5.8 0.0 25.1




203 18.1 0.0 37.1



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.17 min Scan# 3091

Delta R.T. -0.01 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47


Tgt Ion:240 Resp: 164125

Ion Ratio Lower Upper

240 100

120 5.7 3.9 5.9



236 28.3 21.4 32.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Pvrene

Concen: 2.296 ng

RT: 19.39 min Scan# 2789

Delta R.T. -0.01 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47

Instrument :

BNA_M

ClientSampleId :

GS-STOCKPILE


Tot Ion:202 Resp: 25686

Ion Ratio Lower Upper

202 100

200 20.4 17.7 26.5

203 18.8 13.8 20.8






Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#79

Terphenyl-d14

Concen: 14.172 ng

RT: 19.60 min Scan# 2824

Delta R.T. -0.01 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47


Tgt Ion:244 Resp: 176244

Ion Ratio Lower Upper

244 100

212 9.1 7.0 10.4

122 6.0 3.9 5.9#






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87

Pervlene-d12

Concen: 20.000 ng

RT: 23.36 min Scan# 3463

Delta R.T. -0.01 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47

Instrument :

BNA_M

ClientSampleId :

GS-STOCKPILE


Tot Ion:264 Resp: 213076

Ion Ratio Lower Upper

264 100

260 24.6 20.2 30.2




265 22.4 18.2 27.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E



#88

Benzo(b)fluoranthene

Concen: 2.377 ng

RT: 22.71 min Scan# 3353

Delta R.T. -0.00 min

Lab File: BM022455.D

Acq: 30 Aug 2019 23:47


Tgt Ion:252 Resp: 35190

Ion Ratio Lower Upper

252 100

253 21.4 17.9 26.9

125 7.9 3.5 5.3#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

