

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090618\
 Data File : BM016701.D
 Acq On : 07 Sep 2018 01:00
 Operator : SJ/JU
 Sample : J4798-17
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 090418-TIPC-E-D-M

Quant Time: Sep 07 07:27:22 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 27 13:01:22 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.96	152	39498	20.00	ng	-0.04
21) Naphthalene-d8	10.76	136	124318	20.00	ng	-0.05
38) Acenaphthene-d10	14.60	164	79107	20.00	ng	-0.05
63) Phenanthrene-d10	17.35	188	257308	20.00	ng	-0.04
75) Chrysene-d12	21.50	240	423585	20.00	ng	-0.04
86) Perylene-d12	23.76	264	536892	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	83987	41.67	ng	-0.02
7) Phenol-d6	7.15	99	60490	22.68	ng	-0.04
23) Nitrobenzene-d5	9.15	82	375017	137.73	ng	-0.05
41) 2,4,6-Tribromophenol	16.10	330	241943	109.41	ng	-0.04
44) 2-Fluorobiphenyl	13.22	172	994325	120.82	ng	-0.05
78) Terphenyl-d14	19.94	244	2867521	143.28	ng	-0.04
Target Compounds						
49) Dimethylphthalate	14.07	163	109981	14.471	ng	Qvalue # 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090618\
Data File : BM016701.D
Acq On : 07 Sep 2018 01:00
Operator : SJ/JU
Sample : J4798-17
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
090418-TIPC-E-D-M

Quant Time: Sep 07 07:27:22 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 27 13:01:22 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.96 min Scan# 795
Delta R.T. -0.04 min
Lab File: BM016701.D
Acq: 07 Sep 2018 01:00

Instrument :
BNA_M
ClientSampleId :
090418-TIPC-E-D-M

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.5	119.5	179.3
115	64.7	43.0	64.4#






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 41.668 ng
RT: 5.52 min Scan# 380
Delta R.T. -0.02 min
Lab File: BM016701.D
Acq: 07 Sep 2018 01:00

Tgt Ion	Ratio	Lower	Upper
112	100		
64	47.5	38.6	57.8
63	40.0	19.3	28.9#






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BMC

Ion 63.00 (62.70 to 63.70): BMC





#7

Phenol-d6

Concen: 22.679 ng

RT: 7.15 min Scan# 656

Delta R.T. -0.04 min

Lab File: BM016701.D

Acq: 07 Sep 2018 01:00

Instrument :

BNA_M

ClientSampleId :

090418-TIPC-E-D-M


Tot Ion: 99 Resp: 60490

Ion Ratio Lower Upper

99 100

42 25.9 11.0 16.4#




71 74.4 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016484.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM016484.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM016484.D (-657) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.76 min Scan# 1271

Delta R.T. -0.05 min

Lab File: BM016701.D

Acq: 07 Sep 2018 01:00

Tgt Ion: 136 Resp: 124318


Ion Ratio Lower Upper

136 100

137 11.4 8.7 13.1

54 8.2 4.6 6.8#

68 3.4 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM016484.D (-1274) (-)

Ion 137.00 (136.70 to 137.70): BM016484.D (-1274) (-)

Ion 54.00 (53.70 to 54.70): BM016484.D (-1274) (-)

Ion 68.00 (67.70 to 68.70): BM016484.D (-1274) (-)









#23
 Nitrobenzene-d5
 Concen: 137.735 ng
 RT: 9.15 min Scan# 996
 Delta R.T. -0.05 min
 Lab File: BM016701.D
 Acq: 07 Sep 2018 01:00




Instrument :
 BNA_M
 ClientSampleId :
 090418-TIPC-E-D-M


Tot Ion	Ratio	Lower	Upper
82	100		
128	30.0	32.8	49.2#
54	39.7	40.6	60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.60 min Scan# 1923
 Delta R.T. -0.05 min
 Lab File: BM016701.D
 Acq: 07 Sep 2018 01:00

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.5	82.4	123.6
160	49.7	35.8	53.6









#41
2,4,6-Tribromophenol
Concen: 109.408 ng
RT: 16.10 min Scan# 2178
Delta R.T. -0.04 min
Lab File: BM016701.D
Acq: 07 Sep 2018 01:00

Instrument :
BNA_M
ClientSampleId :
090418-TIPC-E-D-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.2	0.0	0.0#
141	44.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
2-Fluorobiphenyl
Concen: 120.820 ng
RT: 13.22 min Scan# 1688
Delta R.T. -0.05 min
Lab File: BM016701.D
Acq: 07 Sep 2018 01:00

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.4	28.5	42.7
170	23.7	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 14.471 ng

RT: 14.07 min Scan# 1833

Delta R.T. -0.04 min

Lab File: BM016701.D

Acq: 07 Sep 2018 01:00

Instrument :

BNA_M

ClientSampleId :

090418-TIPC-E-D-M


Tot Ion:163 Resp: 109981

Ion Ratio Lower Upper

163 100

194 7.7 2.7 4.1#




164 11.3 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.35 min Scan# 2391

Delta R.T. -0.04 min

Lab File: BM016701.D

Acq: 07 Sep 2018 01:00


Tgt Ion:188 Resp: 257308

Ion Ratio Lower Upper

188 100

94 3.5 8.7 13.1#



80 5.1 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.50 min Scan# 3096

Delta R.T. -0.04 min

Lab File: BM016701.D

Acq: 07 Sep 2018 01:00

Instrument :

BNA_M

ClientSampleId :

090418-TIPC-E-D-M


Tot Ion:240 Resp: 423585

Ion Ratio Lower Upper

240 100

120 2.0 8.2 12.2#




236 26.8 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 143.284 ng

RT: 19.94 min Scan# 2831

Delta R.T. -0.04 min

Lab File: BM016701.D

Acq: 07 Sep 2018 01:00


Tgt Ion:244 Resp: 2867521

Ion Ratio Lower Upper

244 100

212 9.6 4.9 7.3#



122 3.1 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 23.76 min Scan# 3480
 Delta R.T. -0.06 min
 Lab File: BM016701.D
 Acq: 07 Sep 2018 01:00

Instrument :
 BNA_M
 ClientSampleId :
 090418-TIPC-E-D-M

Tot Ion:	264	Resp:	536892
Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.6	27.8
265	22.2	17.3	25.9

