

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090819\
 Data File : BM022596.D
 Acq On : 09 Sep 2019 09:59
 Operator : HP/JU
 Sample : K4706-06
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BF572

Quant Time: Sep 09 13:11:41 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090519MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Sep 09 07:45:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	419402	20.00	ng/ul	0.00
18) Naphthalene-d8	10.65	136	1905946	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.49	164	1209605	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.22	188	2517465	20.00	ng/ul	0.00
78) Chrysene-d12	21.40	240	2597502	20.00	ng/ul	0.00
86) Perylene-d12	23.69	264	2942558	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.30	96	49579	4.93	ng/uL	0.00
5) Phenol-d5	7.01	99	296862	7.67	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.18	67	622109	28.06	ng/ul	0.00
9) 2-Chlorophenol-d4	7.39	132	729118	23.86	ng/ul	0.00
13) 4-Methylphenol-d8	8.55	113	546301	17.37	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	432782	31.47	ng/ul	0.00
22) 2-Nitrophenol-d4	9.73	143	444038	35.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.26	165	890396	27.65	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	86577	2.04	ng/ul	0.00
44) Dimethylphthalate-d6	13.89	166	3033606	30.95	ng/ul	0.00
47) Acenaphthylene-d8	14.18	160	3532988	30.10	ng/ul	0.00
52) 4-Nitrophenol-d4	14.66	143	132408	7.91	ng/ul	0.00
58) Fluorene-d10	15.47	176	2556197	31.15	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.58	200	349142	30.51	ng/ul	0.00
71) Anthracene-d10	17.32	188	4050705	31.41	ng/ul	0.00
79) Pyrene-d10	19.61	212	4618114	32.04	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.54	264	5149381	32.56	ng/ul	0.00

Target Compounds


				Ovalue
6) Phenol	7.03	94	57993	1.435 ng/ul 97
45) Dimethylphthalate	13.94	163	339018	3.407 ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090819\
Data File : BM022596.D
Acq On : 09 Sep 2019 09:59
Operator : HP/JU
Sample : K4706-06
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BF572

Quant Time: Sep 09 13:11:41 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090519MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Sep 09 07:45:00 2019
Response via : Initial Calibration









#6

Phenol

Concen: 1.435 ng/ul
 RT: 7.03 min Scan# 688
 Delta R.T. -0.01 min
 Lab File: BM022596.D
 Acq: 09 Sep 2019 09:59

Instrument :
 BNA_M
 ClientSampleId :
 BF572

Tot Ion	Ratio	Lower	Upper
94	100		
65	27.5	22.8	34.2
66	38.4	29.1	43.7



#45

Dimethylphthalate

Concen: 3.407 ng/ul
 RT: 13.94 min Scan# 1862
 Delta R.T. -0.01 min
 Lab File: BM022596.D
 Acq: 09 Sep 2019 09:59

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.7	3.2	4.8
164	10.0	7.8	11.8

