

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090819\
 Data File : BM022604.D
 Acq On : 09 Sep 2019 15:28
 Operator : HP/JU
 Sample : K4707-06
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0CJ7

Quant Time: Sep 10 01:36:55 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090519MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Sep 09 07:45:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	254303	20.00	ng/ul	0.00
18) Naphthalene-d8	10.65	136	1140753	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.49	164	743213	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.22	188	1586697	20.00	ng/ul	0.00
78) Chrysene-d12	21.39	240	1715696	20.00	ng/ul	0.00
86) Perylene-d12	23.68	264	1980821	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.30	96	31529	5.17	ng/uL	0.00
5) Phenol-d5	7.01	99	138383	5.90	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.18	67	341094	25.37	ng/ul	0.00
9) 2-Chlorophenol-d4	7.39	132	388451	20.96	ng/ul	0.00
13) 4-Methylphenol-d8	8.55	113	263913	13.84	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	235232	28.58	ng/ul	0.00
22) 2-Nitrophenol-d4	9.73	143	237293	31.27	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.26	165	455248	23.62	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	61054	2.40	ng/ul	0.00
44) Dimethylphthalate-d6	13.89	166	1770363	29.39	ng/ul	0.00
47) Acenaphthylene-d8	14.17	160	1971542	27.34	ng/ul	0.00
52) 4-Nitrophenol-d4	14.66	143	67462	6.56	ng/ul	0.00
58) Fluorene-d10	15.47	176	1477059	29.29	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.58	200	201969	28.01	ng/ul	0.00
71) Anthracene-d10	17.32	188	2478632	30.49	ng/ul	0.00
79) Pyrene-d10	19.61	212	2928987	30.77	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.54	264	3401414	31.95	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	7.04	94	29544	1.205	ng/ul 97
20) Nitrobenzene	9.05	77	2204103	107.043	ng/ul 97
23) 2-Nitrophenol	9.76	139	16686	1.852	ng/ul 99
45) Dimethylphthalate	13.94	163	118896	1.945	ng/ul 98
73) 1,2,3,4-Tetrachlorobenzene	13.29	216	123443	4.997	ng/uL 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090819\
Data File : BM022604.D
Acq On : 09 Sep 2019 15:28
Operator : HP/JU
Sample : K4707-06
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0CJ7

Quant Time: Sep 10 01:36:55 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM090519MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Sep 09 07:45:00 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.205 ng/ul

RT: 7.04 min Scan# 689

Delta R.T. -0.00 min

Lab File: BM022604.D

Acq: 09 Sep 2019 15:28

Instrument :

BNA_M

ClientSampleId :

C0CJ7


Tot Ion: 94 Resp: 29544

Ion Ratio Lower Upper

94 100

65 25.7 22.8 34.2




66 35.3 29.1 43.7



Abundance Ion 94.00 (93.70 to 94.70): BM022601.D (-682) (-)

Ion 65.00 (64.70 to 65.70): BM022601.D (-682) (-)

Ion 66.00 (65.70 to 66.70): BM022601.D (-682) (-)



#20

Nitrobenzene

Concen: 107.043 ng/ul

RT: 9.05 min Scan# 1031

Delta R.T. -0.00 min

Lab File: BM022604.D

Acq: 09 Sep 2019 15:28


Tgt Ion: 77 Resp: 2204103

Ion Ratio Lower Upper

77 100

123 47.6 35.8 53.6



65 13.2 10.5 15.7




Abundance Ion 77.00 (76.70 to 77.70): BM022601.D (-1018) (-)

Ion 123.00 (122.70 to 123.70): BM022601.D (-1018) (-)

Ion 65.00 (64.70 to 65.70): BM022601.D (-1018) (-)









#23
 2-Nitrophenol
 Concen: 1.852 ng/ul
 RT: 9.76 min Scan# 1151
 Delta R.T. -0.01 min
 Lab File: BM022604.D
 Acq: 09 Sep 2019 15:28

Instrument :
 BNA_M
 ClientSampled :
 C0CJ7

Tot Ion	Ratio	Lower	Upper
139	100		
65	49.6	39.3	58.9
109	29.0	23.5	35.3




Abundance Ion 139.00 (138.70 to 139.70): E
 Ion 65.00 (64.70 to 65.70): BM0
 Ion 109.00 (108.70 to 109.70): E






#45
 Dimethylphthalate
 Concen: 1.945 ng/ul
 RT: 13.94 min Scan# 1862
 Delta R.T. -0.01 min
 Lab File: BM022604.D
 Acq: 09 Sep 2019 15:28

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.2	4.8
164	10.6	7.8	11.8



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E





#73

1,2,3,4-Tetrachlorobenzene

Concen: 4.997 ng/uL

RT: 13.29 min Scan# 1751

Delta R.T. -0.00 min

Lab File: BM022604.D

Acq: 09 Sep 2019 15:28

Instrument :

BNA_M

ClientSampleId :

C0CJ7



Tot Ion:216 Resp: 123443

Ion Ratio Lower Upper

216 100

214 78.8 62.5 93.7

218 47.5 38.2 57.4



Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 218.00 (217.70 to 218.70): E

