

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092023\
 Data File : BM041940.D
 Acq On : 20 Sep 2023 16:11
 Operator : MA/JU
 Sample : 04394-08
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CPT103-18

Quant Time: Sep 20 17:06:39 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 19 04:49:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	279958	20.000	ng	-0.01
21) Naphthalene-d8	10.775	136	1192950	20.000	ng	-0.01
39) Acenaphthene-d10	14.604	164	776306	20.000	ng	-0.01
64) Phenanthrene-d10	17.357	188	1680490	20.000	ng	-0.01
76) Chrysene-d12	21.527	240	1469737	20.000	ng	-0.02
86) Perylene-d12	23.945	264	1378886	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	1639242	97.526	ng	0.00
7) Phenol-d6	7.104	99	2238756	95.929	ng	0.00
23) Nitrobenzene-d5	9.151	82	1371342	58.529	ng	-0.01
42) 2,4,6-Tribromophenol	16.098	330	896713	92.579	ng	-0.01
45) 2-Fluorobiphenyl	13.222	172	2833979	53.582	ng	-0.01
79) Terphenyl-d14	19.968	244	4085886	50.632	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092023\
Data File : BM041940.D
Acq On : 20 Sep 2023 16:11
Operator : MA/JU
Sample : 04394-08
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CPT103-18

Quant Time: Sep 20 17:06:39 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 19 04:49:34 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.957 min Scan# 813
Delta R.T. -0.012 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11




Instrument :
BNA_M
ClientSampleId :
CPT103-18


Tgt Ion:152 Resp: 279958
Ion Ratio Lower Upper
152 100
150 158.7 125.9 188.9
115 59.0 46.8 70.2



#5
2-Fluorophenol
Concen: 97.526 ng
RT: 5.499 min Scan# 393
Delta R.T. -0.006 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11

Tgt Ion:112 Resp: 1639242
Ion Ratio Lower Upper
112 100
64 61.4 48.1 72.1
63 32.6 25.0 37.6









#7
Phenol-d6
Concen: 95.929 ng
RT: 7.104 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11




Instrument :
BNA_M
ClientSampleId :
CPT103-18


Tgt Ion: 99 Resp: 2238756
Ion Ratio Lower Upper
99 100
42 21.2 16.6 25.0
71 34.3 26.8 40.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.775 min Scan# 1290
Delta R.T. -0.012 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11

Tgt Ion:136 Resp: 1192950
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 9.4 7.0 10.4
68 6.8 5.3 7.9









#23
Nitrobenzene-d5
Concen: 58.529 ng
RT: 9.151 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11




Instrument :
BNA_M
ClientSampleId :
CPT103-18


Tgt Ion: 82 Resp: 1371342
Ion Ratio Lower Upper
82 100
128 40.5 33.8 50.6
54 53.0 42.8 64.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.604 min Scan# 1941
Delta R.T. -0.012 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11


Tgt Ion: 164 Resp: 776306
Ion Ratio Lower Upper
164 100
162 99.3 79.3 118.9
160 45.2 35.6 53.4








#42
2,4,6-Tribromophenol
Concen: 92.579 ng
RT: 16.098 min Scan# 2197
Delta R.T. -0.012 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11

Instrument :
BNA_M
ClientSampleId :
CPT103-18







Tgt Ion:330 Resp: 896713
Ion Ratio Lower Upper
330 100
332 96.0 77.8 116.6
141 34.2 27.0 40.4



#45
2-Fluorobiphenyl
Concen: 53.582 ng
RT: 13.222 min Scan# 1706
Delta R.T. -0.012 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11

Tgt Ion:172 Resp: 2833979
Ion Ratio Lower Upper
172 100
171 34.7 28.2 42.4
170 23.8 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.357 min Scan# 2411
Delta R.T. -0.012 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11




Instrument :
BNA_M
ClientSampleId :
CPT103-18


Tgt Ion:188 Resp: 1680490
Ion Ratio Lower Upper
188 100
94 9.7 7.6 11.4
80 10.8 8.3 12.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.527 min Scan# 3118
Delta R.T. -0.018 min
Lab File: BM041940.D
Acq: 20 Sep 2023 16:11

Tgt Ion:240 Resp: 1469737
Ion Ratio Lower Upper
240 100
120 11.7 8.1 12.1
236 25.8 20.7 31.1









#79
 Terphenyl-d14
 Concen: 50.632 ng
 RT: 19.968 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM041940.D
 Acq: 20 Sep 2023 16:11

Instrument :
 BNA_M
 ClientSampleId :
 CPT103-18

Tgt Ion:244 Resp: 4085886
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.7 8.5
 122 9.6 7.4 11.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.945 min Scan# 3529
 Delta R.T. -0.018 min
 Lab File: BM041940.D
 Acq: 20 Sep 2023 16:11

Tgt Ion:264 Resp: 1378886
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.6 28.0
 265 22.2 17.0 25.6

