

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092023\
 Data File : BM041946.D
 Acq On : 20 Sep 2023 19:53
 Operator : MA/JU
 Sample : 04453-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CPT102-14

Quant Time: Sep 21 03:16:42 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 19 04:49:34 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	287750	20.000	ng	-0.01
21) Naphthalene-d8	10.775	136	1191248	20.000	ng	-0.01
39) Acenaphthene-d10	14.604	164	751968	20.000	ng	-0.01
64) Phenanthrene-d10	17.356	188	1548450	20.000	ng	-0.01
76) Chrysene-d12	21.527	240	1126595	20.000	ng	-0.02
86) Perylene-d12	23.944	264	1043308	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	1789135	103.562	ng	0.00
7) Phenol-d6	7.104	99	2410545	100.493	ng	0.00
23) Nitrobenzene-d5	9.151	82	1448942	61.929	ng	-0.01
42) 2,4,6-Tribromophenol	16.098	330	874271	93.183	ng	-0.01
45) 2-Fluorobiphenyl	13.227	172	3190109	62.268	ng	0.00
79) Terphenyl-d14	19.968	244	4211401	68.083	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM092023\
Data File : BM041946.D
Acq On : 20 Sep 2023 19:53
Operator : MA/JU
Sample : 04453-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CPT102-14

Quant Time: Sep 21 03:16:42 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM091823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 19 04:49:34 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.957 min Scan# 813
Delta R.T. -0.012 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53




Instrument :
BNA_M
ClientSampleId :
CPT102-14


Tgt Ion:152 Resp: 287750
Ion Ratio Lower Upper
152 100
150 156.2 125.9 188.9
115 59.1 46.8 70.2



#5
2-Fluorophenol
Concen: 103.562 ng
RT: 5.498 min Scan# 393
Delta R.T. -0.006 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53

Tgt Ion:112 Resp: 1789135
Ion Ratio Lower Upper
112 100
64 61.2 48.1 72.1
63 32.6 25.0 37.6









#7
Phenol-d6
Concen: 100.493 ng
RT: 7.104 min Scan# 60
Delta R.T. -0.006 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53




Instrument :
BNA_M
ClientSampleId :
CPT102-14


Tgt Ion: 99 Resp: 2410545
Ion Ratio Lower Upper
99 100
42 21.0 16.6 25.0
71 34.2 26.8 40.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.775 min Scan# 1290
Delta R.T. -0.012 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53

Tgt Ion: 136 Resp: 1191248
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 9.4 7.0 10.4
68 6.7 5.3 7.9









#23
Nitrobenzene-d5
Concen: 61.929 ng
RT: 9.151 min Scan# 1016
Delta R.T. -0.012 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53




Instrument :
BNA_M
ClientSampleId :
CPT102-14


Tgt Ion: 82 Resp: 1448942
Ion Ratio Lower Upper
82 100
128 41.7 33.8 50.6
54 54.1 42.8 64.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.604 min Scan# 1941
Delta R.T. -0.012 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53

Tgt Ion: 164 Resp: 751968
Ion Ratio Lower Upper
164 100
162 98.2 79.3 118.9
160 45.2 35.6 53.4









#42
2,4,6-Tribromophenol
Concen: 93.183 ng
RT: 16.098 min Scan# 2197
Delta R.T. -0.012 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53




Instrument :
BNA_M
ClientSampleId :
CPT102-14


Tgt Ion:330 Resp: 874271
Ion Ratio Lower Upper
330 100
332 97.4 77.8 116.6
141 35.0 27.0 40.4



#45
2-Fluorobiphenyl
Concen: 62.268 ng
RT: 13.227 min Scan# 1707
Delta R.T. -0.006 min
Lab File: BM041946.D
Acq: 20 Sep 2023 19:53

Tgt Ion:172 Resp: 3190109
Ion Ratio Lower Upper
172 100
171 35.3 28.2 42.4
170 23.7 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.356 min Scan# 2411

Delta R.T. -0.012 min

Lab File: BM041946.D

Acq: 20 Sep 2023 19:53

Instrument :

BNA_M

ClientSampleId :

CPT102-14





Tgt Ion:188 Resp: 1548450

Ion Ratio Lower Upper

188 100

94 9.7 7.6 11.4

80 11.1 8.3 12.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.527 min Scan# 3118

Delta R.T. -0.018 min

Lab File: BM041946.D

Acq: 20 Sep 2023 19:53




Tgt Ion:240 Resp: 1126595


Ion Ratio Lower Upper

240 100

120 11.3 8.1 12.1

236 25.9 20.7 31.1









#79
 Terphenyl-d14
 Concen: 68.083 ng
 RT: 19.968 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM041946.D
 Acq: 20 Sep 2023 19:53

Instrument :
 BNA_M
 ClientSampleId :
 CPT102-14

Tgt Ion:244 Resp: 4211401
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.7 8.5
 122 9.2 7.4 11.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.944 min Scan# 3529
 Delta R.T. -0.018 min
 Lab File: BM041946.D
 Acq: 20 Sep 2023 19:53

Tgt Ion:264 Resp: 1043308
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.6 28.0
 265 22.6 17.0 25.6

