

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092118\
 Data File : BM016865.D
 Acq On : 22 Sep 2018 12:12
 Operator : SJ/JU
 Sample : J5013-03DL 10X
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C08R7DL

Quant Time: Sep 24 02:15:35 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Sep 24 01:42:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	220812	20.00	ng/ul	0.01
18) Naphthalene-d8	10.50	136	887757	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	451131	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.10	188	990792	20.00	ng/ul	0.00
78) Chrysene-d12	21.29	240	1110838	20.00	ng/ul	0.00
86) Perylene-d12	23.52	264	1171891	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	799	0.15	ng/uL	0.00
5) Phenol-d5	6.89	99	11225	0.60	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	36179	3.14	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	34122	2.24	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	22000	1.53	ng/ul	0.00
19) Nitrobenzene-d5	8.87	128	21893	3.75	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	18337	3.46	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	35827	2.66	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
44) Dimethylphthalate-d6	13.77	166	132924	3.67	ng/ul	0.00
47) Acenaphthylene-d8	14.05	160	144439	3.09	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	2245	0.38	ng/ul	0.00
58) Fluorene-d10	15.35	176	119764	3.79	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.47	200	8300	2.04	ng/ul	0.00
71) Anthracene-d10	17.20	188	168264	3.52	ng/ul	0.00
79) Pyrene-d10	19.50	212	188207	3.49	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.38	264	206792	3.38	ng/ul	0.00

Target Compounds


					Ovalue
20) Nitrobenzene	8.91	77	677117	45.890 ng/ul	91
37) 1,2,4,5-Tetrachlorobenzene	12.53	216	77539	5.005 ng/ul	94
73) 1,2,3,4-Tetrachlorobenzene	13.15	216	272156	16.597 ng/uL	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092118\
Data File : BM016865.D
Acq On : 22 Sep 2018 12:12
Operator : SJ/JU
Sample : J5013-03DL 10X
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C08R7DL

Quant Time: Sep 24 02:15:35 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Sep 24 01:42:23 2018
Response via : Initial Calibration





#20

Nitrobenzene

Concen: 45.890 ng/ul

RT: 8.91 min Scan# 1007

Delta R.T. 0.00 min

Lab File: BM016865.D

Acq: 22 Sep 2018 12:12

Instrument :

BNA_M

ClientSampled :

C08R7DL


Tot Ion: 77 Resp: 677117

Ion Ratio Lower Upper

77 100

123 46.6 31.8 47.8




65 14.4 10.6 16.0



Abundance Ion 77.00 (76.70 to 77.70): BM016865.D (-973) (-)

Ion 123.00 (122.70 to 123.70): BM016865.D (-973) (-)

Ion 65.00 (64.70 to 65.70): BM016865.D (-973) (-)



#37

1,2,4,5-Tetrachlorobenzene

Concen: 5.005 ng/ul

RT: 12.53 min Scan# 1623

Delta R.T. 0.00 min

Lab File: BM016865.D

Acq: 22 Sep 2018 12:12

Tgt Ion: 216 Resp: 77539


Ion Ratio Lower Upper

216 100

214 74.0 64.1 96.1

179 20.7 14.5 21.7

108 13.3 10.4 15.6






Abundance Ion 216.00 (215.70 to 216.70): BM016865.D (-1589) (-)

Ion 214.00 (213.70 to 214.70): BM016865.D (-1589) (-)

Ion 179.00 (178.70 to 179.70): BM016865.D (-1589) (-)

Ion 108.00 (107.70 to 108.70): BM016865.D (-1589) (-)





#73

1,2,3,4-Tetrachlorobenzene

Concen: 16.597 ng/uL

RT: 13.15 min Scan# 1727

Delta R.T. 0.00 min

Lab File: BM016865.D

Acq: 22 Sep 2018 12:12

Instrument :

BNA_M

ClientSampleId :

C08R7DL



Tot Ion: 216 Resp: 272156

Ion Ratio Lower Upper

216 100

214 77.5 64.1 96.1

218 46.7 39.4 59.0



Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 218.00 (217.70 to 218.70): E

250000

200000

150000

100000

50000

0

13.10 13.15 13.20

Time-->