

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092418\
 Data File : BM016871.D
 Acq On : 24 Sep 2018 11:45
 Operator : SJ/JU
 Sample : PB113127BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Sep 25 04:04:25 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Sep 25 04:03:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	228616	20.00	ng/ul	0.00
18) Naphthalene-d8	10.49	136	958651	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.35	164	510155	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.10	188	1123884	20.00	ng/ul	0.00
78) Chrysene-d12	21.29	240	1255820	20.00	ng/ul	0.00
86) Perylene-d12	23.52	264	1357382	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.26	96	23757	4.44	ng/uL	0.00
5) Phenol-d5	6.89	99	407435	21.13	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	263946	22.10	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	344659	21.90	ng/ul	0.00
13) 4-Methylphenol-d8	8.41	113	315934	21.17	ng/ul	0.00
19) Nitrobenzene-d5	8.86	128	162518	25.80	ng/ul	0.00
22) 2-Nitrophenol-d4	9.58	143	146636	25.61	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.11	165	301166	20.70	ng/ul	0.00
29) 4-Chloroaniline-d4	10.63	131	456034	25.96	ng/ul	0.00
44) Dimethylphthalate-d6	13.77	166	928525	22.67	ng/ul	0.00
47) Acenaphthylene-d8	14.05	160	1178501	22.27	ng/ul	0.00
52) 4-Nitrophenol-d4	14.55	143	124164	18.47	ng/ul	0.00
58) Fluorene-d10	15.35	176	848410	23.73	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.46	200	79756	17.29	ng/ul	0.00
71) Anthracene-d10	17.20	188	1296182	23.90	ng/ul	0.00
79) Pyrene-d10	19.49	212	1439855	23.63	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.37	264	1667270	23.55	ng/ul	0.00


Target Compounds				Ovalue	
46) 2,6-Dinitrotoluene	13.77	165	7223	1.175	ng/ul# 41


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092418\
Data File : BM016871.D
Acq On : 24 Sep 2018 11:45
Operator : SJ/JU
Sample : PB113127BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Sep 25 04:04:25 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Sep 25 04:03:47 2018
Response via : Initial Calibration





#46

2,6-Dinitrotoluene

Concen: 1.175 ng/ul

RT: 13.77 min Scan# 1833

Delta R.T. -0.16 min

Lab File: BM016871.D

Acq: 24 Sep 2018 11:45

Instrument :

BNA_M

ClientSampleId :


Tot Ion:165 Resp: 7223

Ion Ratio Lower Upper

165 100

89 0.0 43.8 65.8#

121 30.1 17.8 26.6#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BM0

Ion 121.00 (120.70 to 121.70): E

