

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092418\
 Data File : BM016874.D
 Acq On : 24 Sep 2018 13:45
 Operator : SJ/JU
 Sample : J5014-09
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Sep 25 04:04:42 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Sep 25 04:03:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	237146	20.00	ng/ul	0.00
18) Naphthalene-d8	10.49	136	964913	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.35	164	516018	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.10	188	1131642	20.00	ng/ul	0.00
78) Chrysene-d12	21.29	240	1275336	20.00	ng/ul	0.00
86) Perylene-d12	23.52	264	1409235	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.26	96	26388	4.76	ng/uL	0.00
5) Phenol-d5	6.89	99	120340	6.02	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.05	67	347199	28.03	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	383914	23.52	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	225834	14.59	ng/ul	0.00
19) Nitrobenzene-d5	8.86	128	225281	35.53	ng/ul	0.00
22) 2-Nitrophenol-d4	9.58	143	214554	37.23	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.11	165	405082	27.66	ng/ul	0.00
29) 4-Chloroaniline-d4	10.63	131	818	0.05	ng/ul	0.00
44) Dimethylphthalate-d6	13.77	166	1303069	31.45	ng/ul	0.00
47) Acenaphthylene-d8	14.05	160	1611541	30.11	ng/ul	0.00
52) 4-Nitrophenol-d4	14.55	143	29316	4.31	ng/ul	0.00
58) Fluorene-d10	15.35	176	1198149	33.13	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.46	200	140536	30.25	ng/ul	0.00
71) Anthracene-d10	17.20	188	1895478	34.72	ng/ul	0.00
79) Pyrene-d10	19.49	212	2103333	33.99	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.38	264	2473173	33.64	ng/ul	0.00


Target Compounds				Ovalue	
46) 2,6-Dinitrotoluene	13.77	165	8735	1.404	ng/ul# 41


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092418\
Data File : BM016874.D
Acq On : 24 Sep 2018 13:45
Operator : SJ/JU
Sample : J5014-09
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Sep 25 04:04:42 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Sep 25 04:03:47 2018
Response via : Initial Calibration





#46

2,6-Dinitrotoluene

Concen: 1.404 ng/ul

RT: 13.77 min Scan# 1833

Delta R.T. -0.16 min

Lab File: BM016874.D

Acq: 24 Sep 2018 13:45

Instrument :

BNA_M

ClientSampleId :


Tot Ion:165 Resp: 8735

Ion Ratio Lower Upper

165 100

89 0.0 43.8 65.8#

121 30.1 17.8 26.6#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BM0

Ion 121.00 (120.70 to 121.70): E

