

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092618\
 Data File : BM016911.D
 Acq On : 26 Sep 2018 22:15
 Operator : MJ/SJ
 Sample : J5036-05DL 5X
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C08W9DL

Quant Time: Sep 27 03:47:46 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Sep 27 02:42:56 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	253706	20.00	ng/ul	0.01
18) Naphthalene-d8	10.50	136	1025104	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	538559	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.10	188	1186591	20.00	ng/ul	0.00
78) Chrysene-d12	21.30	240	1284093	20.00	ng/ul	0.00
86) Perylene-d12	23.53	264	1402481	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	2006	0.34	ng/uL	0.00
5) Phenol-d5	6.89	99	33692	1.57	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	86678	6.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	101408	5.81	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	61665	3.72	ng/ul	0.00
19) Nitrobenzene-d5	8.87	128	57926	8.60	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	59355	9.69	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	109171	7.02	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	1361	0.07	ng/ul	0.01
44) Dimethylphthalate-d6	13.77	166	346686	8.02	ng/ul	0.00
47) Acenaphthylene-d8	14.05	160	435247	7.79	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	9049	1.28	ng/ul	0.00
58) Fluorene-d10	15.35	176	312099	8.27	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.47	200	20192	4.15	ng/ul	0.00
71) Anthracene-d10	17.20	188	477208	8.34	ng/ul	0.00
79) Pyrene-d10	19.50	212	535857	8.60	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.39	264	610251	8.34	ng/ul	0.00

Target Compounds


					Ovalue	
20) Nitrobenzene	8.91	77	474736	27.863	ng/ul#	90
37) 1,2,4,5-Tetrachlorobenzene	12.53	216	309775	16.748	ng/ul	96
73) 1,2,3,4-Tetrachlorobenzene	13.15	216	659087	33.560	ng/uL	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM092618\
Data File : BM016911.D
Acq On : 26 Sep 2018 22:15
Operator : MJ/SJ
Sample : J5036-05DL 5X
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C08W9DL

Quant Time: Sep 27 03:47:46 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM091018MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Sep 27 02:42:56 2018
Response via : Initial Calibration









#20
Nitrobenzene
Concen: 27.863 ng/ul
RT: 8.91 min Scan# 1007
Delta R.T. 0.00 min
Lab File: BM016911.D
Acq: 26 Sep 2018 22:15




Instrument :
BNA_M
ClientSampleId :
C08W9DL


Tot Ion: 77 Resp: 474736
Ion Ratio Lower Upper
77 100
123 48.1 31.8 47.8#
65 13.2 10.6 16.0



#37
1,2,4,5-Tetrachlorobenzene
Concen: 16.748 ng/ul
RT: 12.53 min Scan# 1623
Delta R.T. 0.00 min
Lab File: BM016911.D
Acq: 26 Sep 2018 22:15

Tgt Ion: 216 Resp: 309775
Ion Ratio Lower Upper
216 100
214 76.7 64.1 96.1
179 20.6 14.5 21.7
108 14.7 10.4 15.6





#73

1,2,3,4-Tetrachlorobenzene

Concen: 33.560 ng/uL

RT: 13.15 min Scan# 1727

Delta R.T. 0.00 min

Lab File: BM016911.D

Acq: 26 Sep 2018 22:15

Instrument :

BNA_M

ClientSampleId :

C08W9DL


Tot Ion:216 Resp: 659087

Ion Ratio Lower Upper

216 100

214 78.8 64.1 96.1

218 47.6 39.4 59.0



Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 218.00 (217.70 to 218.70): E

