

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM093019\
 Data File : BM022831.D
 Acq On : 30 Sep 2019 18:42
 Operator : JU
 Sample : K4985-15
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Sep 30 23:38:42 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Sep 27 18:03:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	193984	20.00	ng/ul	0.00
18) Naphthalene-d8	10.60	136	876224	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.45	164	567690	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.18	188	1182521	20.00	ng/ul	0.00
78) Chrysene-d12	21.36	240	1203296	20.00	ng/ul	-0.01
86) Perylene-d12	23.63	264	1142946	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.27	96	26931	6.00	ng/uL	0.00
5) Phenol-d5	6.97	99	120100	7.01	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.14	67	308894	32.93	ng/ul	0.00
9) 2-Chlorophenol-d4	7.34	132	366155	26.53	ng/ul	0.00
13) 4-Methylphenol-d8	8.51	113	235974	16.82	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	225592	33.36	ng/ul	0.00
22) 2-Nitrophenol-d4	9.68	143	243062	32.92	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.22	165	439934	29.92	ng/ul	-0.01
29) 4-Chloroaniline-d4	10.73	131	60109	3.37	ng/ul	0.00
44) Dimethylphthalate-d6	13.85	166	1579328	35.85	ng/ul	0.00
47) Acenaphthylene-d8	14.13	160	1819888	35.78	ng/ul	0.00
52) 4-Nitrophenol-d4	14.63	143	55307	6.35	ng/ul	-0.01
58) Fluorene-d10	15.43	176	1376827	36.67	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.55	200	224445	29.17	ng/ul	0.00
71) Anthracene-d10	17.28	188	2339622	40.52	ng/ul	0.00
79) Pyrene-d10	19.57	212	2710990	41.86	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.49	264	2513288	42.51	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.90	163	218699	4.832	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM093019\
Data File : BM022831.D
Acq On : 30 Sep 2019 18:42
Operator : JU
Sample : K4985-15
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Sep 30 23:38:42 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Sep 27 18:03:27 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 4.832 ng/ul

RT: 13.90 min Scan# 1855

Delta R.T. -0.01 min

Lab File: BM022831.D

Acq: 30 Sep 2019 18:42

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 218699

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0

164 9.6 8.1 12.1



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

