

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100119\
 Data File : BM022864.D
 Acq On : 01 Oct 2019 21:05
 Operator : JU
 Sample : K4983-08
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Oct 02 01:09:48 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Sep 27 18:03:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	224141	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	1043055	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.44	164	698564	20.00	ng/ul	-0.01
62) Phenanthrene-d10	17.17	188	1407758	20.00	ng/ul	-0.01
78) Chrysene-d12	21.36	240	1131418	20.00	ng/ul	-0.01
86) Perylene-d12	23.62	264	1018356	20.00	ng/ul	-0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.28	96	22693	4.38	ng/uL	0.00
5) Phenol-d5	6.97	99	132299	6.68	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.13	67	272628	25.15	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.34	132	330030	20.69	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	241289	14.88	ng/ul	-0.01
19) Nitrobenzene-d5	8.96	128	200186	24.87	ng/ul	0.00
22) 2-Nitrophenol-d4	9.68	143	227333	25.86	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.22	165	406525	23.23	ng/ul	-0.01
29) 4-Chloroaniline-d4	10.73	131	534842	25.15	ng/ul	0.00
44) Dimethylphthalate-d6	13.85	166	1449218	26.73	ng/ul	0.00
47) Acenaphthylene-d8	14.13	160	1616270	25.82	ng/ul	0.00
52) 4-Nitrophenol-d4	14.63	143	64845	6.05	ng/ul	-0.01
58) Fluorene-d10	15.43	176	1198271	25.93	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.54	200	210062	22.93	ng/ul	-0.01
71) Anthracene-d10	17.27	188	1984826	28.87	ng/ul	-0.01
79) Pyrene-d10	19.57	212	2155657	35.40	ng/ul	-0.01
90) Benzo(a)pyrene-d12	23.48	264	1616349	30.68	ng/ul	-0.02

Target Compounds


				Ovalue	
17) Hexachloroethane	8.92	117	6738	1.036	ng/ul# 6
28) Naphthalene	10.65	128	141640	2.514	ng/ul 99
34) 2-Methylnaphthalene	12.26	142	105220	2.491	ng/ul 99
35) 1-Methylnaphthalene	12.48	142	68516	1.699	ng/ul 98
45) Dimethylphthalate	13.89	163	139538	2.505	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100119\
Data File : BM022864.D
Acq On : 01 Oct 2019 21:05
Operator : JU
Sample : K4983-08
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Oct 02 01:09:48 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Sep 27 18:03:27 2019
Response via : Initial Calibration









#17
Hexachloroethane
Concen: 1.036 ng/ul
RT: 8.92 min Scan# 1008
Delta R.T. 0.02 min
Lab File: BM022864.D
Acq: 01 Oct 2019 21:05

Instrument :
BNA_M
ClientSampled :

Tot Ion:117 Resp: 6738
Ion Ratio Lower Upper
117 100
201 0.0 82.5 123.7#
199 0.0 51.6 77.4#




Abundance Ion 117.00 (116.70 to 117.70): E
Ion 201.00 (200.70 to 201.70): E
Ion 199.00 (198.70 to 199.70): E






#28
Naphthalene
Concen: 2.514 ng/ul
RT: 10.65 min Scan# 1302
Delta R.T. -0.01 min
Lab File: BM022864.D
Acq: 01 Oct 2019 21:05

Tgt Ion:128 Resp: 141640
Ion Ratio Lower Upper
128 100
129 11.5 8.6 13.0
127 12.8 10.2 15.4



Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E









#34
2-Methylnaphthalene
Concen: 2.491 ng/ul
RT: 12.26 min Scan# 1576
Delta R.T. -0.01 min
Lab File: BM022864.D
Acq: 01 Oct 2019 21:05




Instrument :
BNA_M
ClientSampleId :


Tot Ion:142 Resp: 105220
Ion Ratio Lower Upper
142 100
141 88.2 71.2 106.8



#35
1-Methylnaphthalene
Concen: 1.699 ng/ul
RT: 12.48 min Scan# 1614
Delta R.T. -0.01 min
Lab File: BM022864.D
Acq: 01 Oct 2019 21:05

Tgt Ion:142 Resp: 68516
Ion Ratio Lower Upper
142 100
141 92.8 73.0 109.6
116 3.7 2.9 4.3





#45

Dimethylphthalate

Concen: 2.505 ng/ul

RT: 13.89 min Scan# 1854

Delta R.T. -0.01 min

Lab File: BM022864.D

Acq: 01 Oct 2019 21:05

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 139538

Ion Ratio Lower Upper

163 100

194 3.8 3.4 5.0

164 10.5 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

