

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
 Data File : BM023008.D
 Acq On : 06 Oct 2019 02:17
 Operator : JU
 Sample : K5057-04
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Oct 06 23:36:27 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 04 16:45:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	228077	20.00	ng/ul	0.00
18) Naphthalene-d8	10.57	136	998510	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.42	164	607901	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.16	188	1091005	20.00	ng/ul	0.00
78) Chrysene-d12	21.34	240	788997	20.00	ng/ul	-0.01
86) Perylene-d12	23.59	264	878296	20.00	ng/ul	-0.02

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.27	96	10684	2.03	ng/uL	0.00
5) Phenol-d5	6.96	99	196042	9.73	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.12	67	118765	10.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	165776	10.22	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	164559	9.97	ng/ul	-0.01
19) Nitrobenzene-d5	8.94	128	77304	10.03	ng/ul	0.00
22) 2-Nitrophenol-d4	9.66	143	75355	8.96	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	165394	9.87	ng/ul	-0.01
29) 4-Chloroaniline-d4	10.71	131	226082	11.11	ng/ul	0.00
44) Dimethylphthalate-d6	13.83	166	512375	10.86	ng/ul	0.00
47) Acenaphthylene-d8	14.12	160	587852	10.79	ng/ul	0.00
52) 4-Nitrophenol-d4	14.62	143	30510	3.27	ng/ul	0.00
58) Fluorene-d10	15.42	176	432150	10.75	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.53	200	26931	3.79	ng/ul	0.00
71) Anthracene-d10	17.26	188	604127	11.34	ng/ul	-0.01
79) Pyrene-d10	19.55	212	580377	13.67	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.45	264	528150	11.62	ng/ul	-0.02


Target Compounds					Ovalue	
6) Phenol	6.98	94	35446	1.678	ng/ul	97
45) Dimethylphthalate	13.88	163	173263	3.575	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
Data File : BM023008.D
Acq On : 06 Oct 2019 02:17
Operator : JU
Sample : K5057-04
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Oct 06 23:36:27 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 04 16:45:59 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.678 ng/ul

RT: 6.98 min Scan# 679

Delta R.T. -0.01 min

Lab File: BM023008.D

Acq: 06 Oct 2019 02:17

Instrument :

BNA_M

ClientSampleId :





Tot Ion: 94 Resp: 35446

Ion Ratio Lower Upper

94 100

65 27.6 20.9 31.3

66 35.3 27.2 40.8



#45

Dimethylphthalate

Concen: 3.575 ng/ul

RT: 13.88 min Scan# 1852

Delta R.T. -0.01 min

Lab File: BM023008.D

Acq: 06 Oct 2019 02:17

Tgt Ion: 163 Resp: 173263

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 9.7 8.1 12.1

