

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
 Data File : BM022925.D
 Acq On : 03 Oct 2019 18:00
 Operator : JU
 Sample : K4983-14
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFDN4

Quant Time: Oct 04 03:42:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 04 02:36:53 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	203899	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	873716	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.43	164	521353	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.17	188	982980	20.00	ng/ul	0.00
78) Chrysene-d12	21.35	240	868644	20.00	ng/ul	0.00
86) Perylene-d12	23.61	264	977534	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.28	96	6379	1.35	ng/uL	0.01
5) Phenol-d5	6.96	99	107205	5.95	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.13	67	222227	22.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.33	132	280773	19.35	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	188724	12.79	ng/ul	0.00
19) Nitrobenzene-d5	8.95	128	162694	24.13	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	178862	24.29	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.21	165	317356	21.65	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	390834	21.94	ng/ul	0.00
44) Dimethylphthalate-d6	13.84	166	965316	23.86	ng/ul	0.00
47) Acenaphthylene-d8	14.12	160	1145330	24.52	ng/ul	0.00
52) 4-Nitrophenol-d4	14.63	143	38171	4.77	ng/ul	0.00
58) Fluorene-d10	15.42	176	820587	23.79	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.54	200	120795	18.88	ng/ul	0.00
71) Anthracene-d10	17.27	188	1342033	27.96	ng/ul	0.00
79) Pyrene-d10	19.56	212	1560226	33.37	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.47	264	1600232	31.64	ng/ul	0.00


Target Compounds					Ovalue
45) Dimethylphthalate	13.89	163	74121	1.783	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
Data File : BM022925.D
Acq On : 03 Oct 2019 18:00
Operator : JU
Sample : K4983-14
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFDN4

Quant Time: Oct 04 03:42:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 04 02:36:53 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.783 ng/ul

RT: 13.89 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BM022925.D

Acq: 03 Oct 2019 18:00

Instrument :

BNA_M

ClientSampleId :

BFDN4


Tot Ion:163 Resp: 74121

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.0

164 9.7 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

