

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
 Data File : BM022951.D
 Acq On : 04 Oct 2019 11:17
 Operator : JU
 Sample : K5058-02
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBAL5

Quant Time: Oct 04 17:00:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 04 16:45:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	240560	20.00	ng/ul	0.00
18) Naphthalene-d8	10.59	136	1032163	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.43	164	626790	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.17	188	1202107	20.00	ng/ul	0.00
78) Chrysene-d12	21.35	240	892471	20.00	ng/ul	0.00
86) Perylene-d12	23.62	264	934773	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.26	96	28054	5.04	ng/uL	0.00
5) Phenol-d5	6.96	99	121626	5.72	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.13	67	296650	25.50	ng/ul	0.00
9) 2-Chlorophenol-d4	7.33	132	359796	21.02	ng/ul	0.00
13) 4-Methylphenol-d8	8.50	113	207590	11.93	ng/ul	0.00
19) Nitrobenzene-d5	8.95	128	225130	28.26	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	237235	27.27	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	412254	23.80	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	46888	2.23	ng/ul	0.00
44) Dimethylphthalate-d6	13.84	166	1335977	27.46	ng/ul	0.00
47) Acenaphthylene-d8	14.12	160	1551283	27.62	ng/ul	0.00
52) 4-Nitrophenol-d4	14.63	143	36258	3.77	ng/ul	0.00
58) Fluorene-d10	15.42	176	1129827	27.25	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.54	200	164205	20.99	ng/ul	0.00
71) Anthracene-d10	17.27	188	1694374	28.86	ng/ul	0.00
79) Pyrene-d10	19.56	212	1728301	35.98	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.47	264	1452047	30.03	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	13.89	163	76539	1.532	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
Data File : BM022951.D
Acq On : 04 Oct 2019 11:17
Operator : JU
Sample : K5058-02
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBAL5

Quant Time: Oct 04 17:00:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 04 16:45:59 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.532 ng/ul

RT: 13.89 min Scan# 1853

Delta R.T. 0.00 min

Lab File: BM022951.D

Acq: 04 Oct 2019 11:17

Instrument :

BNA_M

ClientSampleId :

DBAL5


Tot Ion:163 Resp: 76539

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.0

164 9.7 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

