

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
 Data File : BM022989.D
 Acq On : 05 Oct 2019 13:42
 Operator : JU
 Sample : K5050-08
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JLMC4

Quant Time: Oct 07 01:15:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Oct 07 01:10:23 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	195194	20.00	ng/ul	0.00
18) Naphthalene-d8	10.57	136	842727	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.42	164	519038	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.16	188	1054217	20.00	ng/ul	0.00
78) Chrysene-d12	21.34	240	843388	20.00	ng/ul	0.00
86) Perylene-d12	23.60	264	793896	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.26	96	22388	4.96	ng/uL	0.00
5) Phenol-d5	6.96	99	396602	23.00	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.12	67	225599	23.90	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	326214	23.49	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	322452	22.84	ng/ul	0.00
19) Nitrobenzene-d5	8.94	128	156493	24.06	ng/ul	0.00
22) 2-Nitrophenol-d4	9.66	143	164044	23.10	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	322384	22.80	ng/ul	0.00
29) 4-Chloroaniline-d4	10.71	131	451079	26.26	ng/ul	0.00
44) Dimethylphthalate-d6	13.83	166	950385	23.59	ng/ul	0.00
47) Acenaphthylene-d8	14.12	160	1142506	24.57	ng/ul	0.00
52) 4-Nitrophenol-d4	14.62	143	125516	15.77	ng/ul	0.00
58) Fluorene-d10	15.42	176	832032	24.23	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.53	200	90396	13.18	ng/ul	0.00
71) Anthracene-d10	17.26	188	1261610	24.51	ng/ul	0.00
79) Pyrene-d10	19.55	212	1336789	29.45	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.46	264	1016150	24.74	ng/ul	0.00
Target Compounds						
6) Phenol	6.98	94	59991	3.318	ng/ul	97
45) Dimethylphthalate	13.88	163	354214	8.560	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM100319\
Data File : BM022989.D
Acq On : 05 Oct 2019 13:42
Operator : JU
Sample : K5050-08
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JLMC4

Quant Time: Oct 07 01:15:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM092719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Oct 07 01:10:23 2019
Response via : Initial Calibration





#6

Phenol

Concen: 3.318 ng/ul

RT: 6.98 min Scan# 679

Delta R.T. -0.01 min

Lab File: BM022989.D

Acq: 05 Oct 2019 13:42

Instrument :

BNA_M

ClientSampleId :

JLMC4


Tot Ion: 94 Resp: 59991

Ion Ratio Lower Upper

94 100

65 27.1 20.9 31.3




66 36.0 27.2 40.8



Abundance Ion 94.00 (93.70 to 94.70): BM022989.D (-646) (-)

Ion 65.00 (64.70 to 65.70): BM022989.D (-646) (-)

Ion 66.00 (65.70 to 66.70): BM022989.D (-646) (-)



#45

Dimethylphthalate

Concen: 8.560 ng/ul

RT: 13.88 min Scan# 1852

Delta R.T. -0.01 min

Lab File: BM022989.D

Acq: 05 Oct 2019 13:42


Tgt Ion: 163 Resp: 354214

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.0

164 10.1 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): BM022989.D (-1819) (-)

Ion 194.00 (193.70 to 194.70): BM022989.D (-1819) (-)

Ion 164.00 (163.70 to 164.70): BM022989.D (-1819) (-)

