

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM100323\
 Data File : BM042175.D
 Acq On : 03 Oct 2023 23:14
 Operator : MA/JU
 Sample : 04480-13RE
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BBBP0RE

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 10/04/2023
 Supervised By :mohammad ahmed 10/05/2023

Quant Time: Oct 04 03:13:45 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM100223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 02 19:28:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.933	152	4844	0.400	ng/ul	0.00
4) Naphthalene-d8	10.746	136	12169	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	14.578	164	8573	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.333	188	12326	0.400	ng/ul	# 0.00
17) Chrysene-d12	21.507	240	6805	0.400	ng/ul	0.00
23) Perylene-d12	23.903	264	7179	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.351	96	58297m	9.037	ng/ul	-0.01
6) 2-Methylnaphthalene-d10	12.324	152	5205	0.312	ng/ul	-0.01
18) Fluoranthene-d10	19.357	212	7692	0.301	ng/ul	0.00
Target Compounds				Qvalue		
11) Acenaphthene	14.643	153	1433	0.035	ng/ul#	76
12) Fluorene	15.628	166	3557	0.077	ng/ul#	80
14) Pentachlorophenol	16.961	266	292	0.052	ng/ul	91
19) Fluoranthene	19.385	202	1617	0.031	ng/ul#	11
20) Pyrene	19.752	202	3701	0.067	ng/ul#	62

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM100323\
Data File : BM042175.D
Acq On : 03 Oct 2023 23:14
Operator : MA/JU
Sample : 04480-13RE
Misc :
ALS Vial : 22 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
BBBP0RE

Quant Time: Oct 04 03:13:45 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM100223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 02 19:28:41 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 10/04/2023
Supervised By :mohammad ahmed 10/05/2023





#11
Acenaphthene
Concen: 0.035 ng/u1
RT: 14.643 min Scan# 2199
Delta R.T. -0.005 min
Lab File: BM042175.D
Acq: 03 Oct 2023 23:14




Instrument :
BNA_M
ClientSampleId :
BBBP0RE



Tgt Ion:153 Resp: 1438
Ion Ratio Lower Upper
153 100
152 78.5 41.1 61.7
154 73.0 69.5 104.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 10/04/2023
Supervised By :mohammad ahmed 10/05/2023



#12
Fluorene
Concen: 0.077 ng/u1
RT: 15.628 min Scan# 2719
Delta R.T. -0.009 min
Lab File: BM042175.D
Acq: 03 Oct 2023 23:14


Tgt Ion:166 Resp: 3557
Ion Ratio Lower Upper
166 100
165 80.3 78.4 117.6
167 27.4 11.5 17.3#





#14
Pentachlorophenol
Concen: 0.052 ng/uI
RT: 16.961 min Scan# 3034
Delta R.T. -0.017 min
Lab File: BM042175.D
Acq: 03 Oct 2023 23:14




Instrument :
BNA_M
ClientSampleId :
BBBP0RE



Tgt Ion:266 Resp: 292
Ion Ratio Lower Upper
266 100
264 62.0 51.1 76.7
268 77.4 52.1 78.1




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 10/04/2023
Supervised By :mohammad ahmed 10/05/2023



#19
Fluoranthene
Concen: 0.031 ng/uI
RT: 19.385 min Scan# 3582
Delta R.T. -0.009 min
Lab File: BM042175.D
Acq: 03 Oct 2023 23:14


Tgt Ion:202 Resp: 1617
Ion Ratio Lower Upper
202 100
101 53.6 11.1 16.7#
100 39.0 8.2 12.2#





#20
Pyrene
Concen: 0.067 ng/ul
RT: 19.752 min Scan# 30
Delta R.T. -0.009 min
Lab File: BM042175.D
Acq: 03 Oct 2023 23:14

Instrument :
BNA_M
ClientSampleId :
BBBP0RE



Tgt Ion:202 Resp: 370
Ion Ratio Lower Upper
202 100
101 32.4 12.7 19.1
100 26.5 9.9 14.9

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 10/04/2023
Supervised By :mohammad ahmed 10/05/2023

