

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM101018\
 Data File : BM017112.D
 Acq On : 11 Oct 2018 00:11
 Operator : MJ/SJ
 Sample : J5234-16
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Oct 11 05:45:05 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM100418MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 11 04:38:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	315794	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	1459483	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.33	164	825620	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.08	188	1701628	20.00	ng/ul	0.00
78) Chrysene-d12	21.27	240	1323988	20.00	ng/ul	0.00
86) Perylene-d12	23.50	264	1327934	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	17715	2.79	ng/uL	0.00
5) Phenol-d5	6.87	99	552198	20.92	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.03	67	332151	20.75	ng/ul	0.00
9) 2-Chlorophenol-d4	7.23	132	481491	21.94	ng/ul	0.00
13) 4-Methylphenol-d8	8.40	113	480600	23.23	ng/ul	0.00
19) Nitrobenzene-d5	8.85	128	247102	23.17	ng/ul	0.00
22) 2-Nitrophenol-d4	9.56	143	271739	25.04	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.09	165	513706	23.01	ng/ul	0.00
29) 4-Chloroaniline-d4	10.61	131	417503	15.56	ng/ul	0.00
44) Dimethylphthalate-d6	13.75	166	1509752	23.05	ng/ul	0.00
47) Acenaphthylene-d8	14.02	160	1944417	23.22	ng/ul	0.00
52) 4-Nitrophenol-d4	14.55	143	199840	16.15	ng/ul	0.00
58) Fluorene-d10	15.33	176	1350622	23.15	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.46	200	182975	18.23	ng/ul	0.00
71) Anthracene-d10	17.18	188	1894977	23.32	ng/ul	0.00
79) Pyrene-d10	19.48	212	1681630	28.16	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.36	264	1586337	23.33	ng/ul	0.00

Target Compounds

					Ovalue
6) Phenol	6.89	94	63708	2.412	ng/ul 96
16) 4-Methylphenol	8.46	108	28042	1.316	ng/ul 96
24) 2,4-Dimethylphenol	9.65	107	42900	1.725	ng/ul 98
28) Naphthalene	10.52	128	209674	2.796	ng/ul 98
34) 2-Methylnaphthalene	12.13	142	437154	8.255	ng/ul 100
45) Dimethylphthalate	13.80	163	414313	6.387	ng/ul# 90
54) Dibenzofuran	14.73	168	207132	2.574	ng/ul 98
59) Fluorene	15.39	166	276064	4.208	ng/ul# 96
70) Phenanthrene	17.12	178	498700	5.227	ng/ul 96
72) Anthracene	17.22	178	176564m	1.821	ng/ul
77) Fluoranthene	19.14	202	156304	1.414	ng/ul# 93
80) Pyrene	19.51	202	246441	3.213	ng/ul 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM101018\
Data File : BM017112.D
Acq On : 11 Oct 2018 00:11
Operator : MJ/SJ
Sample : J5234-16
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Oct 11 05:45:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM100418MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 11 04:38:36 2018
Response via : Initial Calibration

