

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102218\
 Data File : BM017280.D
 Acq On : 22 Oct 2018 15:42
 Operator : MJ/SJ
 Sample : J5585-06
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSSI-1017-S-DH-19A

Quant Time: Oct 23 07:50:02 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 17 14:23:17 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	322004	20.00	ng	-0.01
21) Naphthalene-d8	10.43	136	1377064	20.00	ng	-0.02
39) Acenaphthene-d10	14.30	164	789158	20.00	ng	-0.02
64) Phenanthrene-d10	17.05	188	1758294	20.00	ng	-0.02
76) Chrysene-d12	21.24	240	1814431	20.00	ng	-0.02
87) Perylene-d12	23.46	264	1564373	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.28	112	2006130	105.37	ng	-0.01
7) Phenol-d6	6.85	99	2839673	109.52	ng	-0.01
23) Nitrobenzene-d5	8.82	82	1722434	73.15	ng	-0.02
42) 2,4,6-Tribromophenol	15.80	330	1156228	108.34	ng	-0.02
45) 2-Fluorobiphenyl	12.92	172	4159553	70.13	ng	-0.02
79) Terphenyl-d14	19.69	244	6071006	75.42	ng	-0.01
Target Compounds						
10) Phenol	6.87	94	249906	8.955	ng	97
50) Dimethylphthalate	13.76	163	486816	7.996	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102218\
Data File : BM017280.D
Acq On : 22 Oct 2018 15:42
Operator : MJ/SJ
Sample : J5585-06
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SSSI-1017-S-DH-19A

Quant Time: Oct 23 07:50:02 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 17 14:23:17 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.66 min Scan# 795
Delta R.T. -0.01 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42

Instrument :
BNA_M
ClientSampleId :
SSSI-1017-S-DH-19A

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.6	124.3	186.5
115	59.5	48.1	72.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 105.373 ng
RT: 5.28 min Scan# 389
Delta R.T. -0.01 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.2	41.7	62.5
63	30.8	23.0	34.4






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 109.516 ng

RT: 6.85 min Scan# 656

Delta R.T. -0.01 min

Lab File: BM017280.D

Acq: 22 Oct 2018 15:42

Instrument :

BNA_M

ClientSampleId :

SSSI-1017-S-DH-19A


Tot Ion: 99 Resp: 2839673

Ion Ratio Lower Upper

99 100

42 17.4 13.3 19.9




71 36.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM017280.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017280.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017280.D (-641) (-)



#10

Phenol

Concen: 8.955 ng

RT: 6.87 min Scan# 660

Delta R.T. -0.01 min

Lab File: BM017280.D

Acq: 22 Oct 2018 15:42


Tgt Ion: 94 Resp: 249906

Ion Ratio Lower Upper

94 100

65 29.2 9.4 49.4



66 41.6 19.0 59.0




Abundance Ion 94.00 (93.70 to 94.70): BM017280.D (-645) (-)

Ion 65.00 (64.70 to 65.70): BM017280.D (-645) (-)

Ion 66.00 (65.70 to 66.70): BM017280.D (-645) (-)






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.43 min Scan# 1266
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42




Instrument :
BNA_M
ClientSampleId :
SSSI-1017-S-DH-19A

Tot Ion:136 Resp: 1377064

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.8	6.7	10.1
68	5.6	4.7	7.1




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BM
Ion 68.00 (67.70 to 68.70): BM





#23
Nitrobenzene-d5
Concen: 73.154 ng
RT: 8.82 min Scan# 991
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42


Tgt Ion: 82 Resp: 1722434

Ion	Ratio	Lower	Upper
82	100		
128	44.2	37.0	55.6
54	48.7	40.7	61.1



Abundance Ion 82.00 (81.70 to 82.70): BM
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BM









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.30 min Scan# 1923
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42

Instrument :
BNA_M
ClientSampleId :
SSSI-1017-S-DH-19A

Tot Ion:164 Resp: 789158
Ion Ratio Lower Upper
164 100
162 101.5 82.1 123.1
160 44.6 40.2 60.2




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#42
2,4,6-Tribromophenol
Concen: 108.340 ng
RT: 15.80 min Scan# 2178
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42

Tgt Ion:330 Resp: 1156228
Ion Ratio Lower Upper
330 100
332 96.8 77.3 115.9
141 33.8 27.4 41.0



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 70.131 ng
RT: 12.92 min Scan# 1688
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42

Instrument :
BNA_M
ClientSampleId :
SSSI-1017-S-DH-19A

Tot Ion:172 Resp: 4159553
Ion Ratio Lower Upper
172 100
171 34.8 28.3 42.5
170 22.5 18.3 27.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 7.996 ng
RT: 13.76 min Scan# 1832
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42

Tgt Ion:163 Resp: 486816
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 9.8 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.05 min Scan# 2391
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42




Instrument :
BNA_M
ClientSampleId :
SSSI-1017-S-DH-19A


Tot Ion:188 Resp: 1758294
Ion Ratio Lower Upper
188 100
94 9.0 7.0 10.4
80 10.0 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.24 min Scan# 3104
Delta R.T. -0.02 min
Lab File: BM017280.D
Acq: 22 Oct 2018 15:42

Tgt Ion:240 Resp: 1814431
Ion Ratio Lower Upper
240 100
120 10.6 8.1 12.1
236 24.6 19.9 29.9





#79

Terphenyl-d14

Concen: 75.418 ng

RT: 19.69 min Scan# 2840

Delta R.T. -0.01 min

Lab File: BM017280.D

Acq: 22 Oct 2018 15:42

Instrument :

BNA_M

ClientSampleId :

SSSI-1017-S-DH-19A


Tot Ion:244 Resp: 6071006

Ion Ratio Lower Upper




244 100

212 7.3 5.5 8.3

122 10.4 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.46 min Scan# 3480

Delta R.T. -0.02 min

Lab File: BM017280.D

Acq: 22 Oct 2018 15:42


Tgt Ion:264 Resp: 1564373

Ion Ratio Lower Upper

264 100

260 22.9 18.6 27.8

265 21.7 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

