

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102323\
 Data File : BM042400.D
 Acq On : 23 Oct 2023 13:54
 Operator : MA/JU
 Sample : 04844-13
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 OR-603-COMP-08

Quant Time: Oct 23 14:25:41 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 21 02:32:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.998	152	125013	20.000	ng	0.00
21) Naphthalene-d8	10.816	136	480665	20.000	ng	0.00
39) Acenaphthene-d10	14.639	164	248701	20.000	ng	0.00
64) Phenanthrene-d10	17.392	188	519219	20.000	ng	0.00
76) Chrysene-d12	21.574	240	555164	20.000	ng	0.00
86) Perylene-d12	24.038	264	622325	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	784034	88.638	ng	0.00
7) Phenol-d6	7.145	99	1021209	86.150	ng	0.00
23) Nitrobenzene-d5	9.192	82	617974	56.852	ng	0.00
42) 2,4,6-Tribromophenol	16.133	330	224061	85.021	ng	0.00
45) 2-Fluorobiphenyl	13.263	172	1062079	57.507	ng	0.00
79) Terphenyl-d14	20.003	244	1738199	55.527	ng	0.00
Target Compounds						
74) Di-n-butylphthalate	18.333	149	36613	3.854	ng	99
84) Bis(2-ethylhexyl)phtha...	21.439	149	21220	4.158	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102323\
Data File : BM042400.D
Acq On : 23 Oct 2023 13:54
Operator : MA/JU
Sample : 04844-13
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
OR-603-COMP-08

Quant Time: Oct 23 14:25:41 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 21 02:32:53 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.998 min Scan# 818
Delta R.T. 0.000 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54




Instrument :
BNA_M
ClientSampleId :
OR-603-COMP-08


Tgt Ion:152 Resp: 125013
Ion Ratio Lower Upper
152 100
150 153.9 126.2 189.4
115 62.3 51.9 77.9



#5
2-Fluorophenol
Concen: 88.638 ng
RT: 5.522 min Scan# 397
Delta R.T. -0.000 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54

Tgt Ion:112 Resp: 784034
Ion Ratio Lower Upper
112 100
64 65.4 52.7 79.1
63 33.9 28.3 42.5









#7
Phenol-d6
Concen: 86.150 ng
RT: 7.145 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54




Instrument :
BNA_M
ClientSampleId :
OR-603-COMP-08


Tgt Ion: 99 Resp: 1021209
Ion Ratio Lower Upper
99 100
42 22.0 18.5 27.7
71 34.2 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.816 min Scan# 1297
Delta R.T. -0.006 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54

Tgt Ion: 136 Resp: 480665
Ion Ratio Lower Upper
136 100
137 10.9 8.5 12.7
54 10.5 8.6 12.8
68 8.2 6.4 9.6









#23
Nitrobenzene-d5
Concen: 56.852 ng
RT: 9.192 min Scan# 1021
Delta R.T. -0.006 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54




Instrument :
BNA_M
ClientSampleId :
OR-603-COMP-08


Tgt Ion: 82 Resp: 617974
Ion Ratio Lower Upper
82 100
128 38.1 29.0 43.6
54 54.2 43.7 65.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.639 min Scan# 1947
Delta R.T. -0.006 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54

Tgt Ion: 164 Resp: 248701
Ion Ratio Lower Upper
164 100
162 100.3 83.0 124.4
160 46.6 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 85.021 ng
RT: 16.133 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54




Instrument :
BNA_M
ClientSampleId :
OR-603-COMP-08


Tgt Ion:330 Resp: 224061
Ion Ratio Lower Upper
330 100
332 97.5 77.6 116.4
141 45.1 38.0 57.0



#45
2-Fluorobiphenyl
Concen: 57.507 ng
RT: 13.263 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BM042400.D
Acq: 23 Oct 2023 13:54

Tgt Ion:172 Resp: 1062079
Ion Ratio Lower Upper
172 100
171 34.6 28.1 42.1
170 23.5 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.392 min Scan# 2416

Delta R.T. -0.006 min

Lab File: BM042400.D

Acq: 23 Oct 2023 13:54

Instrument :

BNA_M

ClientSampleId :

OR-603-COMP-08





Tgt Ion:188 Resp: 519219

Ion Ratio Lower Upper

188 100

94 11.7 9.4 14.0

80 13.5 10.7 16.1



#74

Di-n-butylphthalate

Concen: 3.854 ng

RT: 18.333 min Scan# 2575

Delta R.T. -0.006 min

Lab File: BM042400.D

Acq: 23 Oct 2023 13:54




Tgt Ion:149 Resp: 36613


Ion Ratio Lower Upper

149 100

150 9.5 7.4 11.0

104 6.2 4.6 7.0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.574 min Scan# 31

Delta R.T. -0.006 min

Lab File: BM042400.D

Acq: 23 Oct 2023 13:54

Instrument :

BNA_M

ClientSampleId :

OR-603-COMP-08





Tgt Ion:240 Resp: 555164

Ion Ratio Lower Upper

240 100

120 12.9 10.7 16.1

236 25.8 20.7 31.1



#79

Terphenyl-d14

Concen: 55.527 ng

RT: 20.003 min Scan# 2859

Delta R.T. -0.006 min

Lab File: BM042400.D

Acq: 23 Oct 2023 13:54




Tgt Ion:244 Resp: 1738199


Ion Ratio Lower Upper

244 100

212 7.0 5.6 8.4

122 11.3 8.8 13.2





#84

Bis(2-ethylhexyl)phthalate

Concen: 4.158 ng

RT: 21.439 min Scan# 3103

Delta R.T. -0.006 min

Lab File: BM042400.D

Acq: 23 Oct 2023 13:54

Instrument :

BNA_M

ClientSampleId :

OR-603-COMP-08





Tgt Ion:149 Resp: 21220

Ion Ratio Lower Upper

149 100

167 27.7 20.9 31.3

279 3.9 2.7 4.1



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.038 min Scan# 3545

Delta R.T. -0.006 min

Lab File: BM042400.D

Acq: 23 Oct 2023 13:54

Tgt Ion:264 Resp: 622325

Ion Ratio Lower Upper

264 100

260 23.5 18.6 27.8

265 22.2 17.8 26.8

