

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102423\
 Data File : BM042420.D
 Acq On : 24 Oct 2023 15:27
 Operator : MA/JU
 Sample : 04978-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 NB-406-COMP-03

Quant Time: Oct 24 17:06:24 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 21 02:32:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.993	152	133325	20.000	ng	0.00
21) Naphthalene-d8	10.816	136	509870	20.000	ng	0.00
39) Acenaphthene-d10	14.639	164	243025	20.000	ng	0.00
64) Phenanthrene-d10	17.392	188	598402	20.000	ng	0.00
76) Chrysene-d12	21.574	240	498774	20.000	ng	0.00
86) Perylene-d12	24.039	264	152423	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	1205489	127.788	ng	0.00
7) Phenol-d6	7.146	99	1361626	107.706	ng	0.00
23) Nitrobenzene-d5	9.192	82	1049059	90.982	ng	0.00
42) 2,4,6-Tribromophenol	16.133	330	534624	194.278	ng	0.00
45) 2-Fluorobiphenyl	13.263	172	1996357	110.619	ng	0.00
79) Terphenyl-d14	20.004	244	2756424	98.010	ng	0.00
Target Compounds						
74) Di-n-butylphthalate	18.333	149	4071	2.917	ng	Qvalue # 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102423\
Data File : BM042420.D
Acq On : 24 Oct 2023 15:27
Operator : MA/JU
Sample : 04978-03
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
NB-406-COMP-03

Quant Time: Oct 24 17:06:24 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 21 02:32:53 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.993 min Scan# 818
Delta R.T. -0.005 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27




Instrument :
BNA_M
ClientSampleId :
NB-406-COMP-03


Tgt Ion:152 Resp: 133325
Ion Ratio Lower Upper
152 100
150 156.8 126.2 189.4
115 61.4 51.9 77.9



#5
2-Fluorophenol
Concen: 127.788 ng
RT: 5.522 min Scan# 397
Delta R.T. 0.000 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27

Tgt Ion:112 Resp: 1205489
Ion Ratio Lower Upper
112 100
64 63.2 52.7 79.1
63 34.0 28.3 42.5









#7
Phenol-d6
Concen: 107.706 ng
RT: 7.146 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27




Instrument :
BNA_M
ClientSampleId :
NB-406-COMP-03


Tgt Ion: 99 Resp: 1361626
Ion Ratio Lower Upper
99 100
42 21.5 18.5 27.7
71 34.7 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.816 min Scan# 1297
Delta R.T. -0.006 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27

Tgt Ion:136 Resp: 509870
Ion Ratio Lower Upper
136 100
137 10.9 8.5 12.7
54 9.7 8.6 12.8
68 6.8 6.4 9.6





#23

Nitrobenzene-d5

Concen: 90.982 ng

RT: 9.192 min Scan# 1021

Delta R.T. -0.006 min

Lab File: BM042420.D

Acq: 24 Oct 2023 15:27

Instrument :





BNA_M

ClientSampleId :

NB-406-COMP-03

Tgt Ion: 82 Resp: 1049059

Ion	Ratio	Lower	Upper
82	100		
128	39.9	29.0	43.6
54	54.5	43.7	65.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.639 min Scan# 1947




Delta R.T. -0.006 min


Lab File: BM042420.D

Acq: 24 Oct 2023 15:27

Tgt Ion: 164 Resp: 243025

Ion	Ratio	Lower	Upper
164	100		
162	102.3	83.0	124.4
160	47.3	37.0	55.4









#42
2,4,6-Tribromophenol
Concen: 194.278 ng
RT: 16.133 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27




Instrument :
BNA_M
ClientSampleId :
NB-406-COMP-03


Tgt Ion:330 Resp: 534624
Ion Ratio Lower Upper
330 100
332 96.7 77.6 116.4
141 36.4 38.0 57.0#



#45
2-Fluorobiphenyl
Concen: 110.619 ng
RT: 13.263 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27

Tgt Ion:172 Resp: 1996357
Ion Ratio Lower Upper
172 100
171 34.8 28.1 42.1
170 23.8 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.392 min Scan# 2416

Delta R.T. -0.006 min

Lab File: BM042420.D

Acq: 24 Oct 2023 15:27

Instrument :

BNA_M

ClientSampleId :

NB-406-COMP-03





Tgt Ion:188 Resp: 598402

Ion Ratio Lower Upper

188 100

94 10.4 9.4 14.0

80 11.8 10.7 16.1



#74

Di-n-butylphthalate

Concen: 2.917 ng

RT: 18.333 min Scan# 2575

Delta R.T. -0.006 min

Lab File: BM042420.D

Acq: 24 Oct 2023 15:27




Tgt Ion:149 Resp: 4071


Ion Ratio Lower Upper

149 100

150 10.7 7.4 11.0

104 11.0 4.6 7.0#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.574 min Scan# 31
Delta R.T. -0.006 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27




Instrument :
BNA_M
ClientSampleId :
NB-406-COMP-03


Tgt Ion:240 Resp: 498774
Ion Ratio Lower Upper
240 100
120 12.1 10.7 16.1
236 27.3 20.7 31.1



#79
Terphenyl-d14
Concen: 98.010 ng
RT: 20.004 min Scan# 2859
Delta R.T. -0.005 min
Lab File: BM042420.D
Acq: 24 Oct 2023 15:27

Tgt Ion:244 Resp: 2756424
Ion Ratio Lower Upper
244 100
212 7.1 5.6 8.4
122 10.4 8.8 13.2





#86

Perylene-d12

Concen: 20.000 ng

RT: 24.039 min Scan# 3

Delta R.T. -0.006 min

Lab File: BM042420.D


Acq: 24 Oct 2023 15:27

Instrument :

BNA_M

ClientSampleId :

NB-406-COMP-03



Tgt Ion:264 Resp: 152423

Ion Ratio Lower Upper

264 100

260 27.8 18.6 27.8

265 24.0 17.8 26.8

